

GSIS Squash Commit Title Standard

How feature and bug pull requests get automatic commit titles on `base-v2`

For the development team | Workflow: `.github/workflows/feature-commit-title.yml`

Goal. Every squash merge into `base-v2` should have one clean commit title: Jira id + global F sequence. Bug PRs also mark `BUG` and, when present, the related feature/story Jira and a clickable link to that feature PR.

1. How it works

1. Developer opens a PR into `base-v2` from a named feature or bug branch.
2. GitHub Action reads the **branch name**, finds the next global `F` number on `base-v2`, and sets the **PR title**.
3. Reviewer squash-merges. GitHub uses the PR title as the squash commit message.
4. GitHub always appends the current PR number as `(#16)`. That is clickable on the commits page.

The workflow does **not** rewrite git history. It only updates the PR title.

2. Required GitHub repository settings

Repo → **Settings** → **General** → **Pull Requests**

Setting	Value	Why
Allow squash merging	On	One commit per PR on <code>base-v2</code>
Default squash commit message	Pull request title	Uses the auto-generated title
Allow merge commits	Off	Otherwise feature commits appear on <code>base-v2</code>
Allow rebase merging	Off (recommended)	Keeps history linear and titles consistent

Always click **Squash and merge**. Do not use "Create a merge commit". A merge commit keeps every feature-branch commit on `base-v2`.

3. Branch naming

Type	Branch pattern	Example
Feature / story	base/feature/GSIS-<storyId>-<short-name>	base/feature/GSIS-26369-enrol-modification
Bug (general)	base/bugfix/GSIS-<bugId>-<short-name>	base/bugfix/GSIS-25819-offer-letter-status-response-gcet
Bug linked to a story	base/bugfix/GSIS-<bugId>-GSIS-<storyId>-<short-name>	base/bugfix/GSIS-2875-GSIS-3654-null-list

The story id on a bug branch is **optional**. Use it only when the bug belongs to an existing feature/story (same id as `base/feature/GSIS-26369-...`).

4. Global F sequence

F is a running number for the whole `base-v2` branch. It is not per Jira id.

Merge order	PR	Commit title (before GitHub adds PR number)
1st merged PR	Feature GSIS-12345	GSIS-12345-F1
2nd merged PR	Feature GSIS-54852	GSIS-54852-F2
12th merged PR	Bug GSIS-2875 for story GSIS-3654	GSIS-2875-BUG-F12-GSIS-3654

Open PRs are numbered in the order they were created. After a merge, remaining open PRs are retitled to the next F numbers.

5. Scenarios

S1 Feature pull request

Branch: `base/feature/GSIS-26369-enrol-modification`

PR title set by workflow: `GSIS-26369-F6`

After squash merge (GitHub adds PR number): `GSIS-26369-F6 (#11)`

`(#11)` is a clickable link to that feature PR on the commits page.

S2 Next feature uses the next F number (different Jira)

Branch: `base/feature/GSIS-3214-employee-api`

PR title: `GSIS-3214-F7`

After squash: `GSIS-3214-F7 (#10)`

F continues globally even though the Jira id changed.

S3 General bug (no story / feature id)

Branch: `base/bugfix/GSIS-25819-offer-letter-status-response-gcet`

PR title: `GSIS-25819-BUG-F12`

After squash: `GSIS-25819-BUG-F12 (#16)`

Use this for standalone bugs that are not tied to a feature branch.

S4 Bug linked to a feature/story Jira

Branch: `base/bugfix/GSIS-2875-GSIS-3654-null-list`

First id = bug ticket. Second id = story/feature ticket (same as `base/feature/GSIS-3654-...`).

PR title: `GSIS-2875-BUG-F12-GSIS-3654`

After squash: `GSIS-2875-BUG-F12-GSIS-3654 (#16)`

The story id is optional. If it is on the branch, it is included so the bug commit lines up with the feature git branch.

S5 Bug + story, and link the feature PR (same as #16)

When the bug branch contains a story id, the workflow finds the matching feature branch/PR (`base/feature/GSIS-3654-...` or the squash commit already on `base-v2`) and puts that PR number in the title. GitHub still appends the bug PR number.

PR title set by workflow: `GSIS-2875-BUG-F12-GSIS-3654 (#6)`

After squash: `GSIS-2875-BUG-F12-GSIS-3654 (#6) (#16)`

Part	Meaning	Clickable?
<code>GSIS-2875</code>	Bug Jira	No (text)
<code>BUG</code>	This PR is a bugfix	—
<code>F12</code>	12th squash on <code>base-v2</code>	—
<code>GSIS-3654</code>	Related feature/story Jira and git branch	No (text)
<code>(#6)</code>	Feature PR for <code>base/feature/GSIS-3654-...</code>	Yes, like #16
<code>(#16)</code>	This bug PR (added by GitHub)	Yes

If no feature PR/branch is found, the extra `(#6)` is omitted. The story id in the title is still kept.

S6 Several open PRs at once

PRs are titled in created-at order.

Open PR (created order)	Assigned title
Feature GSIS-4145	<code>GSIS-4145-F9</code>
Feature GSIS-2541	<code>GSIS-2541-F10</code>
Bug GSIS-1254	<code>GSIS-1254-BUG-F11</code>

When F9 is merged, the workflow runs again and remaining open PRs move to F10, F11, ...

S7 Draft PRs

Draft PRs are skipped. When the PR is marked ready for review, it gets the next F title.

6. What you must not do

Action	Result
Create a merge commit instead of squash	Feature-branch commits appear on <code>base-v2</code> (example: "GSIS-7894 customer API implement" plus "Merge pull request #2"). Title standard is lost.
Amend / force-push <code>base-v2</code> to strip <code>(#16)</code>	A shallow checkout can turn <code>base-v2</code> into a single root commit. GitHub then shows only one commit and cannot open new PRs ("No common ancestor").
Wrong branch name (no <code>GSIS- id</code>)	Workflow skips the PR. Title is not generated.
Edit the squash title by hand and drop the Jira/F part	The next F number may be wrong because the workflow counts titles matching the pattern.

7. Developer checklist

1. Create the branch with the correct prefix and Jira id(s).
2. Open a PR into `base-v2` (not draft, or mark ready when it is).
3. Wait for the Action to set the PR title. Do not rename it unless the Action failed.
4. Review and squash-merge. Leave the commit title as the PR title.
5. GitHub will add `(#PR)`. That is expected. Do not try to remove it with a history rewrite.

Quick examples to show the team

Feature: `base/feature/GSIS-26369-enrol-modification` → `GSIS-26369-F6 (#11)`

General bug: `base/bugfix/GSIS-25819-offer-letter-status-response-gcet` → `GSIS-25819-BUG-F11 (#9)`

Bug + story: `base/bugfix/GSIS-2875-GSIS-3654-null-list` → `GSIS-2875-BUG-F12-GSIS-3654 (#6) (#16)`

8. FAQ

Why does the commit show `(#16)`?

GitHub always appends the squash PR number. There is no repository setting to turn that off. It is useful because it links the commit to the PR.

Can we hide `(#16)`?

You can delete it in the squash dialog before confirming, but the team standard is to keep it. Do not force-push `base-v2` to strip it.

Why BUG in the title?

So bugfixes are visible in history next to feature F commits, and so the id is the bug Jira, not the story Jira.

What if the bug is not related to any feature?

Omit the second Jira from the branch. Title stays `GSIS-2875-BUG-F12`.

What if the feature PR is not found?

The story id is still in the title. Only the extra clickable (#featurePR) is missing.

Does this apply only to base-v2?

Yes. The workflow runs on PRs and pushes targeting base-v2 .

Source of truth: .github/workflows/feature-commit-title.yml on base-v2 . Merge workflow updates onto base-v2 before new PRs can use new title rules.