

Personal Media Tracker

Software Requirements Specification

Version: 1.0

Date: February 20, 2026

Team Members:

Eric Chen – Team Leader / Database Engineer

Sasha Crawford – Designer / Version Control

Jessamine Magalona – Designer / User Experience

Revision History

Date	Description	Author	Comments
2/20/2026	Initial version submitted	Eric Chen	First draft

Document Approval

The following Software Requirements Specification has been accepted and approved by the following:

Signature	Printed Name	Title	Date
<i>Eric Chen</i>	Eric Chen	Team Leader	2/20/2026
<i>Sasha Crawford</i>	Sasha Crawford	Version Control	2/20/2026

Personal Media Tracker

Table of Contents

1. INTRODUCTION	1
1.1 PURPOSE	1
1.2 SCOPE	1
1.3 DEFINITIONS, ACRONYMS, AND ABBREVIATIONS	1
1.4 OVERVIEW	1
2. GENERAL DESCRIPTION	1
2.1 PRODUCT PERSPECTIVE	1
2.2 PRODUCT FUNCTIONS	1
2.3 USERS AND CHARACTERISTICS	1
2.4 GENERAL CONSTRAINTS	1
2.5 ASSUMPTIONS AND DEPENDENCIES	1
2.6 OPERATING ENVIRONMENT	2
3. SPECIFIC REQUIREMENTS	1
3.1 EXTERNAL INTERFACE REQUIREMENTS	1
3.1.1 <i>User Interfaces</i>	1
3.1.2 <i>Hardware Interfaces</i>	1
3.1.3 <i>Software Interfaces</i>	1
3.1.4 <i>Communications Interfaces</i>	1
3.2 FUNCTIONAL REQUIREMENTS	1
3.2.1 <i>Download and Installation Feature</i>	1
3.2.2 <i>Search Database Feature</i>	1
3.2.3 <i>Track Titles Feature</i>	2
3.2.4 <i>Create Profile Feature</i>	2
3.2.5 <i>Rating and Review Feature</i>	3
3.2.6 <i>Sort and Filter Results Feature</i>	3
3.2.7 <i>User Data Access Feature</i>	3
3.2.8 <i>Watch Status Feature</i>	4
3.2.9 <i>Modify Previously Tracked Title Feature</i>	4
3.2.10 <i>Data Export Feature</i>	5
3.3 USE CASES	6
3.3.1 <i>Use Case #1</i>	6
3.3.2 <i>Use Case #2</i>	6
3.3.3 <i>Use Case #3</i>	7
3.3.5 <i>Use Case #5</i>	8
3.3.7 <i>Use Case #7</i>	9
3.3.8 <i>Use Case #8</i>	9
3.3.9 <i>Use Case #9</i>	10
3.3.10 <i>Use Case #10</i>	10
3.4 NON-FUNCTIONAL REQUIREMENTS	11
3.4.1 <i>Performance</i>	11
3.4.2 <i>Reliability</i>	11
3.4.3 <i>Availability</i>	11
3.4.4 <i>Security</i>	11
3.4.5 <i>Maintainability</i>	11
3.4.6 <i>Portability</i>	11
3.5 DESIGN CONSTRAINTS	12
3.5.1 <i>Software Limitations</i>	12
3.5.2 <i>Hardware Limitations</i>	12
3.6 LOGICAL DATABASE REQUIREMENTS	12
3.6.1 <i>Entities</i>	12
3.6.2 <i>Entity Definitions</i>	12
3.6.3 <i>Relationships</i>	12
3.6.4 <i>Data Integrity Constraints</i>	13
4. ANALYSIS MODELS	1
4.1 SEQUENCE DIAGRAMS	1

5. CHANGE MANAGEMENT PROCESS	1
REFERENCES.....	1
A. APPENDICES	1
A.1 APPENDIX 1:.....	1

LIST OF FIGURES

Figure 1: Search Database for Media Titles Sequence Diagram (Section 3.2.2)	1
Figure 2: Track Title Sequence Diagram (Section 3.2.3)	1
Figure 3: Create a Profile Sequence Diagram (Section 3.2.4)	2
Figure 4: Write Personal Review/Rating Sequence Diagram (Section 3.2.5)	3
Figure 5: Remove a Tracked Title Sequence Diagram (Section 3.2.9)	3
Figure 6: Export Data Sequence Diagram (Section 3.2.10)	4
Figure 7: Sort Titles Sequence Diagram (Section 3.2.6)	4
Figure 8: Data Access Sequence Diagram (Section 3.2.7)	5
Figure 9: Watch Status Sequence Diagram (Section 3.2.8)	5

LIST OF TABLES

Table 1: Use Case 1	6
Table 2: Use Case 2	6
Table 3: Use Case 3	7
Table 4: Use Case 4	7
Table 5: Use Case 5	8
Table 6: Use Case 6	8
Table 7: Use Case 7	9
Table 8: Use Case 8	9
Table 9: Use Case 9	10
Table 10: Use Case 10	10

1. Introduction

This section of the SRS provides an overview of everything required related to functional and nonfunctional requirements.

1.1 Purpose

The purpose of this Software Requirement Specification (SRS) document outlines the functional and nonfunctional requirements of the Personal Media Tracker and defines system constraints and design considerations. It will also outline the various system constraints of the program. This document is intended to be a source of reference for the project team, instructors, and stakeholders.

1.2 Scope

This project includes the design and development of a desktop-based Personal Media Tracker application. The application will allow users to track movies and television shows by storing completion progress, personal ratings, and written reviews. Media titles will be sourced from a larger external database to support scalability and long-term usability.

The product will streamline the process of tracking a user's completion in their choice of TV shows or movies. Users will be able to input the media they would like to track and pull that title from a larger database. The completion percentage and personal ratings will be stored locally on the user's system.

The software requires an internet connection in order to update available titles for tracking. All titles are stored in a database which is located on a webserver. This database is to be a live database and adjust in a timely manner. The application will display the titles already tracked and the option to add more. Comments and personal ratings are optional.

1.3 Definitions, Acronyms, and Abbreviations

SRS: Software Requirements Specification

Personal Media Tracker: A desktop application designed to allow users to track movies and television shows.

Media Database: An external data source that provides information on movies and television shows used by the application.

User Interface (UI): The visual components through which users interact with the application.

User Experience (UX): The overall experience and usability of the application from the user's perspective.

System Testing: The process of validating that all application features function as intended.

1.4 Overview

The remainder of this SRS includes a detailed description of the Personal Media Tracker. Section 2 outlines the overall product, including functions, users, constraints, and operating environment. Section 3 outlines use cases and functional and nonfunctional requirements. Section 4 includes sequence diagrams about the product. Section 5 outlines the change and management protocol for maintaining this SRS. Appendices provide supplementary information where it is necessary.

2. General Description

2.1 Product Perspective

The Personal Media Tracker (PMT) is a means to streamline tracking progress and personal ratings on TV shows and movies. This product is an independent product and is not a replacement for an existing system. The PMT offers tracking abilities across a variety of titles and genres.

The system includes a desktop hosted application. The application will require an internet connection. The purpose of a connection is to update available titles for tracking. The product is expected to improve over several iterations, including more features for tracking capabilities and shared user reviews.

2.2 Product Functions

1. Allow users to search for media titles from an external database.
2. Allow users to add titles to a personal tracking list.
3. Allow users to record completion progress for tracked titles.
4. Allow users to assign ratings and write personal reviews.
5. Allow users to edit or remove tracked titles.
6. Allow users to sort and filter tracked titles by either movies or TV shows.
7. Allow users to set and change the status of media titles.

Detailed functional requirements are outlined in Section 3.

2.3 Users and Characteristics

There is only one type of user for this application. The PMT is available to all who would like to keep track of media they have watched or are currently watching. The application is intuitive, so no prior technical knowledge is required. The users will input which title they would like to stay up to date on and their progress on watching.

2.4 General Constraints

There are a few constraints required for this application. The PMT must be able to run as a desktop-based application. An internet connection is required to download or update titles from an external database. The data of the user's tracking must be stored locally on the user's machine.

2.5 Assumptions and Dependencies

- | | |
|-------|--|
| AS-1: | The database of titles is up to date with available titles. |
| AS-2: | Users will have access to a stable internet connection to retrieve updated title data. |
| AS-3: | The user is utilizing a desktop operating system that is supported by PMT. |
| DE-1: | The operation of the PMT depends on accessibility to the internet to download new title information. |
| DE-2: | Compatible with Windows OS and macOS operating systems |

2.6 Operating Environment

- OE-1: The Personal Media Tracker shall operate as a desktop application on Windows 10 or later and macOS.
- OE-2: The system shall require an internet connection to retrieve media title data from an external database.
- OE-3: The system shall store user profiles and track media data locally on the user's machine.
- OE-4: The system shall operate on standard desktop or laptop hardware.

3. Specific Requirements

3.1 External Interface Requirements

3.1.1 User Interfaces

3.1.2 Hardware Interfaces

3.1.3 Software Interfaces

3.1.4 Communications Interfaces

3.2 Functional Requirements

This section describes specific features of the software project. If desired, some requirements may be specified in the use-case format and listed in the Use Cases Section.

3.2.1 Download and Installation Feature

3.2.1.1 Description and Priority

The system shall be available for download and installation via the Personal Media Tracker Public Repository.

Priority: High

3.2.1.2 Stimulus/Response Sequences

Stimulus: User access public repository to download the Personal Media Tracker.

Response: Repository provides downloadable installation package and instructions for supported systems.

3.2.1.3 Functional Requirements

REQ-1: The system shall provide installation instructions within the repository.

REQ-2: The system shall be free to download.

REQ-3: The system shall be packaged and compatible with Windows OS.

REQ-4: The system shall support updates and changes through various version control releases.

3.2.2 Search Database Feature

3.2.2.1 Description and Priority

The system shall provide users with the ability to search an external media database for various movies and TV shows. Users shall be able to input a title or keyword, and the system shall return a list of matching titles. The search functionality supports efficient search of available titles for tracking and review.

Priority: High

3.2.2.2 Stimulus/Response

Stimulus: User inputs a title or keyword into the search field.

Response: The system shall search the external database of titles and display matching titles for tracking.

Alt Response: If no matching titles are found, the system shall inform the user by providing a message explaining that the title is unavailable.

3.2.2.3 Functional Requirements

REQ-1: The system shall take user input into a search field.

REQ-2: The system shall query an external database utilizing the user's search criteria.

REQ-3: The system shall generate a list of matching titles and display it to the user.

REQ-4: The system shall notify the user if no titles match their query.

3.2.3 Track Titles Feature

3.2.3.1 Description and Priority

The system shall provide users with the ability to select and track media titles retrieved from an external media database. Tracked titles shall be associated with active user profile and stored locally.

Priority: High

3.2.3.2 Stimulus/Response

Stimulus: User selects the media title from search query to track.

Response: The system shall display title information and prompt the user for tracking information via form.

Stimulus: User shall input tracking information.

Response: The system shall save tracked title locally to the user's storage.

3.2.3.3 Functional Requirements

REQ-1: The system shall save tracked titles based on active profile.

REQ-2: The system shall allow users to add selected media to personal list of tracked titles.

REQ-3: The system shall store tracking information locally.

REQ-4: The system shall display previously tracked titles as well as newly tracked title by the user.

3.2.4 Create Profile Feature

3.2.4.1 Description and Priority

The system shall support multiple profiles on a user's local storage. Users, upon opening application, shall create a unique profile, and the system shall store tracked titles based on user instance. Users must be able to create an account and sign in.

Priority: Medium

3.2.4.2 Stimulus/Response

Stimulus: User opens the Personal Media Tracker application.

Response: The system shall display active profiles on local storage.

Stimulus: User selects to create a new profile on local instance.

Response: The system shall prompt the user for profile information via profile creation form.

Stimulus: User shall input required profile information.

Response: The system shall validate profile information. Upon validation, create and save profile to local storage.

Response: The system shall display search feature for tracking titles.

3.2.4.3 Functional Requirements

REQ-1: The system shall display active profiles from local storage.

REQ-2: The system shall create multiple profiles per local instance.

REQ-3: The system shall save tracked title to individual profile.

REQ-4: The system shall display profile information as selected.

3.2.5 Rating and Review Feature

3.2.5.1 Description and Priority

The system shall accept personal ratings and reviews of selected media titles. Ratings and reviews shall be associated with the active user profile and stored locally. Priority: High

3.2.5.2 Stimulus/Response

Stimulus: User selects tracked media and enters a rating or review.

Response: The system shall store the submitted rating and review in local storage and display the updated tracked title information.

Alt Response: If required fields are left blank, system displays an error message and prompts user to correct input.

3.2.5.3 Functional Requirements

REQ-1: The system shall allow users to enter a rating or review for a tracked media title.

REQ-2: The system shall associate ratings and reviews with the active user profile.

REQ-3: The system shall display updated tracked titles for the active user profile.

3.2.6 Sort and Filter Results Feature

3.2.6.1 Description and Priority

The system shall allow users to sort and filter search results based on selected parameters such as media type or release year.

Priority: High

3.2.6.2 Stimulus/Response

Stimulus: User queries the external media database.

Response: System shall display different options in a search filter bar for sorting and filtering.

Stimulus: User selects preferred sorting and filtering method.

Response: System shall display a sorted and updated list of titles.

3.2.6.3 Functional Requirements

REQ-1: The system shall sort and filter the external database based on various criteria.

REQ-2: The system shall provide a search filter bar with different parameters.

REQ-3: The system shall sort the database by the corresponding parameters when selected.

REQ-4: The system shall display the sorted and filtered list of titles.

3.2.7 User Data Access Feature

3.2.7.1 Description and Priority

The system shall display personal tracking list based on active user profile. User shall select which profile to select active.

Priority: Medium

3.2.7.2 Stimulus/Response

Stimulus: User selects a profile.

Response: System shall open profile and retrieve tracking information for associated active user profile.

3.2.7.3 Functional Requirements

REQ-1: The system shall differentiate between local profiles.

REQ-2: The system shall access the correct local storage with selected user profile tracking information.

REQ-3: The system shall retrieve and display correct data to the user.

3.2.8 Watch Status Feature

3.2.8.1 Description and Priority

The system should allow the user to select watch status for tracked media. Available selections include “Watched, Watching, and Plan to Watch.” User may select watch status for each tracked title.

Priority: High

3.2.8.2 Stimulus/Response

Stimulus: User selects tracked media title.

Response: The system shall display tracking form of selected title.

Stimulus: User shall select watch status of selected title.

Response: The system shall save watch status and tracking information locally.

3.2.8.3 Functional Requirements

REQ-1: The system shall allow users to mark their watch status as “Watched”, “Watching”, or “Plan to Watch”.

REQ-2: The system shall allow users to select completion of multi-episode titles.

REQ-3: The system shall mark the title as completed if the number of episodes watched equals the total number of episodes.

REQ-4: The system shall store the user’s data locally.

3.2.9 Modify Previously Tracked Title Feature

3.2.9.1 Description and Priority

The application shall allow users to update previously tracked information or remove a title they have already tracked. Priority: High

3.2.9.2 Stimulus/Response

Stimulus: User accesses tracked titles.

Response: The system shall retrieve and display tracked titles.

Stimulus: User selects title to modify.

Response: The system shall display tracking information of selected title.

Stimulus: User selects remove tracked title.

Response: The system shall prompt the user for deletion confirmation.

If the user confirms, the system shall remove the selected title from local storage and display the updated list of tracked titles.

Response: The system shall update list of tracked titles and confirm removal of title.

3.2.9.3 Functional Requirements

REQ-1: The system shall retrieve previously tracked data from local storage.

REQ-2: The system shall allow the user to remove previously tracked data.

REQ-3: The system shall update displayed tracked titles after modification or deletion.

REQ-4: The system shall prompt the user for confirmation before deletion of selected title.

3.2.10 Data Export Feature

3.2.10.1 *Description and Priority*

The system shall allow user to download all tracked data. The downloadable data is associated with the active user profile.

Priority: Low

3.2.10.2 *Stimulus/Response*

Stimulus: User selects profile.

Response: The system shall display previously tracked titles as well as ability to track more.

Stimulus: User selects export data.

Response: The system shall retrieve all available tracked data and generate a downloadable file of tracked titles.

3.2.10.3 *Functional Requirements*

REQ-1: The system shall retrieve the correct data for the corresponding user profile.

REQ-2: The system shall export the active user's data into a local file.

3.3 Use Cases

3.3.1 Use Case #1

Use Case Name	Download Feature
Reference	Section 3.2.1
Trigger	The user navigates to the project's GitHub URL and decides to install the application.
Precondition	The GitHub repository is public and contains a compiled executable.
Basic Path	1. The user navigates to the GitHub Repository URL 2. The user clicks on the "Releases" section on the sidebar. 3. GitHub displays a list of available versions. 4. User clicks on the latest version's asset link. 5. System prompts the user to choose a save location. 6. User confirms the save location. 7. System downloads the files to the user's local machine.
Alternative Paths	If the download process is interrupted, the user must restart the process from Step 1.
Postcondition	The application is downloaded to the user's local machine.
Exception Paths	The user may decide to stop the download at any time.

Table 1: Use Case 1

3.3.2 Use Case #2

Use Case Name	Search for Media Title
Reference	Section 3.2.2
Trigger	The user clicks into the search field.
Precondition	The application contains a field for searching
Basic Path	1. The system presents a search box to the user to enter a keyword or phrase. 2. The user enters a keyword or phrase. 3. The system searches the database for all media titles containing the keyword or phrase. 4. The system shows a list of media titles containing the keyword of phrase. 5. The user clicks into one of the media titles from the list. 6. The system shows information about the media title.
Alternative Paths	In step 3, if the system cannot find a media title containing the keyword or phrase. 4. The system shows that there are no media titles found with the keyword or phrase. 5. Return to step 1. In step 4, if the user cannot find the media title they are looking. 5. The user clears the search results. 6. Return to step 1
Postcondition	The system presents the option to set the user's status with a media title.
Exception Paths	The user may abandon the search at any time.

Table 2: Use Case 2

3.3.3 Use Case #3

Use Case Name	Track Media Titles
Reference	Section 3.2.3
Trigger	User selects a specific title from the search results.
Precondition	User has an active local profile.
Basic Path	1. User clicks “Track” on the selected media title. 2. System displays a form for tracking details. 3. User inputs information into the form and clicks “Save”. 4. System writes the entry to local storage associated with the profile.
Alternative Paths	
Postcondition	The title is added to the user’s personal list
Exception Paths	The user may close out of the form at any time to select a different title.

Table 3: Use Case 3

3.3.4 Use Case #4

Use Case Name	Create Profile Feature
Reference	Section 3.2.4
Trigger	The user boots the app or selects “Add Profile” from the UI.
Precondition	The user downloaded Personal Media Tracker desktop application.
Basic Path	1. The user clicks “Create a new profile.” 2. System displays a creation form (Username and Password) 3. User inputs information into the form and clicks “Create.” 4. System makes sure the username isn’t a duplicate and creates a new entry into the local database.
Alternative Paths	In step 4, if the username is a duplicate: 5. The system displays an error message: “This username is taken, please try a different username.” 6. The user closes out of the error message. 7. Return to step 2.
Postcondition	A new user profile is created.
Exception Paths	The user can cancel profile creation to login at any time.

Table 4: Use Case 4

3.3.5 Use Case #5

Use Case Name	Write a Review/Rating
Reference	Section 3.2.5
Trigger	User clicks “Write a Review” on a tracked media title
Precondition	The title is already in the user’s tracked list.
Basic Path	1. The system displays a form for writing a review. 2. The user enters a numerical rating and/or text review. 3. The user clicks “Submit.” 4. The system checks if the rating field is empty. 5. The system saves the review to local storage.
Alternative Paths	In step 4, if the rating field is empty: 5. The system displays an error message: “Please enter a rating.” 6. The user closes out the error message. 7. Return to step 1.
Postcondition	The user review is saved to the local user profile.
Exception Paths	The user may add either a review or rating.

Table 5: Use Case 5

3.3.6 Use Case #6

Use Case Name	Sort and Filter Results
Reference	Section 3.2.6
Trigger	The user selects the search filter bar.
Precondition	The user is viewing a list of media titles.
Basic Path	1. The user selects an option from the sort panel (Name (default), Release Date, Rating; Ascending (default), Descending; Filter by). 2. System reorders the displayed media titles based on the selected condition.
Alternative Paths	In step 1, if the user selects the “Filter by” button: 2. The system shows options a form with multiple dropdowns. 3. The user selects the filter options and clicks “Filter.” 4. The system shows a list of filtered media titles based on the selected conditions.
Postcondition	The media list is displayed, sorted and filtered.
Exception Paths	The user may change the sort and filter conditions at any time through the search filter bar.

Table 6: Use Case 6

3.3.7 Use Case #7

Use Case Name	User Data Access Feature
Reference	Section 3.2.7
Trigger	The user logs into a profile
Precondition	A user profile exists.
Basic Path	1. The user selects the profile icon. 2. The system identifies the correct local user profile and data. 3. The system retrieves the data and displays the user's tracked titles and reviews in the UI.
Alternative Paths	In step 1, if the user decides to switch profiles: 2. The user clicks "Switch profile". 3. The system displays the login form. 4. The user inputs the profile username and password. 5. Repeat from step 1.
Postcondition	The UI displays information belonging to the active profile.
Exception Paths	If the user inputs the wrong login information, the user will be prompted to re-enter the information to access their profile.

Table 7: Use Case 7

3.3.8 Use Case #8

Use Case Name	Watch Status Feature
Reference	Section 3.2.8
Trigger	The user clicked the Status dropdown menu.
Precondition	The title is currently in the "Tracking" list, or the user is in the "Tracking" form.
Basic Path	1. The user clicked on the dropdown menu (Default is "Not Watched"). 2. The user inputs the status of their selected media title. The other options are "Want to Watch", "Watching", and "Watched". 3. The system saves the status on the local database.
Alternative Paths	In step 2, if the user sets status as "Watching" and the title is multi-episode: 3. The system displays an "Episodes Watched" dropdown. 4. The user selects a number from the dropdown menu. 5. The system saves the status in the local database. In step 4, if the user selects the maximum number of episodes: 5. The system changes the status to "Watched." 6. The system saves the status on the local database.
Postcondition	The media title watch status is updated in the database.
Exception Paths	If the title is not currently being tracked, there will not be a Status dropdown menu.

Table 8: Use Case 8

3.3.9 Use Case #9

Use Case Name	Modify Previously Tracked Data
Reference	Section 3.2.9
Trigger	The user selects a title.
Precondition	The title is in the tracked list.
Basic Path	1. The system shows information about the title. 2. The user clicks “Edit status”. 3. The system displays the “Tracking” form.
Alternative Paths	In step 2, if the user clicks “Remove” instead: 3. The system displays a confirmation message. 4. The user confirms. 5. The system deletes the entry from the database.
Postcondition	The title watch status is modified or the title is removed from the local database.
Exception Paths	The user may deny the confirmation message to return to the media title page.

Table 9: Use Case 9

3.3.10 Use Case #10

Use Case Name	Data Export Feature
Reference	Section 3.2.10
Trigger	The user clicks “Export data” in the profile menu.
Precondition	The user has tracked titles.
Basic Path	1. The user selects the export format. 2. The system compiles the active profile’s data. 3. The system opens as “Save As” file dialogue. 4. The user selects a location. 5. The system writes the file to the location in the chosen format.
Alternative Paths	
Postcondition	A portable file containing user information is saved to the machine.
Exception Paths	The user can cancel the export data process at any time.

Table 10: Use Case 10

3.4 Non-Functional Requirements

3.4.1 Performance

- NFRPe-1: The search feature will not exceed 5 seconds loading desired titles when adding new titles and locating previous logged titles.
- NFRPe-2: When managing titles (e.g., adding, removing, moving between personalized lists), the changes made by the user will be processed within 3 seconds.
- NFRPe-3: The changes will be visible in the user library in 3 seconds or less after processing.
- NFRPe-4: As for the databases supporting Personal Media Tracker, the system shall support a personal database of at least 10,000 stored titles without performance degradation exceeding a 10% increase in response time.

3.4.2 Reliability

- NFRRe-1: The system shall achieve a Mean Time Between Failures (MTBF) of at least 30 days under normal usage.
- NFRRe-2: The application shall successfully complete 99% of user-initiated operations without error.
- NFRRe-3: In the event of a failure, user data shall not be corrupted or lost. Automatic local data saving shall occur immediately after each user action affecting stored data.

3.4.3 Availability

- NFRA-1: System downtime may not exceed 30 minutes per week.
- NFRA-2: Personal Media Tracker will be available between 24 hours per day and 7 days a week with 99% assurance, excluding scheduled maintenance.
- NFRA-3: While users will be notified of scheduled maintenance in advance, scheduled maintenance shall not exceed 3 days per year, and users shall be notified in advance.

3.4.4 Security

- NFRSe-1: Information input into Personal Media Tracker by the user is localized to their machine.
- NFRSe-2: The application shall not collect or store personal data beyond what is required for functionality.
- NFRSe-3: Any locally stored data files shall be protected with operating system-level access controls.
- NFRSe-4: For the title database, users will have read access only to the imported titles database.
- NFRSe-5: Users have read and write access to the database associated with their personal accounts containing their logged media titles.

3.4.5 Maintainability

- NFRMa-1: The application shall demonstrate the ability to store and manage an expanding media database as new titles are released, with minimal performance degradation observed during testing not exceeding 10%.
- NFRMa-2: The current code shall sustain implementation of new functions.
- NFRMa-3: Adding new media categories or features shall not require modification of more than 20% of existing source files.

3.4.6 Portability

- NFRPo-1: Personal Media Tracker is a desktop exclusive application.
- NFRPo-2: Personal Media Tracker shall be available on both Windows and MacOS operating systems.
- NFRPo-3: Installation shall require no more than 200 MB of disk space.
- NFRPo-4: The application shall maintain identical core functionality and performance ($\pm 10\%$ variance) across supported operating systems.

3.5 Design Constraints

3.5.1 Software Limitations

- CONCP-1: The backend and frontend development shall be based in Python.
- CONCP-2: Personal Media Tracker shall integrate with an existing database for movies and necessary metadata.
- CONCP-3: Personal Media Tracker shall integrate with an existing database for TV shows and necessary metadata.

3.5.2 Hardware Limitations

- CONHL-1: The system must be operable on macOS Tahoe.
- CONHL-2: The system must be operable on Windows 10 or later.

3.6 Logical Database Requirements

3.6.1 Entities

1. User
2. Media
3. Reviews
4. Rating
5. Watchlist

3.6.2 Entity Definitions

Five entities set the foundation of the logical database of Personal Media Tracker. First, the User entity represents the individuals who register an account and interact with Personal Media Tracker. It stores 4 attributes. Each attribute contributes to login credentials with a username and password. User email addresses provide contact details for maintaining security and general account management. Next, the Media entity represents the TV show and movie titles from imported databases available in Personal Media Tracker. It stores the media item's title, release date, summary, and if it is a TV show or movie. Additionally, the Review entity represents the written evaluation or reflection of media item by a user. It stores who wrote it, when, and the words written in the review. Requiring an associated Review is the Rating entity. This entity represents the number assigned to a media title by a user. Finally, the Watchlist entity represents the relationship between a user and the media title as established by the User.

3.6.3 Relationships

1. A User may write many Reviews.
2. Each Review was written by one User.
3. Each Media title may have many Reviews.
4. Each Review must belong to at least one Media title.
5. A User may assign many Ratings to different Media titles.
6. A User may have many Media titles in their Watchlist.
7. Each Watchlist shall belong to one user.

3.6.4 Data Integrity Constraints

- LDR-1: Each entity shall have a primary key to uniquely identifying each record.
- LDR-2: Username and email address in the User entity shall be unique.
- LDR-3: Rating shall be integers integrated into an inclusive range of 1 to 5.
- LDR-4: A User shall not assign more than one rating per Media title.
- LDR-5: Each Rating shall be associated with a Review.
- LDR-6: A User shall only submit a review or assign a rating to Media title whose status in the Watchlist is marked as “Watched”.
- LDR-7: Review, Rating, and Watchlist entries may be modified by their associated User, but the duplication of the same entry is not permitted.

4. Analysis Models

This section includes analysis models used to illustrate interactions between the system and the user as well as the behavior. The following sequence diagrams present the flow of the communication from the user to the applications to either the external media database or the user's personal local storage.

4.1 Sequence Diagrams




Figure 1: Search Database for Media Titles Sequence Diagram (Section 3.2.2)

This sequence diagram illustrates the interactions between the user, the Personal Media Tracker (PMT) and the external media database of titles. It models the flow of querying titles and the return of matching results.




Figure 2: Track Title Sequence Diagram (Section 3.2.3)

This sequence diagram illustrates the interaction between the user, the PMT and the user's local storage. It details the flow of simply tracking a selected title.




Figure 3: Create a Profile Sequence Diagram (Section 3.2.4)

This sequence diagram displays the interactions between the user, PMT, and local storage for creation of profiles. The flow indicates an alternative path if the information input into the profile creation form is invalid.




Figure 4: Write Personal Review/Rating Sequence Diagram (Section 3.2.5)

This sequence diagram illustrates the interactions between the user, the PMT, and the user's local storage for writing personal ratings and review of tracked titles. The flow indicates a prompt and answer through form.




Figure 5: Remove a Tracked Title Sequence Diagram (Section 3.2.9)

This sequence diagram illustrates the user's selection to remove a title from their local database. It illustrates the flow of interaction between the system, the user, and their local storage.




Figure 6: Export Data Sequence Diagram (Section 3.2.10)

This sequence diagram illustrates the process it would take for the user to export their own tracked data. It illustrates the flow between retrieval of tracked data and the downloading process.




Figure 7: Sort Titles Sequence Diagram (Section 3.2.6)

This sequence diagram illustrates interaction between the user, the PMT and the user's local storage. It includes an alternate case for no matching titles from the original search query and the ability to sort matching titles.




Figure 8: Data Access Sequence Diagram (Section 3.2.7)

This sequence diagram includes the process of the user retrieving tracked titles on the available active profile.




Figure 9: Watch Status Sequence Diagram (Section 3.2.8)

This sequence diagram includes the process the user would take to interact with the application and store watch status on a tracked media.

5. Change Management Process

All proposed changes to this Software Requirements Specification (SRS) must be submitted to the project team for review. Changes may be proposed by any team member or by the course instructor.

Each proposed change shall include a brief description of the modification, the reason for the change, and the sections of the SRS that will be affected. The project team shall review each proposed change and determine its impact on system resources, project scope, functionality, and timeline.

A majority agreement of the team is required prior to approval of any modification.

Approved changes shall be documented in the Revision History section of this SRS.

Documentation shall include the date of revision, description of change, and author. All updates shall be maintained through version control in the project repository to ensure traceability and an accurate record of revisions.

References

A. Appendices

A.1 Appendix 1: