
View 1: Assembled Bracelet

Matte black 3D-printed housing and TPU band. Orthographic isometric.



Approximate dimensions in mm. † = verify against the real part.

View 2: Transparent Housing, Full Bracelet

Same camera and scale as View 1. Only the housing is see-through.




Approximate dimensions in mm. † = verify against the real part.

10 mm along X

View 2: Transparent Housing

Installed positions, seen from above. The motor sits under the battery, see the underside view.




10 mm along X

Approximate dimensions in mm. † = verify against the real part.

View 2: Transparent Housing, Underside

Skin-side face: optical window, charging contacts and screw access.




Approximate dimensions in mm. † = verify against the real part.

10 mm along X

View 3: Exploded Assembly

Parts travel along their assembly direction. Dashed lines show where each one lands.



Approximate dimensions in mm. † = verify against the real part.

View 4: Individual Components


Each cell is zoomed to fit, so check its own scale bar. The true-scale grid is in bracelet_layout.step and .glb.




Upper housing
42 x 24 x 5.8, removable
20 mm




Lower housing
Lugs, ring, bosses, window seat
20 mm




Main PCB
38.4 x 20.4 x 0.8
20 mm



BLE and MCU module †
16 x 10 x 2.2, nRF52832
5 mm




Accelerometer †
2 x 2 x 1, MEMS
1 mm




Heart rate sensor †
5.6 x 3.3 x 1.55, PPG
2 mm




Foam optical gasket †
Blocks LED light leak
2 mm




Optical window †
8 x 5 x 1.5, acrylic
2 mm




Li-Po battery †
20 x 14 x 3, 60 to 80 mAh
10 mm



Battery foam spacers
1.2 thick, 2 strips
10 mm



Vibration motor †
DIANN, dia 6.35 x 2.7
5 mm



Charging contacts †
2 pins, dia 1.8
2 mm



Screws †
4 x M1.6 x 6
10 mm




Band, short strap
17.8 wide, spring bar
20 mm



Band, long strap
17.8 wide, spring bar
20 mm




Clasp stud
Stem dia 3
5 mm



Keeper loop
5 long
10 mm

View 5: Internal Assembly

Cover removed. Battery sits on foam spacers beside the BLE module.




Approximate dimensions in mm. † = verify against the real part.

10 mm along X

View 5: Internal Assembly, Battery Removed

Motor ring, wiring and PCB traces. The U-shaped cut-out lets the motor reach the floor.




Approximate dimensions in mm. † = verify against the real part.

10 mm along X

Section at Y = 0: Stack-up

Cut through the pod centreline. Extra view, shows how the parts stack in height.



Approximate dimensions in mm. † = verify against the real part.