Ten-source A: complete measurement inputs

Native manuscripts, calibrated extraction and whole-file inventory

The primary coordinate remains calibrated selected PDF text, NFC, characters excluding whitespace. This packet records inputs only; it calculates no factor. The five units, two normalizations and three extraction variants give thirty coordinates for each complete PDF.

The written boundary is ten full sources (152 pages), three complete common papers (23+14+4 pages), and ten complete applications (63 pages). The additional three inherited program appendices have 30 pages. Thus the input inventory has 29 native PDFs and 286 physical pages. Title, abstract, body, proofs, tables, references, addresses and extracted figure labels remain included. Selected text removes only exact running furniture.

Source	Pages	Characters	Application	Pages	Characters
L032	8	16,558	A1	4	8,228
L034	11	21,433	A2	3	5,801
F016	19	43,983	A3	6	15,436
F013	11	25,562	A4	3	6,241
L035	22	51,019	A5	6	14,514
N009	22	36,824	A6	11	28,130
L128	9	18,424	A7	3	8,825
L012	17	32,767	A8	9	23,401
L121	12	27,367	A9	1	2,227
L003	21	45,079	A10	17	42,396

Complete common component	Pages	Characters
U	23	66,140
U_HEX	14	33,986
U_STRUCT	4	8,145

The first eight application PDFs and all their coordinates remain unchanged. The former eleven-page L121 application is replaced by its complete one-page adapter; its moved proof is paid in the fourteen-page common supplement. The L003 application includes all four native companions, of 7, 4, 4 and 2 pages. The four-page shared structural proof is also part of common acquisition. The convenience concatenated PDFs are not counted in addition to their parts.

A subsequent whole written comparison must pay all 41 common pages and all 63 application pages. A conditional source/application comparison assumes the whole common theory and all 99 required program/data contents already acquired, with retained external mathematical premises explicit. It does not make those costs zero. No sibling application is a free proof premise.

Exactly 630 inherited PDF cells and 450 inherited whole-file cells are retained. Eight new native PDFs add 240 PDF cells; 158 new contents add 1,580 raw cells. The complete vectors contain 870 PDF cells and 2,030 raw cells. These coordinate counts are not numbers of originals, results or formalized theorems.

Evidence, file roles and limits

Disjoint whole-content class	Contents	Exact bytes
Required programs	28	114,947
Required mathematical data	71	992,789
Operational files	17	92,190
Optional validation	5	10,015
Partial formal files	16	100,644
Output receipts	66	5,579,535

The 253 declared file occurrences comprise 203 distinct complete contents. Identical complete bytes are shared only within this topic. All occurrence roles and paths remain in the inventory. A saved image consumed by a structural proof is required data even when it also has an output role; overlapping role labels are not summed as disjoint costs. The disjoint classes above use the explicit frozen role policy, rather than inference from file names or prose. The 28 required programs and 71 required data contents remain proof premises; the five optional validation contents are not silently promoted or substituted. Operational files, partial formal evidence and output receipts remain disclosed.

The three old printed appendices cover only the former eleven-file computational subset. They are partial historical representations, not a complete printed appendix for the enlarged collection. Raw inventories are separate disclosures; there is no printed-code or software-inclusive factor. Unknown historical software and external proof-library, catalogue and graphic costs remain unknown.

All 57 pages of the eight new PDFs were visually screened for executable listings, running furniture and extraction issues. There are no executable listings to exclude. Mathematical proof and algorithm prose, presentation words, complete tables and software references remain. The other 21 PDFs inherit their prior screen only because the complete PDF bytes are identical. This preserves the symmetric manuscript-only program boundary.

The new actual-font audit aligns 104 Type1 dictionaries and 1,743 encoded classes. Two hundred twenty-one exceptional outline classes were directly viewed. The 26 Type0 dictionaries in new replacement PDFs retain their Unicode extraction with dictionary metadata and page inspection; no Type0 outline decoding claim is made. Fifty mathematical classes require 462 occurrence-bound repairs. Each repair binds dictionary, encoding, byte, event, page and context. Both visible TAB-encoded braces are retained as braces. A mapsto component is kept separate from its adjacent arrow; generated whitespace is never repaired.

L003 contributes 32 drawing-font classes and 423 actual graphic occurrences. Their literal extracted aliases are retained, including control characters, letters and arrow-like codes. LCIRCLE nodes, LINE/XYDASH strokes and half-arrow components are explicitly tagged as drawing material, not linguistic or mathematical transcription. Every extracted figure label remains. These values measure extraction representation length; they do not price geometric structure. The raw complete and raw selected variants expose this convention. Full graphic complexity and unextracted visible image text remain unknown, not zero.

The fixed source is the complete 21-page *Hexagonal extensions of toroidal maps and hypermaps*, by Maria Elisa Fernandes, Dimitri Leemans and Asia Ivić Weiss. The accepted corrected contract preserves its explicit order, nonsplitting, local-period and word qualifications. The diagram-(5) experimental flag- transitivity statement and source questions do not acquire a new solution claim. Existing partial formal evidence is separately inventoried, not full-source formalization. This input authorship does not create source or theorem credit.

The eight new PDF sensitivity vectors

PDF	Selection	Norm.	Tokens	Alphanum.	Nonspace	Collapsed	UTF-8
L003	complete	NFC	11,143	10,690	46,082	57,224	59,057
L003	complete	NFKC	11,171	10,690	46,226	57,396	58,941
L003	selected	NFC	10,952	10,499	45,079	56,030	57,853
L003	selected	NFKC	10,980	10,499	45,223	56,202	57,737
L003	calibrated	NFC	10,952	10,499	45,079	56,030	57,926
L003	calibrated	NFKC	10,980	10,499	45,223	56,202	57,737
U_HEX	complete	NFC	7,450	7,442	34,005	41,454	41,724
U_HEX	complete	NFKC	7,450	7,442	34,023	41,472	41,706
U_HEX	selected	NFC	7,436	7,428	33,986	41,421	41,691
U_HEX	selected	NFKC	7,436	7,428	34,004	41,439	41,673
U_HEX	calibrated	NFC	7,436	7,355	33,986	41,421	42,201
U_HEX	calibrated	NFKC	7,436	7,355	34,004	41,439	42,113
U_STRUCT	complete	NFC	1,877	1,743	8,149	10,025	10,279
U_STRUCT	complete	NFKC	1,877	1,743	8,155	10,031	10,273
U_STRUCT	selected	NFC	1,873	1,739	8,145	10,017	10,271
U_STRUCT	selected	NFKC	1,873	1,739	8,151	10,023	10,265
U_STRUCT	calibrated	NFC	1,873	1,739	8,145	10,017	10,287
U_STRUCT	calibrated	NFKC	1,873	1,739	8,151	10,023	10,265
A9	complete	NFC	387	404	2,228	2,614	2,634
A9	complete	NFKC	387	404	2,230	2,616	2,632
A9	selected	NFC	386	403	2,227	2,612	2,632
A9	selected	NFKC	386	403	2,229	2,614	2,630
A9	calibrated	NFC	386	403	2,227	2,612	2,632
A9	calibrated	NFKC	386	403	2,229	2,614	2,630
A10_MAIN	complete	NFC	4,336	4,729	20,129	24,464	24,581
A10_MAIN	complete	NFKC	4,336	4,729	20,137	24,472	24,573
A10_MAIN	selected	NFC	4,329	4,722	20,122	24,450	24,567
A10_MAIN	selected	NFKC	4,329	4,722	20,130	24,458	24,559
A10_MAIN	calibrated	NFC	4,329	4,717	20,122	24,450	24,598
A10_MAIN	calibrated	NFKC	4,329	4,717	20,130	24,458	24,588
A10_STRUCT	complete	NFC	1,560	1,696	7,861	9,420	9,471
A10_STRUCT	complete	NFKC	1,561	1,696	7,861	9,421	9,472
A10_STRUCT	selected	NFC	1,556	1,692	7,857	9,412	9,463
A10_STRUCT	selected	NFKC	1,557	1,692	7,857	9,413	9,464
A10_STRUCT	calibrated	NFC	1,556	1,692	7,857	9,412	9,463
A10_STRUCT	calibrated	NFKC	1,557	1,692	7,857	9,413	9,464
A10_CORR	complete	NFC	2,068	2,241	11,179	13,246	13,556
A10_CORR	complete	NFKC	2,069	2,241	11,179	13,247	13,557
A10_CORR	selected	NFC	2,064	2,237	11,175	13,238	13,548
A10_CORR	selected	NFKC	2,065	2,237	11,175	13,239	13,549
A10_CORR	calibrated	NFC	2,066	2,237	11,177	13,242	13,554
A10_CORR	calibrated	NFKC	2,067	2,237	11,177	13,243	13,553
A10_768	complete	NFC	616	683	3,242	3,857	3,926
A10_768	complete	NFKC	618	683	3,242	3,859	3,928
A10_768	selected	NFC	614	681	3,240	3,853	3,922
A10_768	selected	NFKC	616	681	3,240	3,855	3,924
A10_768	calibrated	NFC	614	681	3,240	3,853	3,924
A10_768	calibrated	NFKC	616	681	3,240	3,855	3,924

Tokens are whitespace-separated units; alphanumeric units are maximal Unicode letter/number runs. Nonspace counts all non-whitespace characters. The last two columns use whitespace-collapsed text. Exact normalized and collapsed text hashes accompany the full vectors. No line-hyphen or ordinary-ligature rewriting is performed; NFC and NFKC remain separate sensitivities.

The pre-count policy and subsequent event/mask freeze preceded all new scoring. Their earlier pending status is preserved as chronology; the completion receipt records the completed author input stage. Distinct full-input acceptance is required before comparison. Primary PDFs, full source text, embedded font bytes and rasters stay private; scripts, bounded event metadata and counts are exported.