Regular polytopes with projective general linear groups

Human Compression project

The stronger theorem for string markings with two proper ends in [U] makes the main classification of [LS] a direct consequence.

Theorem 1 (Leemans–Schulte)**.** *A regular abstract polytope of rank at least four with full automorphism group* $\mathrm{PGL}_2(q)$ *is the 4-simplex, and* $q = 5$*. Its distinguished marking is the adjacent-transposition marking of* S_5*, of type* $\{3, 3, 3\}$*.*

Proof. The intersection property makes both end groups proper: a generator belonging to the subgroup on the remaining generators would violate the intersection with its own subgroup of order two. By the projective restriction and finite classification theorems of [U], q is odd, the rank is four, and the marked group is one of $\mathrm{PSL}_2(11)$, $\mathrm{PSL}_2(19)$ or S_5.

For odd q, determinant modulo squares gives $\mathrm{PGL}_2(q)$ a quotient of order two. The two simple groups are therefore impossible. Thus the group is S_5; $|\mathrm{PGL}_2(q)| = q(q^2 - 1) = 120$ forces $q = 5$ by strict monotonicity. The finite classification and geometry theorems of [U] identify its ordered generators with $(12), (23), (34), (45)$ and establish the intersection property and uniqueness. The standard group–polytope correspondence now gives the 4-simplex. Conversely this marking realizes that simplex, with full group $S_5 \cong \mathrm{PGL}_2(5)$. □

This is [LS, Theorem 10] and its complete rank-at-least-four formulation. The seventeen-case semilinear census, chiral discussion and Conjecture 11 in that paper remain outside the result contract. The present proof uses the common paper [U] directly; it does not assume the separate PSL application. The complete common proof and finite program are charged once within this topic, with the classical subgroup and polytope correspondences explicitly retained. The supporting Lean certificates do not constitute a formal proof of this whole classification.

References

[U] *Common theory for projective markings and rotations*, companion paper, projective restriction, finite classification and geometry theorems.

[LS] D. Leemans and E. Schulte, *Polytopes with groups of type* $\mathrm{PGL}_2(q)$, arXiv:0909.1991v1, the bound nine-page author edition, Theorem 10 on page 7.