Complete comparisons using the available authored texts

Human Compression project

Two missing PDFs need not prevent comparison of the available manuscripts. For Buekenhout and Cara's *Some properties of inductively minimal geometries* (1998, N001), and Bonheure, Buekenhout and Leemans's *On the Petrials of thin rank 3 geometries* (2001, L108), the complete authored renderings are available. Both contain all seven printed pages, including references and final author matter. The saved and newly retrieved bodies agree. An independent review checked the complete boundaries and all twenty counts. It removed one website trailer after N001's final address.

The primary comparison counts NFC characters without whitespace in every complete authored document. Running headers and page numbers remain included on both sides. N001 and L108 use their literal authored renderings; all other originals and all replacement papers use untrimmed PDF text. This is a comparison of the available text representations. Missing figure information and unverified formula glyphs are not reconstructed. The previous PDF-only comparisons remain unchanged historical records.

The declared principal-result contracts and their qualifications are exactly those of the accepted B and C editions. No additional result or conjecture is proved by measuring them. Each topic pays for its own entire common theory once. Individual factors assume that theory has been acquired; Topic C also assumes both complete required programs have been acquired. There is no discount between topics. Expanded external proofs and complete graphic costs remain unknown. These lengths are not minimum proof lengths.

Topic B: Forest coordinates and primitive geometries

Source/application	Source cost	Application cost	Conditional factor
N001/B1	14519	7371	1.970
N003/B2	17780	14170	1.255
N008/B3	18009	11132	1.618
L030/B4	22704	12286	1.848

The entire common paper costs 14,124 characters; the four applications cost 44,959. Thus

$$R_B = \frac{73012}{14124 + 44959} = \frac{73012}{59083} = 1.235753.$$

These proofs require no finite mathematical program. All four sources remain in the numerator and all four applications remain in the denominator.



The graph shows acquisition of the complete common paper, followed by each matched original and application in the established application order. It does not by itself establish a recurring sawtooth pattern.

Unit sensitivity. All documents remain untrimmed in this table.

Unit	Whole written factor
Whitespace words	1.370
Alphanumeric units	1.406
Nonspace characters	1.236
Characters, collapsed spaces	1.259
UTF-8 bytes, collapsed spaces	1.184

The machine-readable results retain both normalizations and all five units. Comparisons with selected or calibrated PDF text are labelled separately as mixed-boundary sensitivities; they are not the primary factors above. Literal rendered-source counts remain fixed in those variants.

Topic C: Chamber operations and binary translations

Source/application	Source cost	Application cost	Conditional factor
L088/C1	13166	11311	1.164
N013/C2	27361	15815	1.730
L108/C3	12849	10075	1.275
F014/C4	20577	6962	2.956

The entire common paper costs 27,142 characters; the four applications cost 44,163. Thus

$$R_C = \frac{73953}{27142 + 44163} = \frac{73953}{71305} = 1.037136.$$

The complete printed program appendix costs 8,803, giving 0.923166. Both whole raw programs cost 8,323 instead, giving 0.928731. These program representations are alternatives, never two simultaneous charges.



The graph shows acquisition of the complete common paper, followed by each matched original and application in the established application order. It does not by itself establish a recurring sawtooth pattern.

Unit sensitivity. All documents remain untrimmed in this table.

Unit	Whole written factor
Whitespace words	1.188
Alphanumeric units	1.154
Nonspace characters	1.037
Characters, collapsed spaces	1.063
UTF-8 bytes, collapsed spaces	1.005

The machine-readable results retain both normalizations and all five units. Comparisons with selected or calibrated PDF text are labelled separately as mixed-boundary sensitivities; they are not the primary factors above. Literal rendered-source counts remain fixed in those variants.