The 137 surviving quotient classes

These complete computed tables use the surviving historical row labels of the fifteen-page arXiv edition. The displayed groups and normalizer quotients are the fresh GAP structure descriptions. A colon records a semidirect-product description; the actual permutation generators, rather than this abbreviated description alone, specify each subgroup. Dodecahedral and hemi-dodecahedral facet numbers are denoted by d, h. The maximal proper subgroup column records distinct ambient conjugacy classes. Its 349 links are all retained. The literal Table 1 word labelled 58 corresponds to full-table row 63. Rows 21 and 27 use the computed subgroup structures, explicitly distinguished from the arXiv column discrepancies in the main paper. The unseen journal edition is not assigned these discrepancies. Identical abbreviated structure strings need not specify the same action: in particular the three strings C19:C9 in rows 38–40 do not assert that those groups are isomorphic. The original source singles out the distinct action in row 40, and our full permutation generators retain it.

Row	$\lvert N\rvert$	d	h	Maximal proper subgroup labels
1	175560	0	57	18, 41, 44, 45, 51, 65, 80
2	3420	1463	0	38, 66, 67, 103, 109
3	3249	1540	0	10, 39, 40
4	3249	1540	0	10, 39, 40
5	2166	2280	60	10, 14, 46, 47
6	2090	2376	36	12, 24, 35, 51
7	1368	3640	35	15, 21, 60
8	1140	4344	90	31, 36, 49, 68
9	1140	4344	90	31, 36, 50, 69
10	1083	4620	0	26, 71, 72
11	1083	4620	0	26, 73, 74
12	1045	4788	0	34, 56, 76
14	722	6840	180	26, 84, 85
15	684	7300	30	27, 32, 87
16	684	7300	30	32, 39, 88
17	684	7300	30	32, 39, 88
18	660	7296	570	68, 69, 76, 115
19	570	8688	180	28, 36, 50, 92
20	570	8760	36	28, 35, 49, 93
21	456	10920	105	32, 43, 98
22	420	11913	0	57, 62, 66, 82
23	420	11913	0	57, 61, 67, 82
24	418	11880	180	34, 85, 99
25	380	13068	198	35, 36, 37, 59, 104
26	361	13860	0	106, 107, 108
27	342	14620	20	38, 47, 110
28	285	17556	0	56, 74, 112
29	280	17784	171	75, 83, 89
30	228	21945	0	58, 72, 116
31	228	21900	90	59, 74, 117
32	228	21900	90	47, 59, 118
33	220	22743	0	52, 53, 55, 79, 103
34	209	23940	0	107, 119
35	190	26316	36	56, 85, 120
36	190	26244	180	56, 85, 123
37	190	26244	180	56, 85, 125
38	171	29260	0	71, 128
39	171	29260	0	71, 129
40	171	29260	0	72, 129
41	168	29640	285	75, 97, 101
42	168	29640	285	75, 98, 102
43	152	32760	315	59, 130

Row	$\lvert N\rvert$	d	h	Maximal proper subgroup labels
44	120	40812	1767	68, 97, 104, 115
45	114	43320	1140	73, 84, 132
46	114	43320	1140	72, 84, 133
47	114	43860	60	71, 85, 133
48	114	43890	0	72, 86, 134
49	114	43800	180	74, 85, 135
50	114	43800	180	74, 85, 136
51	110	45144	684	76, 99, 120
52	110	45486	0	77, 100, 121
53	110	45486	0	77, 100, 122
54	110	45144	684	77, 99, 124
55	110	45486	0	77, 100, 126
56	95	52668	0	107, 137
57	84	59565	0	96, 102, 116
58	76	65835	0	86, 139
59	76	65700	270	85, 140
60	72	69160	665	87, 98
61	70	71478	0	89, 114, 121
62	70	71478	0	89, 114, 122
63	70	71136	684	89, 113, 124
64	63	79420	0	102, 129
65	60	82080	2622	92, 93, 94, 104, 115
66	60	83391	0	116, 122, 134
67	60	83391	0	116, 121, 134
68	60	82536	1710	117, 123, 135
69	60	82536	1710	117, 123, 136
71	57	87780	0	107, 141
72	57	87780	0	106, 141
73	57	87780	0	106, 142
74	57	87780	0	107, 142
75	56	88920	855	130, 131
76	55	90972	0	119, 137
77	55	90972	0	119, 138
79	44	113715	0	100, 139
80	42	118560	1140	101, 113, 132
81	42	118560	1140	102, 113, 133
82	42	119130	0	102, 114, 134
83	40	124488	1197	105, 130
84	38	129960	3420	106, 143
85	38	131580	180	107, 143
86	38	131670	0	106, 144
87	36	138700	570	110, 118
88	36	138700	570	118, 129
89	35	142956	0	131, 138
92	30	165072	3420	112, 123, 136
93	30	166440	684	112, 120, 135
94	30	166212	1140	112, 125, 132
96	28	178695	0	114, 139
97	24	207480	1995	117, 130, 132
98	24	207480	1995	118, 130
99	22	225720	3420	119, 143
100	22	227430	0	119, 144
101	21	238260	0	131, 142
102	21	238260	0	131, 141
103	20	250173	0	121, 122, 126, 139
104	20	248292	3762	120, 123, 125, 140
105	20	249660	1026	124, 140
106	19	263340	0	145
107	19	263340	0	145
108	19	263340	0	145
109	18	277970	0	128, 134
110	18	277780	380	128, 133
112	15	333564	0	137, 142

Row	$\|N\|$	d	h	Maximal proper subgroup labels
113	14	355680	3420	131, 143
114	14	357390	0	131, 144
115	12	414960	3990	132, 135, 136, 140
116	12	416955	0	139, 141
117	12	416100	1710	140, 142
118	12	416100	1710	133, 140
119	11	454860	0	145
120	10	500004	684	137, 143
121	10	500346	0	138, 144
122	10	500346	0	138, 144
123	10	498636	3420	137, 143
124	10	500004	684	138, 143
125	10	498636	3420	137, 143
126	10	500346	0	138, 144
128	9	555940	0	141
129	9	555940	0	141
130	8	622440	5985	140
131	7	714780	0	145
132	6	833340	1140	142, 143
133	6	833340	1140	141, 143
134	6	833910	0	141, 144
135	6	832200	3420	142, 143
136	6	832200	3420	142, 143
137	5	1000692	0	145
138	5	1000692	0	145
139	4	1250865	0	144
140	4	1248300	5130	143
141	3	1667820	0	145
142	3	1667820	0	145
143	2	2500020	3420	145
144	2	2501730	0	145
145	1	5003460	0	–

Row	Actual subgroup description	$N_W(N)/N$
1	J1	PSL(2,19)
2	PSL(2,19)	J1
3	(C19 x C19) : C9	C6
4	(C19 x C19) : C9	C6
5	(C19 : C3) x D38	C3 x C3
6	C19 x (C11 : C10)	C9
7	C2 x C2 x C2 x (C19 : C9)	C7 : C3
8	C19 x A5	C18
9	C19 x A5	C9
10	C19 x (C19 : C3)	C6 x C3
11	C19 x (C19 : C3)	C18
12	C19 x (C11 : C5)	C18
14	C19 x D38	C9 x C3
15	C2 x C2 x (C19 : C9)	C6
16	(C2 x C2) : (C19 : C9)	C6
17	(C2 x C2) : (C19 : C9)	C6
18	PSL(2,11)	PSL(2,19)
19	C19 x D30	C18
20	C95 x S3	C18
21	C2 x C2 x C2 x (C19 : C3)	C3 x (C7 : C3)
22	C7 x A5	C6
23	C7 x A5	C6
24	C19 x D22	C45
25	C38 x D10	C9
26	C19 x C19	C18 x C3
27	C2 x (C19 : C9)	A5
28	C285	C18 x C2

Row	Actual subgroup description	$N_W(N)/N$
29	C5 x ((C2 x C2 x C2) : C7)	C6 x C2
30	C19 x A4	C6
31	C19 x A4	C18
32	C2 x C2 x (C19 : C3)	C6 x C3
33	C22 x D10	C10
34	C209	C90
35	C190	C18
36	C19 x D10	C18
37	C19 x D10	C9 x S3
38	C19 : C9	J1
39	C19 : C9	C3 x D10
40	C19 : C9	C6
41	(C2 x C2 x C2) : (C7 : C3)	PSL(2,19)
42	C3 x ((C2 x C2 x C2) : C7)	C3 x S3
43	C38 x C2 x C2	C9 x (C7 : C3)
44	C2 x A5	PSL(2,19)
45	C19 : C6	PSL(2,19)
46	C3 x D38	C3 x S3
47	C2 x (C19 : C3)	GL(2,4)
48	C19 x S3	C6
49	C19 x S3	C9 x D10
50	C19 x S3	C18
51	C11 : C10	PSL(2,19)
52	C11 x D10	C10 x C2
53	C11 x D10	C10 x C2
54	C5 x D22	C10 x C2
55	C110	C10 x C2
56	C95	C18 x S3
57	C7 x A4	C6
58	C38 x C2	C6 x C3
59	C38 x C2	C18 x C3
60	C18 x C2 x C2	C2 x (C7 : C3)
61	C7 x D10	C6 x C2
62	C7 x D10	C6 x C2
63	C5 x D14	C6 x C2
64	C7 : C9	C6
65	S3 x D10	PSL(2,19)
66	A5	J1
67	A5	J1
68	A5	C2 x PSL(2,19)
69	A5	PSL(2,19)
71	C19 : C3	C3 x J1
72	C57	C6 x S3
73	C19 : C3	C2 x PSL(2,19)
74	C57	C18 x D10
75	(C2 x C2 x C2) : C7	C3 x PSL(2,19)
76	C11 : C5	C2 x PSL(2,19)
77	C55	C10 x C2 x C2
79	C22 x C2	C30
80	C7 : C6	PSL(2,19)
81	C3 x D14	C3 x S3
82	C7 x S3	C6
83	C10 x C2 x C2	C2 x C2 x (C7 : C3)
84	D38	C3 x PSL(2,19)
85	C38	C9 x A5
86	C38	C6 x D10
87	C18 x C2	C6 x C2
88	(C2 x C2) : C9	C6
89	C35	C6 x C2 x C2
92	D30	C2 x PSL(2,19)
93	C5 x S3	C2 x PSL(2,19)
94	C3 x D10	C2 x PSL(2,19)
96	C14 x C2	C6 x C3

Row	Actual subgroup description	$N_W(N)/N$
97	C2 x A4	PSL(2,19)
98	C6 x C2 x C2	(C7 : C3) x S3
99	D22	C5 x PSL(2,19)
100	C22	C10 x D10
101	C7 : C3	C2 x PSL(2,19)
102	C21	C6 x S3
103	D20	J1
104	D20	PSL(2,19)
105	C10 x C2	C6 x C2 x C2
106	C19	C6 x PSL(2,19)
107	C19	C9 x J1
108	C19	C19 : C3
109	D18	J1
110	C18	C2 x A5
112	C15	C2 x C2 x PSL(2,19)
113	D14	C3 x PSL(2,19)
114	C14	C6 x D10
115	D12	PSL(2,19)
116	A4	J1
117	A4	C2 x PSL(2,19)
118	C6 x C2	C6 x S3
119	C11	C10 x PSL(2,19)
120	C10	C2 x PSL(2,19)
121	D10	C2 x J1
122	D10	C2 x J1
123	D10	C2 x PSL(2,19)
124	C10	C2 x C2 x A5
125	D10	PSL(2,19) x S3
126	C10	C2 x J1
128	C9	C2 x J1
129	C9	S3 x D10
130	C2 x C2 x C2	PSL(2,19) x (C7 : C3)
131	C7	C6 x PSL(2,19)
132	C6	C2 x PSL(2,19)
133	C6	S3 x A5
134	S3	J1
135	S3	PSL(2,19) x D10
136	S3	C2 x PSL(2,19)
137	C5	C2 x PSL(2,19) x S3
138	C5	C2 x C2 x J1
139	C2 x C2	C3 x J1
140	C2 x C2	C6 x PSL(2,19)
141	C3	S3 x J1
142	C3	C2 x PSL(2,19) x D10
143	C2	PSL(2,19) x A5
144	C2	D10 x J1
145	1	PSL(2,19) x J1