All physical rows of the 2010 M_{22} table

Row means the consecutive physical row, reading each line left then right; *N* preserves the printed historical Number and *p* the physical page. The source label and Borel column are transcribed literally, with mathematical subscripts restored. The three candidate columns use: K, canonical endecads and the predecessor's pair-order table; O, both endecad complements and that order table; L, both complements and literal predecessor objects. A colon in L uses its actual displayed triple.

A number identifies a computed class satisfying the label interpretation. An exclamation mark means that its actual Borel is incompatible with the printed shape. A dash means no class satisfies that interpretation; a question mark means a defining literal object is invalid. Suffix p marks the explicitly provisional fourth-displayed-endecad reading for the undefined name e_4. Juxtaposed Borel extensions are tested only for a normal elementary abelian kernel and named quotient, without inferring an unprinted action or splitting. No column is an asserted reconstruction of the intended `geo[]` numbering. The mathematical result is the complete separate 431-class table.

row	*p*	*N*	source label	Borel	K	O	L
1	3	31	$M_{111}(0,0,0)$	$2^4 3$	1	1	1
2	3	34	$M_{112}(0,0,0)$	S_4	2	2	2
3	3	14	$M_{112}(0,0,1)$	A_5	3	3	3
4	3	12	$M_{112}(0,1,1)$	$2^4 A_4$	4	4	4
5	3	36	$M_{113}(0,0,0)$	A_4	7	7	7
6	3	37	$M_{113}(0,0,1)$	S_4	5	5	5
7	3	32	$M_{113}(0,1,1)$	A_5	6	6	6
8	3	38	$M_{115}(0,0,1)$	A_4	9	9	9
9	3	33	$M_{115}(0,1,1)$	S_4	10	10	10
10	3	2	$M_{116}(0,1,0)$	$2^4 3$	8	8	8
11	3	40	$M_{117}(0,1,0)$	S_3	11	11	11
12	3	35	$M_{117}(0,0,0)$	Q_8	12	12	12
13	3	39	$M_{118}(0,1,1)$	S_3	13	13	13
14	3	42	$M_{122}(0,0,0)$	$3^2 4$	15	15	15
15	3	13	$M_{122}(0,1,0)$	A_5	14	14	14
16	3	49	$M_{122}(0,0,2)$	D_8	16	16	16
17	3	18	$M_{122}(1,0,2)$	S_4	17	17	17
18	3	15	$M_{122}(1,1,2)$	$2^2 A_4$	36	36	36
19	3	57	$M_{123}(0,0,1)$	S_3	20	20	20
20	3	51	$M_{123}(0,1,1)$	D_{10}	21	21	21
21	3	27	$M_{123}(1,0,1)$	A_4	37	37	37
22	3	56	$M_{123}(0,0,3)$	S_3	18	18	18
23	3	47	$M_{123}(0,1,3)$	$3^2 2$	19	19	19
24	3	19	$M_{123}(1,0,3)$	S_4	39	39	39
25	3	20	$M_{123}(1,1,3)$	S_4	38	38	38
26	4	44	$M_{125}(0,0,0)$	S_4	25	25	25
27	4	45	$M_{125}(0,1,0)$	S_4	26	26	26
28	4	16	$M_{125}(1,0,0)$	$2^2 D_8$	44	44	44
29	4	53	$M_{125}(0,1,2)$	4	29	29	29
30	4	28	$M_{125}(1,0,2)$	S_3	46	46	46
31	4	21	$M_{125}(1,1,2)$	A_4	45	45	45
32	4	48	$M_{125}(0,0,4)$	D_8	27	27	27
33	4	43	$M_{125}(0,1,4)$	S_4	28	28	28

row	p	N	source label	Borel	K	O	L
34	4	17	$M_{125}(1,1,4)$	S_4	43	43	43
35	4	24	$M_{126}(1,0,0)$	2^3	41	41	41
36	4	5	$M_{126}(0,1,0)$	S_4	23	23	23
37	4	54	$M_{126}(0,0,1)$	2^2	22	22	22
38	4	22	$M_{126}(1,0,1)$	A_4	40	40	40
39	4	46	$M_{126}(0,0,2)$	S_4	24	24	24
40	4	1	$M_{126}(1,1,2)$	2^4A_4	42	42	42
41	4	52	$M_{127}(0,0,2)$	4	32	32	32
42	4	26	$M_{127}(1,0,2)$	S_3	47	47	47
43	4	59	$M_{127}(0,0,4)$	2	30	30	30
44	4	58	$M_{127}(0,1,4)$	2	31	31	31
45	4	29	$M_{127}(1,1,4)$	2^2	49	49	49
46	4	23	$M_{127}(1,0,4)$	Q_8	48	48	48
47	4	41	$M_{127}(0,0,6)$	3^24	33	33	33
48	4	55	$M_{128}(0,1,1)$	S_3	34	34	34
49	4	50	$M_{128}(0,0,1)$	D_{10}	35	35	35
50	4	25	$M_{128}(1,0,1)$	A_4	51	51	51
51	4	30	$M_{128}(1,0,3)$	2^2	50	50	50
52	4	115	$M_{133}(0,0,1)$	4	54	54	54
53	4	73	$M_{133}(1,0,1)$	S_3	53	53	53
54	4	72	$M_{133}(0,3,1)$	S_3	–	–	–
55	4	68	$M_{133}(1,1,3)$	D_8	74	74	74
56	4	108	$M_{134}(0,0,0)$	F_{21}	60	60	60
57	4	61	$M_{134}(1,0,0)$	S_4	56	56	56
58	4	118	$M_{134}(0,0,2)$	2	57	57	57
59	4	77	$M_{134}(0,1,2)$	4	58	58	58
60	4	67	$M_{134}(1,1,2)$	D_{10}	76	76	76
61	4	112	$M_{134}(0,0,4)$	S_3	55	55	55
62	4	64	$M_{134}(1,1,4)$	3^22	75	75	75
63	4	60	$M_{134}(1,0,4)$	S_4	59	59	59
64	4	83	$M_{135}(0,1,0)$	F_{21}	65	65	65
65	4	102	$M_{135}(0,0,0)$	S_4	66	66	66
66	4	61	$M_{135}(1,0,0)$	S_4	83	83	83
67	4	100	$M_{135}(0,1,2)$	2	63	63	63
68	4	74	$M_{135}(1,1,2)$	S_3	80	80	80
69	4	75	$M_{135}(1,1,4)$	S_3	81	81	81
70	4	92	$M_{135}(0,1,4)$	S_3	64	64	64
71	4	69	$M_{135}(1,0,4)$	D_8	82	82	82
72	4	9	$M_{136}(0,1,0)$	A_4	62	62	62
73	4	78	$M_{136}(1,0,1)$	2^2	77	77	77
74	4	105	$M_{136}(0,0,2)$	D_8	61	61	61
75	4	63	$M_{136}(1,0,2)$	S_4	78	78	78
76	4	3	$M_{136}(1,1,2)$	A_5	79	79	79
77	4	117	$M_{137}(0,1,2)$	2	69	69	69
78	4	114	$M_{137}(0,0,2)$	4	67	67	67
79	4	76	$M_{137}(1,0,2)$	4	85	85	85
80	4	66	$M_{137}(1,1,2)$	D_{10}	87	87	87
81	4	80	$M_{137}(1,0,4)$	2	84	84	84
82	4	113	$M_{137}(0,0,6)$	4	68	68	68
83	4	111	$M_{137}(0,1,6)$	S_3	70	70	70
84	4	71	$M_{137}(1,1,6)$	S_3	86	86	86
85	4	116	$M_{138}(0,0,2)$	2	71	71	71
86	4	70	$M_{138}(1,1,2)$	S_3	90	90	90
87	4	79	$M_{138}(1,0,4)$	2	88	88	88
88	4	110	$M_{138}(0,0,6)$	S_3	72	72	72
89	4	65	$M_{138}(1,1,6)$	D_{10}	89	89	89

row	p	N	source label	Borel	K	O	L
90	4	109	$M_{138}(0,1,6)$	A_4	73	73	73
91	4	81	$M_{155}(0,1,0)$	S_4	105	105	105
92	4	90	$M_{155}(1,1,2)$	4	108	108	108
93	4	93	$M_{155}(1,0,4_1)$	3	103	103	103
94	4	94	$M_{155}(1,1,4_1)$	3	109	109	109
95	4	85	$M_{155}(0,1,4_2)$	D_8	104	104	104
96	4	84	$M_{155}(1,1,4_2)$	D_8	110	110	110
97	4	101	$M_{156}(0,0,0_1)$	$2^2 2^2$	94	94	94
98	4	82	$M_{156}(1,0,0_1)$	S_4	95	95	95
99	4	95	$M_{156}(1,0,0_2)$	2	92	92	95!
100	4	8	$M_{156}(0,1,0_2)$	2^3	98	98	–
101	4	86	$M_{156}(1,0,2)$	2^3	93!	93!	93!
102	4	4	$M_{156}(1,1,2)$	S_4	99	99	99
103	5	89	$M_{157}(1,0,2)$	4	111	111	111
104	5	103	$M_{157}(0,0,2)$	S_3	106	106	106
105	5	104	$M_{157}(1,0,4_1)$	4	115!	115!	115!
106	5	87	$M_{157}(1,0,4_1)$	S_3	115	115	115
107	5	99	$M_{157}(1,0,4_2)$	1	113	113	113
108	5	98	$M_{157}(1,1,4_2)$	1	112	112	112
109	5	88	$M_{157}(1,0,6)$	4	114	114	114
110	5	97	$M_{158}(1,0,2)$	2	117	117	117
111	5	96	$M_{158}(1,0,4_1)$	2	–	–	–
112	5	91	$M_{158}(1,1,2)$	S_3	118	118	118
113	5	10	$M_{166}(1,0,0_1)$	S_3	91	91	91
114	5	107	$M_{167}(0,0,0)$	2	96	96	96
115	5	7	$M_{167}(1,0,0)$	Q_8	101	101	101
116	5	106	$M_{167}(0,1,2_1)$	2	97	97	97
117	5	6	$M_{167}(1,1,2_1)$	D_{10}	100	100	100
118	5	11	$M_{168}(1,0,0)$	S_3	102	102	102
119	5	121	$M_{177}(0,1,4)$	2	120	120	120
120	5	125	$M_{177}(1,1,4)$	2^2	125	125	125
121	5	119	$M_{177}(0,0,4)$	Q_8	122	122	122
122	5	124	$M_{177}(1,0,8_1)$	1	119	119	119
123	5	120	$M_{177}(0,0,8_2)$	4	121	121	121
124	5	123	$M_{178}(0,0,6_1)$	2	123	123	123
125	5	122	$M_{178}(0,0,4)$	2	124	124	124
126	5	126	$M_{188}(0,0,3)$	2^2	127	127	127
127	5	128	$M_{188}(0,0,5_2)$	2	126	126	126
128	5	127	$M_{188}(1,0,7_2)$	3	128	128	128
129	5	162	$M_{222}(0,2,2)$	D_8	130	130	130
130	5	159	$M_{222}(0,0,2)$	S_4	129	129	129
131	5	170	$M_{223}(0,3,1)$	S_3	131	131	131
132	5	164	$M_{223}(0,1,1)$	D_{10}	133	133	133
133	5	160	$M_{223}(0,3,3)$	$3^2 2$	132	132	132
134	5	168	$M_{225}(0,2,2)$	2	139	139	139
135	5	165	$M_{225}(0,4,2)$	D_8	138	138	138
136	5	158	$M_{225}(0,0,4)$	S_4	137	137	137
137	5	181	$M_{225}(2,2,0)$	2^2	148	148	148
138	5	173	$M_{225}(2,0,0)$	$2^4 2$	147	147	147
139	5	166	$M_{226}(0,0,1)$	S_3	134	134	134
140	5	161	$M_{226}(0,0,0)$	D_8	135	135	135
141	5	130	$M_{226}(0,0,2)$	S_4	136	136	136
142	5	202	$M_{226}(2,1,0)$	2	144	144	144
143	5	135	$M_{226}(2,1,2)$	A_4	145	145	145
144	5	133	$M_{226}(2,0,2)$	$2 \times D_8$	146	146	146
145	5	154	$M_{227}(2,6,4)$	D_8	149	149	149

row	p	N	source label	Borel	K	O	L
146	5	171	$M_{227}(0,4,2)$	2	140	140	140
147	5	167	$M_{227}(0,4,4)$	2	141	141	141
148	5	169	$M_{228}(0,3,5)$	S_3	142	142	142
149	5	163	$M_{228}(0,1,5)$	D_{10}	143	143	143
150	5	201	$M_{228}(2,1,1)$	S_3	150	150	150
151	5	200	$M_{228}(2,5,1)$	A_4	151	151	151
152	5	241	$M_{233}(1,1,1)$	2	165	165	165
153	5	236	$M_{234}(1,1,0)$	A_4	166	166	166
154	5	226	$M_{234}(3,1,0)$	S_3	153	153	153
155	5	225	$M_{234}(3,1,4)$	S_3	152	152	152
156	5	227	$M_{235}(3,2,0)$	S_3	159	159	159
157	5	175	$M_{235}(3,0,0)$	S_4	160	160	160
158	5	185	$M_{235}(1,0,4)$	2^2	169	169	169
159	5	186	$M_{235}(1,0,2)$	2^2	170	170	170
160	5	237	$M_{235}(1,2,0)$	S_3	173	173	173
161	5	195	$M_{235}(1,4,4)$	S_3	171	171	171
162	5	190	$M_{235}(1,4,0)$	A_4	172	172	172
163	5	145	$M_{236}(1,2,0)$	S_3	168	168	168
164	5	213	$M_{236}(3,1,0)$	2	154	154	154
165	5	206	$M_{236}(3,1,2)$	S_3	155	155	155
166	5	141	$M_{236}(3,2,1)$	D_8	157	157	157
167	5	216	$M_{236}(3,0,2)$	D_{12}	156	156	156
168	5	134	$M_{236}(3,2,2)$	S_4	158	158	158
169	5	218	$M_{236}(1,0,2)$	2^2	167	167	167
170	5	224	$M_{237}(3,2,6)$	S_3	161	161	161
171	5	151	$M_{237}(3,6,6)$	$3^2 2$	162	162	162
172	5	240	$M_{237}(1,4,6)$	2	175	175	175
173	5	239	$M_{237}(1,2,2)$	2	174	174	174
174	6	155	$M_{237}(1,6,2)$	D_{10}	176	176	176
175	6	222	$M_{238}(3,5,6)$	S_3	164	164	164
176	6	238	$M_{238}(1,3,6)$	2	178	178	178
177	6	228	$M_{238}(1,1,2)$	2^2	177	177	177
178	6	223	$M_{238}(3,1,5)$	S_3	–	163	163
179	6	187	$M_{255}(0,2,4_1)$	2	221	221	221
180	6	196	$M_{255}(4,4,4_1)$	3	226	226	226
181	6	243	$M_{255}(2,2,0)$	2^2	232	232	232
182	6	193	$M_{255}(2,4,4_2)$	2^2	227	227	227
183	6	179	$M_{255}(4,0,2)$	2^2	218	218	218
184	6	174	$M_{255}(0,0,4_2)$	2^4	220	220	220
185	6	172	$M_{255}(4,0,0)$	$2^4 2$	219	219	219
186	6	182	$M_{256}(0,0,1)$	3	184	184	184
187	6	180	$M_{256}(0,1,0_2)$	2^2	196	196	–
188	6	176	$M_{256}(0,0,0_2)$	2^3	182	182	–
189	6	129	$M_{256}(0,2,0_1)$	$2^4 2^2$	206	206	206
190	6	208	$M_{256}(2,1,2)$	2	197	197	197
191	6	146	$M_{256}(2,2,1)$	3	208	208	208
192	6	142	$M_{256}(2,2,0_2)$	2^2	209	209	–
193	6	203	$M_{256}(2,1,0_1)$	S_3	199	199	199
194	6	215	$M_{256}(2,0,0_1)$	D_8	185	185	185
195	6	197	$M_{256}(4,0,1)$	2	183	183	183
196	6	194	$M_{256}(4,1,0_1)$	2^2	–	–	–
197	6	191	$M_{256}(4,1,2)$	S_3	198	198	198
198	6	131	$M_{256}(4,2,2)$	$2^2 2^2$	207	207	207
199	6	188	$M_{256}(4,0,0_1)$	$2^2 2^2$	186	186	186
200	6	184	$M_{257}(0,2,4_2)$	2	223	223	223
201	6	177	$M_{257}(0,4,6)$	2^2	224	224	224

row	p	N	source label	Borel	K	O	L
202	6	178	$M_{257}(0,4,2)$	2^2	222	222	222
203	6	157	$M_{257}(2,6,4_2)$	2	233	233	233
204	6	189	$M_{257}(4,4,2)$	D_8	228	228	228
205	6	192	$M_{257}(4,4,4_1)$	2^2	229	229	229
206	6	183	$M_{258}(0,5,2)$	2^2	225	225	225
207	6	199	$M_{258}(4,3,4_2)$	1	230	230	230
208	6	198	$M_{258}(4,1,4_1)$	2	231	231	231
209	6	234	$M_{258}(2,5,6)$	2	234	234	234
210	6	214	$M_{266}(1,1,0_1)$	1	193	193	193
211	6	204	$M_{266}(1,1,0_2)$	2^2	192	192	192
212	6	143	$M_{266}(2,0,0_1)$	2^2	181	181	181
213	6	205	$M_{266}(1,0,0_2)$	2^2	179	179	179
214	6	132	$M_{266}(2,0,0_2)$	$2 \times D_8$	180	180	180
215	6	137	$M_{266}(2,1,0_1)$	S_3	194	194	194
216	6	221	$M_{267}(0,4,2_1)$	1	187	187	187
217	6	153	$M_{267}(0,6,0)$	D_8	188	188	188
218	6	211	$M_{267}(1,2,0)$	1	203	203	203
219	6	212	$M_{267}(1,4,2_2)$	1	202	202	202
220	6	210	$M_{267}(1,4,0)$	1	200	200	200
221	6	207	$M_{267}(1,2,2_1)$	2	201	201	201
222	6	150	$M_{267}(1,6,2_1)$	D_{10}	204	204	204
223	6	149	$M_{267}(2,4,1)$	2	211	211	211
224	6	139	$M_{267}(2,2,0)$	2^2	212	212	212
225	6	140	$M_{267}(2,4,2_1)$	4	213	213	213
226	6	136	$M_{267}(2,4,2_2)$	D_8	210	210	210
227	6	219	$M_{268}(0,1,1_1)$	2	190	190	190
228	6	220	$M_{268}(0,1,1_2)$	2	189	189	189
229	6	217	$M_{268}(0,1,0)$	2^2	191	191	191
230	6	209	$M_{268}(1,1,0)$	2	205	205	205
231	6	147	$M_{268}(2,3,1_1)$	2	215	215	215
232	6	148	$M_{268}(2,3,0)$	2^2	214	214	214
233	6	138	$M_{268}(2,3,1_2)$	2^2	216	216	216
234	6	144	$M_{268}(2,1,0)$	S_3	217	217	217
235	6	156	$M_{277}(4,6,8_1)$	2	235	235	235
236	6	242	$M_{277}(2,2,4)$	2^2	239	239	239
237	6	152	$M_{277}(2,6,4)$	D_8	238	238	238
238	6	233	$M_{278}(4,5,4)$	2	236	236	236
239	6	232	$M_{278}(4,5,3)$	2	–	–	–
240	6	235	$M_{288}(5,1,5_1)$	1	243	243	?
241	6	230	$M_{288}(1,3,7_2)$	2	240	240	240
242	6	231	$M_{288}(3,5,7_2)$	2	240	240	240
243	6	229	$M_{288}(1,1,7_2)$	3	242	242	242
244	7	422	$M_{333}(1,1,1)$	2	254	254	254
245	7	405	$M_{334}(3,2,0)$	2	244	244	244
246	7	402	$M_{334}(1,2,0)$	4	256	256	256
247	7	400	$M_{334}(1,4,0)$	S_3	255	255	255
248	7	399	$M_{334}(3,0,0)$	A_4	245	245	245
249	7	406	$M_{334}(1,4,4)$	$3^2 2$	257	257	257
250	7	371	$M_{335}(3,0,2)$	2	249	249	249
251	7	394	$M_{335}(1,4,4)$	2	260	260	260
252	7	361	$M_{335}(1,2,0)$	S_3	258	258	258
253	7	364	$M_{335}(1,0,4)$	4	259	259	259
254	7	346	$M_{336}(3,0,1:2)$	2	–	–	–
255	7	294	$M_{336}(3,2,1)$	2	246	246	246
256	7	285	$M_{336}(3,2,0)$	2^2	247	247	247
257	7	278	$M_{336}(3,2,2)$	D_8	248	248	248

row	p	N	source label	Borel	K	O	L
258	7	420	$M_{337}(3,6,6)$	2	251	251	251
259	7	416	$M_{337}(3,6,2)$	4	250	250	250
260	7	421	$M_{337}(1,2,2)$	4	261	261	261
261	7	412	$M_{338}(1,6,4)$	2	262	262	262
262	7	409	$M_{338}(3,6,2)$	2^2	252	252	252
263	7	408	$M_{338}(3,6,6)$	S_3	253	253	253
264	7	372	$M_{345}(2,2,0)$	2	279	279	279
265	7	393	$M_{345}(0,4,2)$	2	271	271	271
266	7	365	$M_{345}(2,4,0)$	4	280	280	280
267	7	362	$M_{345}(4,0,2)$	S_3	266	266	266
268	7	358	$M_{345}(0,0,4)$	A_4	272	272	272
269	7	357	$M_{345}(4,0,0)$	S_4	267	267	267
270	7	282	$M_{346}(4,1,2)$	S_3	264	264	264
271	7	276	$M_{346}(4,2,2)$	D_{12}	265	265	265
272	7	347	$M_{346}(0,0,0)$	S_3	268	268	268
273	7	279	$M_{346}(0,2,0)$	D_8	269	269	269
274	7	344	$M_{346}(0,0,1)$	3	270	270	270
275	7	295	$M_{346}(2,2,1)$	2	278	278	278
276	7	296	$M_{346}(2,2,0)$	2	277	277	277
277	7	404	$M_{347}(0,2,4)$	2	273	273	273
278	7	401	$M_{347}(0,5,1)$	4	–	–	–
279	7	417	$M_{347}(2,6,6)$	4	281	281	281
280	7	407	$M_{348}(2,1,6)$	D_{10}	–	283	283
281	7	403	$M_{348}(0,2,3)$	2	275	275	275
282	7	398	$M_{348}(0,6,1)$	A_4	276	276	276
283	7	413	$M_{348}(2,2,1)$	2	282	282	282
284	7	374	$M_{355}(0,2,2)$	2	318	318	318
285	7	375	$M_{355}(0,2,4_1)$	2	319	319	319
286	7	373	$M_{355}(0,4,2)$	2	323	323	323
287	7	366	$M_{355}(0,2,4_2)$	2^2	320	320	320
288	7	355	$M_{355}(4,2,0)$	2^2	317	317	317
289	7	297	$M_{356}(4,2,1)$	2	303	303	303
290	7	306	$M_{356}(4,0,2)$	2^2	287	287	287
291	7	286	$M_{356}(4,2,2)$	2^2	304	304	304
292	7	250	$M_{356}(4,0,0_1)$	S_3	288	288	288
293	7	257	$M_{356}(2,1,0_1)$	2^2	296	296	296
294	7	341	$M_{356}(0,1,0_2)$	2^2	295	295	–
295	7	258	$M_{356}(2,0,0_1)$	2^2	289	289	289
296	7	348	$M_{356}(0,0,1)$	3	286	286	286
297	7	304	$M_{356}(0,0,2)$	S_3	285	285	285
298	7	280	$M_{356}(0,2,0_2)$	D_8	305	305	–
299	7	383	$M_{357}(2,2,2)$	2	321	321	321
300	7	387	$M_{357}(4,2,4_1)$	2	324	324	324
301	7	392	$M_{357}(4,2,6)$	2	325	325	325
302	7	370	$M_{357}(0,2,6)$	2	328	328	328
303	7	360	$M_{357}(0,6,2)$	S_3	329	329	329
304	7	390	$M_{358}(2,6,4_2)$	2	322	322	322
305	7	391	$M_{358}(4,2,6)$	2	326	326	326
306	7	388	$M_{358}(4,6,4_2)$	3	327	327	327
307	7	369	$M_{358}(0,2,4_1)$	2	331	331	331
308	7	368	$M_{358}(0,2,6)$	2	334	334	334
309	7	367	$M_{358}(0,4,2)$	2	332	332	332
310	7	363	$M_{358}(0,2,4_2)$	2^2	330	330	330
311	7	359	$M_{358}(0,6,2)$	S_3	333	333	333
312	7	271	$M_{366}(0,0,0_1:2)$	2	–	–	–
313	7	298	$M_{366}(1,2,0_1)$	2	294	294	294

row	p	N	source label	Borel	K	O	L
314	7	266	$M_{366}(2,1,0_2)$	D_8	293	293	293
315	7	277	$M_{366}(2,2,1)$	A_4	302	302	302
316	7	331	$M_{367}(1,6,2_1)$	2	298	298	298
317	7	319	$M_{367}(1,6,2_2)$	2	299	299	299
318	7	330	$M_{367}(1,2,2_1)$	2	297	297	297
319	7	320	$M_{367}(1,2,2_2)$	2	300	300	300
320	7	338	$M_{367}(0,2,0)$	2	291	291	291
321	7	322	$M_{367}(0,6,2_1)$	4	290	290	290
322	8	291	$M_{367}(2,4,0)$	2	306	306	306
323	8	293	$M_{367}(2,4,2_1)$	2	307	307	307
324	8	290	$M_{367}(2,2,1)$	2	308	308	308
325	8	292	$M_{367}(2,2,0)$	2	310	310	310
326	8	284	$M_{367}(2,6,2_1)$	4	311	311	311
327	8	281	$M_{367}(2,6,2_2)$	S_3	309	309	309
328	8	349	$M_{368}(0,6,1_1)$	2	292	292	292
329	8	345	$M_{368}(1,6,2)$	2	301	301	301
330	8	299	$M_{368}(2,4,1_2)$	1	313	313	313
331	8	288	$M_{368}(2,4,0)$	2	315	315	315
332	8	289	$M_{368}(2,2,1_1)$	2	314	314	314
333	8	287	$M_{368}(2,2,1_2)$	3	312	312	312
334	8	283	$M_{368}(2,6,2)$	2^2	316	316	316
335	8	424	$M_{377}(2,2,8_2)$	2	336	336	336
336	8	419	$M_{377}(4,6,4)$	2	335	335	335
337	8	415	$M_{377}(6,6,8_2)$	S_3	339	339	339
338	8	418	$M_{378}(6,2,6_1)$	2	340	340	340
339	8	423	$M_{378}(2,2,4:2)$	2	338	338	338
340	8	414	$M_{378}(2,6,6_2)$	1	337	337	337
341	8	410	$M_{388}(2,6,5_2)$	2	341	341	341
342	8	411	$M_{388}(6,4,7_1)$	2	–	–	–
343	8	356	$M_{555}(0,4_1,2)$	2	407	407	407
344	8	378	$M_{555}(4_2,4_1,4_2)$	2	408	408	408
345	8	307	$M_{556}(4_1,2,0_2)$	2	364	364	–
346	8	308	$M_{556}(4_1,2,2)$	2	374	374	374
347	8	309	$M_{556}(4_2,1,2)$	2	368	368	368
348	8	259	$M_{556}(2,0_1,1)$	2	369	369	369
349	8	251	$M_{556}(4_1,0_1,1)$	3	370	370	370
350	8	300	$M_{556}(0,2,0_2)$	2^3	365	365	–
351	8	244	$M_{556}(0,0_1,0_1)$	$2^4 2^2$	382	382	382
352	8	354	$M_{557}(0,4_2,6)$	2	410	410	410
353	8	379	$M_{557}(4_1,4_2,2)$	1	–	–	–
354	8	353	$M_{558}(0,4_1,4_1)$	1	411	411	411
355	8	377	$M_{558}(4_2,4_2,4_2)$	1	414	414	414
356	8	395	$M_{558}(4_1,6,2)$	2	409	409	409
357	8	352	$M_{558}(0,4_2,4_2)$	3	412	412	412
358	8	376	$M_{558}(4_2,2,6)$	2^2	415	415	415
359	8	275	$M_{566}(1,0_2,0_1)$	1	–	–	356!
360	8	260	$M_{566}(0_1,1,0_1)$	2	356	356	356
361	8	267	$M_{566}(2,0_2,0_1)$	2	–	–	–
362	8	302	$M_{566}(2,2,1)$	2^2	360	360	360
363	8	249	$M_{566}(0_1,0_2,0_1)$	2^2	357	357	–
364	8	303	$M_{566}(2,2,0_1)$	2^2	358	358	358
365	8	245	$M_{566}(0_1,0_1,0_2)$	$2^3 2^2$	348	348	348
366	8	246	$M_{566}(0_1,2,0_2)$	$2^3 2$	347	347	347
367	8	248	$M_{567}(0_1,6,0)$	2^2	386	386	386
368	8	247	$M_{567}(0_1,4_1,0)$	D_8	385	385	385
369	8	334	$M_{567}(0_2,4_1,0)$	2	366	366	385!

row	p	N	source label	Borel	K	O	L
370	8	256	$M_{567}(0_2, 4_1, 2_1)$	2	367	367	–
371	8	340	$M_{567}(1, 2, 0)$	1	371	371	371
372	8	339	$M_{567}(1, 4_1, 0)$	1	372	372	372
373	8	324	$M_{567}(1, 2, 2_1)$	2	373	373	373
374	8	262	$M_{567}(0_1, 4_2, 1)$	1	383	383	383
375	8	323	$M_{567}(0_2, 4_1, 2_1)$	2	367	367	–
376	8	314	$M_{567}(2, 4_2, 2_1)$	1	375	375	375
377	8	305	$M_{567}(2, 4_2, 2_2)$	2	377	377	377
378	8	301	$M_{567}(2, 4_1, 0)$	2^2	376	376	376
379	8	252	$M_{568}(0_1, 4_1, 1_1)$	2	391	391	391
380	8	255	$M_{568}(0_1, 4_2, 1_1)$	2	390	390	390
381	8	261	$M_{568}(0_1, 4_1, 2)$	2	387	387	387
382	8	253	$M_{568}(0_1, 6, 1_2)$	2^2	388	388	388
383	8	254	$M_{568}(0_1, 6, 0)$	2^2	389	389	389
384	8	312	$M_{568}(2, 4_2, 1_1)$	1	379	379	379
385	8	311	$M_{568}(2, 4_2, 2)$	2	381	381	381
386	8	313	$M_{568}(2, 6, 1_1)$	2	380	380	380
387	8	310	$M_{568}(2, 6, 1_2)$	2	378	378	378
388	8	386	$M_{577}(4_1, 4_2, 4)$	1	416	416	416
389	8	384	$M_{577}(4_1, 4_1, 8_1)$	2	421	421	421
390	8	382	$M_{577}(6, 2, 8_1)$	2	419	419	419
391	8	385	$M_{577}(4_1, 6, 4)$	2	420	420	420
392	8	380	$M_{577}(2, 4_2, 4)$	2	417	417	417
393	8	381	$M_{577}(2, 4_1, 8_1)$	2	418	418	418
394	9	389	$M_{588}(4_2, 6, 8)$	2	–	422	422
395	9	397	$M_{588}(2, 2, 7_1)$	2	–	–	–
396	9	396	$M_{588}(2, 2, 5_2)$	2	424	424	424
397	9	268	$M_{666}(0_1, 0_2, 0_2)$	2^2	343	343	343
398	9	272	$M_{666}(0_1, 0_2, 1)$	2	344	344	344
399	9	263	$M_{667}(0_2, 1, 0)$	2^2	349!	349!	349!
400	9	264	$M_{667}(0_2, 2_1, 2_1)$	4	350	350	350
401	9	274	$M_{667}(0_2, 0, 1)$	1	349	349	349
402	9	315	$M_{667}(1, 2_1, 2_1)$	2	361	361	361
403	9	316	$M_{667}(1, 0, 0)$	1	362	362	362
404	9	317	$M_{667}(1, 2_1, 2_2)$	2	363	363	363
405	9	332	$M_{667}(0_1, 2_1, 2_1)$	1	359	359	359
406	9	265	$M_{668}(0_2, 1_2, 1_2)$	2	353	353	353
407	9	269	$M_{668}(0_2, 1_1, 1_2)$	2	354	354	354
408	9	270	$M_{668}(0_2, 2, 2)$	2	355	355	355
409	9	273	$M_{668}(0_2, 2, 1)$	2	352	352	352
410	9	318	$M_{677}(2_2, 1, 4)$	1	392	392	392
411	9	321	$M_{677}(2_1, 2_1, 8_2)$	2	396	396	396
412	9	328	$M_{677}(2_1, 0, 4)$	1	394	394	394
413	9	329	$M_{677}(2_1, 0, 8_1)$	1	395	395	395
414	9	337	$M_{677}(0, 1, 4)$	1	393	393	393
415	9	325	$M_{678}(2_1, 1_2, 6_1)$	1	397	397	397
416	9	326	$M_{678}(2_1, 0, 6_1)$	2	400	400	400
417	9	327	$M_{678}(2_1, 0, 8)$	2	398	398	398
418	9	333	$M_{678}(2_1, 1_2, 8)$	1	399	399	399
419	9	335	$M_{678}(0, 1_1, 6_1)$	1	402	402	402
420	9	336	$M_{678}(0, 0, 4)$	2	401	401	401
421	9	342	$M_{688}(1_2, 0, 3)$	1	404	404	404
422	9	343	$M_{688}(1_2, 2, 5_2)$	1	403	403	403
423	9	350	$M_{688}(1_1, 2, 7_2)$	1	405	405	405
424	9	351	$M_{688}(2, 2, 7_2)$	2	–	–	–
425	9	425	$M_{777}(8_2, 4, 4)$	2^2	425	425	425

row	p	N	source label	Borel	K	O	L
426	9	426	$M_{778}(4, 6_1, 6_1)$	1	426	426	426
427	9	427	$M_{888}(7_2, 3, 7_2)$	3	431	431	431
428	9	428	$M_{888}(7_2, 5, 5)$	1	429	429	429
429	9	429	$M_{888}(7_2, 3, 3)$	1	430	430	430
430	9	430	$M_{888}(3, 5_2, 5_2)$	1	428	428	428
431	9	431	$M_{888}(3, 7_1, 7_1)$	1	427	427	427p