

Satellite Health Check Report

Version 2023-02-23-00-02-16



This is a health check report for the sat-1 Satellite server conducted on a RedHat 8.7 instance, at 11:04:24 on 2023-02-23.

Chapter 1. Analysis

1.1. Health Check Overview:

```
Running ForemanMaintain::Scenario::FilteredScenario
=====
Clean old Kernel and initramfs files from tftp-boot:           [32m[1m[OK][0m
-----
Check number of fact names in database:                       [32m[1m[OK][0m
-----
Check whether all services are running:                       [32m[1m[OK][0m
-----
Check whether all services are running using the ping call:   [32m[1m[OK][0m
-----
Check for paused tasks:                                       [32m[1m[OK][0m
-----
Check to verify no empty CA cert requests exist:             [32m[1m[OK][0m
-----
Check whether system is self-registered or not:              [32m[1m[OK][0m
-----
```

1.2. Satellite Service Status:

```
Running Service List
=====
List applicable services:
dynflow-sidekiq@.service      indirect
foreman-proxy.service        enabled
foreman.service              enabled
httpd.service                enabled
postgresql.service           enabled
pulpcore-api.service          enabled
pulpcore-content.service     enabled
pulpcore-worker@.service      indirect
puppetserver.service         enabled
redis.service                enabled
tomcat.service               enabled

All services listed           [32m[1m[OK][0m
-----
```

Chapter 2. Satellite Configuration

2.1. Satellite System Details

Investigation: What version of RHEL is the Satellite server running on? What is the architecture? Is the CPU suitable to the Satellite server? is the hostname unique?

Observation:

```
- Hostname: '    Static hostname: sat-1.gpslab.cbr.redhat.com'

- Operating System: '    Operating System: Red Hat Enterprise Linux 8.7 (Ootpa)'

- IP Address: 10.76.23.10/24
...

- Kernel Version: 4.18.0-425.3.1.el8.x86_64
...

- Uptime: 23 days
...

- Last Reboot Time: 2023-01-30 19:02
...

- Red Hat Release: Red Hat Enterprise Linux release 8.7 (Ootpa)
...
```

The CPU details are as follows:

```
- 'Architecture:      x86_64'
- 'CPU op-mode(s):    32-bit, 64-bit'
- 'Byte Order:        Little Endian'
- 'CPU(s):            8'
- 'On-line CPU(s) list: 0-7'
- 'Thread(s) per core: 1'
- 'Core(s) per socket: 1'
- 'Socket(s):         8'
- 'NUMA node(s):      1'
- 'Vendor ID:         GenuineIntel'
- 'BIOS Vendor ID:    Red Hat'
- 'CPU family:        6'
- 'Model:             85'
```

```
- 'Model name: Intel Xeon Processor (Skylake, IBRS)'
- 'BIOS Model name: RHEL-8.2.0 PC (Q35 + ICH9, 2009)'
- 'Stepping: 4'
- 'CPU MHz: 2099.998'
- 'BogoMIPS: 4199.99'
- 'Virtualization: VT-x'
- 'Hypervisor vendor: KVM'
- 'Virtualization type: full'
- 'L1d cache: 32K'
- 'L1i cache: 32K'
- 'L2 cache: 4096K'
- 'L3 cache: 16384K'
- 'NUMA node0 CPU(s): 0-7'
```

Is there at least 20Gb of disk space available in /var?

- 20877700 Kilobytes is insufficient for a channel download

Guidance: TODO

Rationale: There should be at least 20 gig of space available in /var directory to perform future synchronizations. Please note that if you are to download a major release (e.g. RHEL 6 Server), you will require a minimum of 20Gig per release.

2.2. Satellite and Capsule Architecture

| | |
|-----------------------|---|
| Investigation: | List the names and urls of the Satellite and Capsule servers. List the organisations linked to the Satellite and Capsule servers. |
| Guidance: | TODO |
| Rationale: | TODO |

Observation:

Listing 1. Satellites/Capsules:

```
---|-----|-----|
ID | NAME | URL | FEATURES
---|-----|-----|
1 | sat-1.gpslab.cbr.redhat.com | https://sat-1.gpslab.cbr.redhat.com:9090 | Discovery, Dynflow, Ansible, Openscap, SSH,
TFTP, Puppet CA, Puppet, Logs, Pu...
```

Listing 2. Organisations:

| --- | ----- | ----- | ----- | ----- |
|-----|-----------|-----------|-------------|-----------|
| ID | TITLE | NAME | DESCRIPTION | LABEL |
| --- | ----- | ----- | ----- | ----- |
| 7 | Funkytown | Funkytown | | Funkytown |
| --- | ----- | ----- | ----- | ----- |



For more information on a given organisation, run `hammer organization info --id <id_number>`

2.3. Satellite Version

| | |
|-----------------------|--|
| Investigation: | What is the currently installed Satellite version on the Satellite server and the capsules? What was the initial installation version? |
| Guidance: | TODO |
| Rationale: | TODO |

Observation:

satellite-6.11.4.1-1.el8sat.noarch ... is installed on the Satellite server.

Package satellite-capsule is not installed on the Capsule Server.

2.4. Firewalls and Proxy

| | |
|-----------------|---|
| *Investigation: | Is firewalling appropriately configured for the Satellite and Capsule servers? Is the proxy server able to access <code>cdn.redhat.com</code> and <code>subscription.rhsm.redhat.com</code> directly without SSL termination? Are the required ports open? Are any optional ports opened? |
| Guidance: | TODO |

| | |
|-------------------|--|
| <p>Rationale:</p> | <p>Generally, the following 12 ports should be open on the firewall:</p> <ul style="list-style-type: none"> • 80/tcp • 443/tcp • 5647/tcp • 8000/tcp • 8140/tcp • 8443/tcp • 9090/tcp • 53/tcp • 53/udp • 67/udp • 69/udp • 5000/tcp |
|-------------------|--|

Observation: The ports that are currently open are:

```
' ports: 53/udp 53/tcp 67/udp 69/udp 80/tcp 443/tcp 5647/tcp 8000/tcp 9090/tcp 8140/tcp '
```

Chapter 3. Infrastructure

3.1. Infrastructure Architecture

| | |
|-----------------------|--|
| Investigation: | List the organisations and locations associated with the Satellite server. |
| Guidance: | TODO |
| Rationale: | TODO |

Observation:

Listing 3. Organisations:

```

---|-----|-----|-----|-----
ID | TITLE   | NAME   | DESCRIPTION | LABEL
---|-----|-----|-----|-----
7  | Funkytown | Funkytown |             | Funkytown
---|-----|-----|-----|-----

```

Listing 4. Locations:

```

---|-----|-----|-----
ID | TITLE           | NAME           | DESCRIPTION
---|-----|-----|-----
2  | Default Location | Default Location |
---|-----|-----|-----

```

3.2. Network Requirements

| | |
|-----------------------|---|
| Investigation: | The network connectivity between Satellite and its capsules needs to be reliable. Can the Satellite connect to the CDN without issue? Do the FQDN, Domain, and Shortname connections resolve? |
| Guidance: | TODO |
| Rationale: | TODO |

Observation:

Listing 5. Ping results:

```

- PING sat-1.gpslab.cbr.redhat.com (10.76.23.10) 56(84) bytes of data.

```



```
- '64 bytes from sat-1.gpslab.cbr.redhat.com (10.76.23.10): icmp_seq=1 ttl=64 time=0.121
  ms'
- ''
- '--- sat-1.gpslab.cbr.redhat.com ping statistics ---'
- 1 packets transmitted, 1 received, 0% packet loss, time 0ms
- rtt min/avg/max/mdev = 0.121/0.121/0.121/0.000 ms
- PING sat-1.gpslab.cbr.redhat.com (10.76.23.10) 56(84) bytes of data.
- '64 bytes from sat-1.gpslab.cbr.redhat.com (10.76.23.10): icmp_seq=1 ttl=64 time=0.088
  ms'
- ''
- '--- sat-1.gpslab.cbr.redhat.com ping statistics ---'
- 1 packets transmitted, 1 received, 0% packet loss, time 0ms
- rtt min/avg/max/mdev = 0.088/0.088/0.088/0.000 ms
```

Listing 6. CDN Connection:

```
- PING e4177.cd.akamaiedge.net (96.6.32.251) 56(84) bytes of data.
- '64 bytes from a96-6-32-251.deploy.static.akamaitechnologies.com (96.6.32.251):
  icmp_seq=1 ttl=50 time=321 ms'
- ''
- '--- e4177.cd.akamaiedge.net ping statistics ---'
- 1 packets transmitted, 1 received, 0% packet loss, time 0ms
- rtt min/avg/max/mdev = 321.361/321.361/321.361/0.000 ms
```

Listing 7. Are the required ports listening?

```
- 'LISTEN 0      128          0.0.0.0:9090    0.0.0.0:*      '
- 'LISTEN 0      50           *:8140         *:.*          '
- 'LISTEN 0      128          *:80           *:.*          '
- 'LISTEN 0      128          *:443          *:.*          '
- 'LISTEN 0      128          [::]:9090     [::]:*        '
```

3.3. Custom Hierarchies

| | |
|-----------------------|------|
| Investigation: | TODO |
| Observation: | TODO |
| Guidance: | TODO |
| Rationale: | TODO |

Chapter 4. Storage

4.1. Qpidd Storage

| | |
|-----------------------|---|
| Investigation: | Is the qpidd service available? How much space is available in the qpidd partition? is the qpidd partition too large? |
| Guidance: | TODO |
| Rationale: | TODO |

Observation:

- Unit qpidd.service could not be found.
- 'du: cannot access "/var/lib/qpidd": No such file or directory'

4.2. Backup/Restore Procedures

| | |
|-----------------------|--|
| Investigation: | If the client is using snapshots, what are the backups listed in foreman-maintain backups? What kinds of backup procedures are in place for the Satellite? The consultant will likely have to ask the client for additional information on procedures and backup philosophy. |
| Observation: | CONSULTANT TODO |
| Guidance: | CONSULTANT TODO |
| Rationale: | CONSULTANT TODO |

Chapter 5. Host Management

5.1. Remote Execution

| | |
|-----------------------|---|
| Investigation: | Is remote execution set up on Satellite? Is cron used to execute these remote jobs? |
| Guidance: | TODO |
| Rationale: | TODO |

Observation:

| - '----- ----- ----- -----' | | | |
|--|--|----------------------------|--|
| 'ID NAME | | JOB CATEGORY | |
| PROVIDER TYPE | | | |
| - '----- ----- ----- -----' | | | |
| - 178 Ansible Collection - Install from Galaxy | | Ansible Galaxy | |
| Ansible job_template | | | |
| - 179 Ansible Roles - Ansible Default | | Ansible Playbook | |
| Ansible job_template | | | |
| - 180 Ansible Roles - Install from Galaxy | | Ansible Galaxy | |
| Ansible job_template | | | |
| - 181 Ansible Roles - Install from git | | Ansible Roles Installation | |
| Ansible job_template | | | |
| - 185 Ansible - Run insights maintenance plan | | Ansible Playbook | |
| Ansible job_template | | | |
| - 191 Ansible - Run playbook | | Ansible Playbook | |
| Ansible job_template | | | |
| - 182 Capsule Upgrade Playbook | | Maintenance Operations | |
| Ansible job_template | | | |
| - 206 Change content source | | Katello | |
| SSH job_template | | | |
| - '211 Check Leapp | | Leapp | |
| SSH snippet | | | |
| - 149 Check Update - SSH Default | | Packages | |
| SSH job_template | | | |
| - 183 Configure Cloud Connector | | Maintenance Operations | |
| Ansible job_template | | | |
| - 184 Convert to RHEL | | Convert 2 RHEL | |
| Ansible job_template | | | |
| - 207 Install errata by search query - Katello SSH Default | | Katello | |
| SSH job_template | | | |
| - 161 Install Errata - Katello Ansible Default | | Katello via Ansible | |
| Ansible job_template | | | |
| - 160 Install Errata - Katello SSH Default | | Katello | |
| SSH job_template | | | |
| - 163 Install Group - Katello Ansible Default | | Katello via Ansible | |
| Ansible job_template | | | |
| - 162 Install Group - Katello SSH Default | | Katello | |
| SSH job_template | | | |
| - 165 Install Package - Katello Ansible Default | | Katello via Ansible | |
| Ansible job_template | | | |
| - 164 Install Package - Katello SSH Default | | Katello | |

| | | | |
|--|--------------|---------------------------|--|
| SSH | job_template | | |
| - 186 Module Action - Ansible Default | | Ansible Modules | |
| Ansible | job_template | | |
| - 150 Module Action - SSH Default | | Modules | |
| SSH | job_template | | |
| - 187 Package Action - Ansible Default | | Ansible Packages | |
| Ansible | job_template | | |
| - 151 Package Action - SSH Default | | Packages | |
| SSH | job_template | | |
| - 188 Power Action - Ansible Default | | Ansible Power | |
| Ansible | job_template | | |
| - 152 Power Action - SSH Default | | Power | |
| SSH | job_template | | |
| - 153 Puppet Agent Disable - SSH Default | | Puppet | |
| SSH | job_template | | |
| - 154 Puppet Agent Enable - SSH Default | | Puppet | |
| SSH | job_template | | |
| - 155 Puppet Module - Install from forge - SSH Default | | Puppet | |
| SSH | job_template | | |
| - 156 Puppet Module - Install from git - SSH Default | | Puppet | |
| SSH | job_template | | |
| - 189 Puppet Run Once - Ansible Default | | Ansible Puppet | |
| Ansible | job_template | | |
| - 157 Puppet Run Once - SSH Default | | Puppet | |
| SSH | job_template | | |
| - 167 Remove Group - Katello Ansible Default | | Katello via Ansible | |
| Ansible | job_template | | |
| - 166 Remove Group - Katello SSH Default | | Katello | |
| SSH | job_template | | |
| - 169 Remove Package - Katello Ansible Default | | Katello via Ansible | |
| Ansible | job_template | | |
| - 168 Remove Package - Katello SSH Default | | Katello | |
| SSH | job_template | | |
| - 209 Resolve Traces - Katello Ansible Default | | Katello via Ansible | |
| Ansible | job_template | | |
| - 208 Resolve Traces - Katello SSH Default | | Katello | |
| SSH | job_template | | |
| - 171 Restart Services - Katello Ansible Default | | Katello via Ansible | |
| Ansible | job_template | | |
| - 170 Restart Services - Katello SSH Default | | Katello | |
| SSH | job_template | | |
| - 205 Run a playbook downloaded from RH cloud | | Red Hat Insights | |
| Ansible | job_template | | |
| - 190 Run Command - Ansible Default | | Ansible Commands | |
| Ansible | job_template | | |
| - 158 Run Command - SSH Default | | Commands | |
| SSH | job_template | | |
| - 176 Run OpenSCAP scans | | OpenSCAP | |
| SSH | job_template | | |
| - 210 Run OpenSCAP scans - Ansible Default | | OpenSCAP Ansible Commands | |
| Ansible | job_template | | |
| - 177 Run OVAL scans | | OpenSCAP | |
| SSH | job_template | | |
| - 212 Run preupgrade via Leapp | | Leapp - Preupgrade | |
| SSH | job_template | | |
| - 213 Run remediation plan via Leapp | | Other | |
| SSH | job_template | | |
| - 148 Run remediations based on Insights recommendations | | Red Hat Insights | |
| Ansible | job_template | | |

```

- 214 | Run upgrade via Leapp | Leapp - Upgrade |
  Ansible | job_template
- 192 | Service Action - Ansible Default | Ansible Services |
  Ansible | job_template
- 193 | Service Action - Enable Web Console | Ansible Services |
  Ansible | job_template
- 159 | Service Action - SSH Default | Services |
  SSH | job_template
- 173 | Update Group - Katello Ansible Default | Katello via Ansible |
  Ansible | job_template
- 172 | Update Group - Katello SSH Default | Katello |
  SSH | job_template
- 175 | Update Package - Katello Ansible Default | Katello via Ansible |
  Ansible | job_template
- 174 | Update Package - Katello SSH Default | Katello |
  SSH | job_template
- '-----|-----|-----|-----'
```

5.2. Provisioning

| | |
|-----------------------|-----------------|
| Investigation: | TODO |
| Observation: | CONSULTANT TODO |
| Guidance: | CONSULTANT TODO |
| Rationale: | CONSULTANT TODO |

5.3. Errata

| | |
|-----------------------|---|
| Investigation: | Are errata used? How is Errata managed? What errata are installable on the registered hosts? |
| Guidance: | TODO |
| Rationale: | As a part of Red Hat's quality control and release process, we provide customers with updates for each release of official Red Hat RPMs. Red Hat compiles groups of related package into an erratum along with an advisory that provides a description of the update. Security Advisory errata describe fixed security issues found in the package. Bug Fix Advisory errata describes bug fixes, and Product Enhancement Advisory describes enhancements and new features added to the package. |

Observation:



The errata variable has been omitted in the report due to size of role. Replace the

variable here if you choose to include the role.

Chapter 6. Satellite Management

6.1. Satellite Logging

| | |
|-----------------------|---|
| Investigation: | Are any errors logged in the foreman, foreman-proxy, or /var logs? Do any issues tie in with other issues identified in the report? |
| Guidance: | TODO |
| Rationale: | Any errors that appear in the logs should be investigated to ensure that Satellite is functioning effectively and correctly to avoid bugs and security vulnerabilities. |

Observation:

+ /var/log/foreman/production.log returns:

The production.log does not contain any errors.

+ /var/log/foreman-proxy/proxy.log returns:

The proxy.log does not contain any errors.

+ /var/log/messages returns:

- 'Feb 20 10:24:58 sat-1 ansible-ansible.legacy.command[454559]: Invoked with _raw_params=cat /var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None stdin=None'
- 'Feb 20 10:25:00 sat-1 ansible-ansible.legacy.command[454680]: Invoked with _raw_params=cat /var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None stdin=None'
- 'Feb 20 10:25:02 sat-1 ansible-ansible.legacy.command[454802]: Invoked with _raw_params=cat /var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None stdin=None'
- 'Feb 20 11:13:24 sat-1 ansible-ansible.legacy.command[460372]: Invoked with _raw_params=cat /var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None stdin=None'
- 'Feb 20 11:13:26 sat-1 ansible-ansible.legacy.command[460493]: Invoked with _raw_params=cat /var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False

```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:13:28 sat-1 ansible-ansible.legacy.command[460615]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 11:19:15 sat-1 ansible-ansible.legacy.command[465489]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:19:16 sat-1 ansible-ansible.legacy.command[465610]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:19:18 sat-1 ansible-ansible.legacy.command[465731]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 11:23:29 sat-1 ansible-ansible.legacy.command[470589]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:23:31 sat-1 ansible-ansible.legacy.command[470710]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:23:33 sat-1 ansible-ansible.legacy.command[470831]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 11:33:51 sat-1 ansible-ansible.legacy.command[475778]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:33:53 sat-1 ansible-ansible.legacy.command[475899]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:33:55 sat-1 ansible-ansible.legacy.command[476020]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 11:43:29 sat-1 ansible-ansible.legacy.command[484398]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:43:31 sat-1 ansible-ansible.legacy.command[484519]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:43:33 sat-1 ansible-ansible.legacy.command[484640]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True

```



```

strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 11:52:18 sat-1 ansible-ansible.legacy.command[489581]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:52:20 sat-1 ansible-ansible.legacy.command[489702]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:52:22 sat-1 ansible-ansible.legacy.command[489823]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 11:56:12 sat-1 ansible-ansible.legacy.command[494644]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:56:14 sat-1 ansible-ansible.legacy.command[494765]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 11:56:16 sat-1 ansible-ansible.legacy.command[494886]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 13:05:08 sat-1 ansible-ansible.legacy.command[501516]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 13:05:10 sat-1 ansible-ansible.legacy.command[501638]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 13:05:12 sat-1 ansible-ansible.legacy.command[501760]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 13:10:39 sat-1 ansible-ansible.legacy.command[506604]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 13:10:40 sat-1 ansible-ansible.legacy.command[506725]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 13:10:42 sat-1 ansible-ansible.legacy.command[506846]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 13:15:01 sat-1 ansible-ansible.legacy.command[511682]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False

```

```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 13:15:03 sat-1 ansible-ansible.legacy.command[511803]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 13:15:04 sat-1 ansible-ansible.legacy.command[511925]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 14:01:10 sat-1 ansible-ansible.legacy.command[517380]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 14:01:12 sat-1 ansible-ansible.legacy.command[517501]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 14:01:15 sat-1 ansible-ansible.legacy.command[517622]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 14:06:22 sat-1 ansible-ansible.legacy.command[522564]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 14:06:24 sat-1 ansible-ansible.legacy.command[522685]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 14:06:26 sat-1 ansible-ansible.legacy.command[522808]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 14:25:06 sat-1 ansible-ansible.legacy.command[527848]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 14:25:08 sat-1 ansible-ansible.legacy.command[527969]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 14:25:11 sat-1 ansible-ansible.legacy.command[528090]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 16:12:58 sat-1 ansible-ansible.legacy.command[534670]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 16:12:59 sat-1 ansible-ansible.legacy.command[534791]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False

```

```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 16:13:01 sat-1 ansible-ansible.legacy.command[534912]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 17:49:22 sat-1 ansible-ansible.legacy.command[547030]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 17:49:24 sat-1 ansible-ansible.legacy.command[547151]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 17:49:26 sat-1 ansible-ansible.legacy.command[547276]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 18:00:44 sat-1 ansible-ansible.legacy.command[551238]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 18:00:46 sat-1 ansible-ansible.legacy.command[551359]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 18:00:48 sat-1 ansible-ansible.legacy.command[551488]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 18:03:14 sat-1 ansible-ansible.legacy.command[555655]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 18:03:16 sat-1 ansible-ansible.legacy.command[555776]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 18:03:18 sat-1 ansible-ansible.legacy.command[555898]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 20:20:05 sat-1 ansible-ansible.legacy.command[562795]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:20:08 sat-1 ansible-ansible.legacy.command[562917]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:20:10 sat-1 ansible-ansible.legacy.command[563039]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True

```

```

strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 20:29:50 sat-1 ansible-ansible.legacy.command[568060]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:29:53 sat-1 ansible-ansible.legacy.command[568181]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:29:55 sat-1 ansible-ansible.legacy.command[568302]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 20:34:14 sat-1 ansible-ansible.legacy.command[572913]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:34:16 sat-1 ansible-ansible.legacy.command[573038]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:34:18 sat-1 ansible-ansible.legacy.command[573159]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 20 20:40:49 sat-1 ansible-ansible.legacy.command[577828]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:40:52 sat-1 ansible-ansible.legacy.command[577950]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 20 20:40:55 sat-1 ansible-ansible.legacy.command[578071]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 08:10:40 sat-1 ansible-ansible.legacy.command[595685]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 08:10:42 sat-1 ansible-ansible.legacy.command[595806]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 08:10:44 sat-1 ansible-ansible.legacy.command[595928]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 08:17:27 sat-1 ansible-ansible.legacy.command[600531]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False

```

```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 08:17:30 sat-1 ansible-ansible.legacy.command[600652]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 08:17:32 sat-1 ansible-ansible.legacy.command[600773]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 08:21:47 sat-1 ansible-ansible.legacy.command[605347]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 08:21:49 sat-1 ansible-ansible.legacy.command[605468]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 08:21:51 sat-1 ansible-ansible.legacy.command[605589]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 10:03:32 sat-1 ansible-ansible.legacy.command[612656]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 10:03:34 sat-1 ansible-ansible.legacy.command[612778]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 10:03:36 sat-1 ansible-ansible.legacy.command[612899]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 10:27:49 sat-1 ansible-ansible.legacy.command[618490]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 10:27:51 sat-1 ansible-ansible.legacy.command[618611]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 10:27:53 sat-1 ansible-ansible.legacy.command[618732]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 10:31:25 sat-1 ansible-ansible.legacy.command[623779]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 10:31:27 sat-1 ansible-ansible.legacy.command[623901]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False

```

```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 10:31:30 sat-1 ansible-ansible.legacy.command[624022]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 11:46:09 sat-1 ansible-ansible.legacy.command[630067]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 11:46:12 sat-1 ansible-ansible.legacy.command[630188]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 11:46:14 sat-1 ansible-ansible.legacy.command[630309]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 12:41:17 sat-1 ansible-ansible.legacy.command[636229]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 12:41:19 sat-1 ansible-ansible.legacy.command[636350]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 12:41:21 sat-1 ansible-ansible.legacy.command[636471]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 12:45:04 sat-1 ansible-ansible.legacy.command[641487]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 12:45:06 sat-1 ansible-ansible.legacy.command[641608]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 12:45:08 sat-1 ansible-ansible.legacy.command[641730]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 13:49:14 sat-1 ansible-ansible.legacy.command[647568]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 13:49:16 sat-1 ansible-ansible.legacy.command[647689]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 13:49:18 sat-1 ansible-ansible.legacy.command[647810]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True

```



```

strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 14:31:52 sat-1 ansible-ansible.legacy.command[656262]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 14:31:54 sat-1 ansible-ansible.legacy.command[656383]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 14:31:56 sat-1 ansible-ansible.legacy.command[656504]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 14:35:41 sat-1 ansible-ansible.legacy.command[661153]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 14:35:44 sat-1 ansible-ansible.legacy.command[661274]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 14:35:46 sat-1 ansible-ansible.legacy.command[661395]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 14:38:23 sat-1 ansible-ansible.legacy.command[665933]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 14:38:26 sat-1 ansible-ansible.legacy.command[666054]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 14:38:28 sat-1 ansible-ansible.legacy.command[666176]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 15:17:29 sat-1 ansible-ansible.legacy.command[671536]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:17:31 sat-1 ansible-ansible.legacy.command[671657]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:17:33 sat-1 ansible-ansible.legacy.command[671778]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 15:20:38 sat-1 ansible-ansible.legacy.command[676018]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False

```

```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:20:40 sat-1 ansible-ansible.legacy.command[676139]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:20:42 sat-1 ansible-ansible.legacy.command[676260]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 15:25:26 sat-1 ansible-ansible.legacy.command[680616]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:25:29 sat-1 ansible-ansible.legacy.command[680738]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:25:31 sat-1 ansible-ansible.legacy.command[680859]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 15:35:01 sat-1 ansible-ansible.legacy.command[686036]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:35:04 sat-1 ansible-ansible.legacy.command[686157]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 15:35:06 sat-1 ansible-ansible.legacy.command[686278]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 16:12:20 sat-1 ansible-ansible.legacy.command[691895]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 16:12:23 sat-1 ansible-ansible.legacy.command[692016]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 16:12:25 sat-1 ansible-ansible.legacy.command[692137]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 16:17:01 sat-1 ansible-ansible.legacy.command[696703]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 16:17:03 sat-1 ansible-ansible.legacy.command[696825]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False

```



```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 16:17:05 sat-1 ansible-ansible.legacy.command[696947]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 17:01:26 sat-1 ansible-ansible.legacy.command[702549]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 17:01:28 sat-1 ansible-ansible.legacy.command[702671]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 17:01:31 sat-1 ansible-ansible.legacy.command[702793]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 17:11:50 sat-1 ansible-ansible.legacy.command[707950]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 17:11:52 sat-1 ansible-ansible.legacy.command[708073]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 17:11:54 sat-1 ansible-ansible.legacy.command[708194]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 17:26:48 sat-1 ansible-ansible.legacy.command[712852]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 17:26:50 sat-1 ansible-ansible.legacy.command[712974]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 17:26:52 sat-1 ansible-ansible.legacy.command[713095]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 21 20:05:23 sat-1 ansible-ansible.legacy.command[720565]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 20:05:25 sat-1 ansible-ansible.legacy.command[720686]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 21 20:05:28 sat-1 ansible-ansible.legacy.command[720807]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True

```

```

strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 22 09:38:03 sat-1 ansible-ansible.legacy.command[737301]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 09:38:04 sat-1 ansible-ansible.legacy.command[737422]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 09:38:04 sat-1 ansible-ansible.legacy.command[737543]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 22 10:24:03 sat-1 ansible-ansible.legacy.command[743098]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 10:24:05 sat-1 ansible-ansible.legacy.command[743219]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 10:24:07 sat-1 ansible-ansible.legacy.command[743341]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 22 12:12:26 sat-1 ansible-ansible.legacy.command[749978]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 12:12:28 sat-1 ansible-ansible.legacy.command[750100]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 12:12:30 sat-1 ansible-ansible.legacy.command[750221]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 22 12:16:18 sat-1 ansible-ansible.legacy.command[754788]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 12:16:20 sat-1 ansible-ansible.legacy.command[754909]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 12:16:22 sat-1 ansible-ansible.legacy.command[755030]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 22 15:27:01 sat-1 ansible-ansible.legacy.command[764779]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False

```

```

stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 15:27:03 sat-1 ansible-ansible.legacy.command[764901]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 22 15:27:06 sat-1 ansible-ansible.legacy.command[765022]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 23 10:49:02 sat-1 ansible-ansible.legacy.command[786600]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 23 10:49:03 sat-1 ansible-ansible.legacy.command[786722]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 23 10:49:04 sat-1 ansible-ansible.legacy.command[786843]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 23 10:55:15 sat-1 ansible-ansible.legacy.command[791692]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 23 10:55:16 sat-1 ansible-ansible.legacy.command[791819]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 23 10:55:17 sat-1 ansible-ansible.legacy.command[791940]: Invoked with _raw_params=cat
/var/log/messages | grep error | grep failed _uses_shell=True warn=False stdin_add_newline=True
strip_empty_ends=True argv=None chdir=None executable=None creates=None removes=None
stdin=None'
- 'Feb 23 11:05:27 sat-1 ansible-ansible.legacy.command[797003]: Invoked with _raw_params=cat
/var/log/foreman/production.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'
- 'Feb 23 11:05:27 sat-1 ansible-ansible.legacy.command[797125]: Invoked with _raw_params=cat
/var/log/foreman-proxy/proxy.log | grep error | grep failed _uses_shell=True warn=False
stdin_add_newline=True strip_empty_ends=True argv=None chdir=None executable=None
creates=None removes=None stdin=None'

```

6.2. Patch Cycles

| | |
|-----------------------|-----------------|
| Investigation: | CONSULTANT TODO |
| Observation: | CONSULTANT TODO |
| Guidance: | CONSULTANT TODO |

| | |
|-------------------|-----------------|
| Rationale: | CONSULTANT TODO |
|-------------------|-----------------|

6.3. Sync Plans

| | |
|-----------------------|------|
| Investigation: | TODO |
| Observation: | TODO |
| Guidance: | TODO |
| Rationale: | TODO |

6.4. Activation Keys

| | |
|-----------------------|------|
| Investigation: | TODO |
| Observation: | TODO |
| Guidance: | TODO |
| Rationale: | TODO |

6.5. Registered hosts

Investigation: How many registered hosts are connected to the Satellite?

Observation:

```

- aap.gpslab.cbr.redhat.com 10.76.23.75
- aap-poc2.gpslab.cbr.redhat.com 10.76.23.23
- assisted-service.gpslab.cbr.redhat.com 10.76.23.8
- backend-01.vm.gpslab.cbr.redhat.com 172.16.5.20
- backend-02.vm.gpslab.cbr.redhat.com 172.16.5.21
- backend-03.vm.gpslab.cbr.redhat.com 172.16.5.22
- bastion.gpslab.cbr.redhat.com 10.76.23.8
- browbeat.gpslab.cbr.redhat.com 10.76.23.15
- cephfs1.gpslab.cbr.redhat.com 10.76.23.17
- disco-bastion.gpslab.cbr.redhat.com 10.88.0.1
- disco-tang.gpslab.cbr.redhat.com 192.168.200.135
- disco-tang.vm.gpslab.cbr.redhat.com 10.0.1.112
- ha2-proxy-backend-01-74wzrcw4jnjl-server-vqzwxhesifqr.vm.gpslab 172.16.5.96
- ha2-proxy-backend-01-itdvzgshh5cu-server-itc7c4wkakxj.vm.gpslab 172.16.5.87
- ha2-proxy-backend-01-ybh342ekg7l-server-b7y5gasvgv4e.vm.gpslab 172.16.5.127
- ha2-proxy-backend-02-dahbrxmovmro-server-uyfdpeekxm3c.vm.gpslab 172.16.5.243
- ha2-proxy-backend-02-g6wjwsxqyvbs-server-6qryxddodqwq.vm.gpslab 172.16.5.131
- ha2-proxy-backend-02-pt4ha5e7gohj-server-p4xb4fbrhcgcb.vm.gpslab 172.16.5.66
- ha2-proxy-backend-03-5gexvnc74aww-server-wnwbh632xv63.vm.gpslab 172.16.5.10

```

| | |
|--|---------------|
| - ha2-proxy-backend-03-naua63ftfd7m-server-ipjoe7e7ersv.vm.gpslab | 172.16.5.238 |
| - ha2-proxy-backend-03-xtvckf4wiyf4-server-lcc6zbqly7rk.vm.gpslab | 172.16.5.207 |
| - ha2-proxy-bastion-nsvlwizm5m5i-server-gmhnmkno5e45.vm.gpslab.cbr | 172.16.5.203 |
| - ha2-proxy-bastion-uz7mpzd3hjnh-server-llf3fggcroq7.vm.gpslab.cbr | 172.16.5.56 |
| - ha2-proxy-bastion-zvrjabmpoduh-server-ad3iwr5imr4v.vm.gpslab.cbr | 172.16.5.149 |
| - ha2-proxy-proxy-01-f6f42gtvnwt6-server-obwefs7hlgud.vm.gpslab.cb | 172.16.5.216 |
| - ha2-proxy-proxy-01-mwzu7l2jxkk5-server-k7hcqlu5zxr7.vm.gpslab.cb | 172.16.5.218 |
| - ha2-proxy-proxy-01-teaud2wnib5n-server-iuc44q2vavnf.vm.gpslab.cb | 172.16.5.22 |
| - ha2-proxy-proxy-02-m6hul6apypp4-server-lsnfdrqgxwy5.vm.gpslab.cb | 172.16.5.80 |
| - ha2-proxy-proxy-02-tlrj25x6aav7-server-7qeispdud2kg.vm.gpslab.cb | 172.16.5.122 |
| - ha2-proxy-proxy-02-vmsb32jhqq4z-server-n22fgji5s7vx.vm.gpslab.cb | 172.16.5.65 |
| - ha-bastion.vm.gpslab.cbr.redhat.com | 172.16.5.5 |
| - haproxy-1.gpslab.cbr.redhat.com | 192.168.22.22 |
| - haproxy-2.gpslab.cbr.redhat.com | 192.168.22.23 |
| - ha-proxy-main.vm.gpslab.cbr.redhat.com | 172.16.5.11 |
| - ha-proxy-spare.vm.gpslab.cbr.redhat.com | 172.16.5.12 |
| - ipa1.gpslab.cbr.redhat.com | 10.76.23.245 |
| - ipa2.gpslab.cbr.redhat.com | 10.76.23.244 |
| - ipa3.gpslab.cbr.redhat.com | 10.76.23.243 |
| - ipa6.gpslab.cbr.redhat.com | 10.76.23.46 |
| - ipa-test.gpslab.cbr.redhat.com | 10.76.23.16 |
| - jirasd-poc.gpslab.cbr.redhat.com | 10.76.23.18 |
| - jira-temp.gpslab.cbr.redhat.com | 10.76.23.44 |
| - jumpbox.gpslab.cbr.redhat.com | 10.76.23.21 |
| - kvm1.gpslab.cbr.redhat.com | 10.76.23.42 |
| - lab-ceph-1.gpslab.cbr.redhat.com | 10.76.23.60 |
| - lab-ceph-2.gpslab.cbr.redhat.com | 10.76.23.61 |
| - lab-ceph-3.gpslab.cbr.redhat.com | 10.76.23.62 |
| - lab-ceph-4.gpslab.cbr.redhat.com | 10.76.23.63 |
| - lab-ceph-5.gpslab.cbr.redhat.com | 10.76.23.64 |
| - lab-ceph-admin.gpslab.cbr.redhat.com | 192.168.22.59 |
| - lab-compute-1.gpslab.cbr.redhat.com | 192.168.14.8 |
| - lab-compute-2.gpslab.cbr.redhat.com | 10.76.23.81 |
| - lab-compute-3.gpslab.cbr.redhat.com | 192.168.22.10 |
| - lab-ctlr-1.gpslab.cbr.redhat.com | 192.168.14.5 |
| - lab-ctlr-2.gpslab.cbr.redhat.com | 192.168.11.92 |
| - lab-ctlr-3.gpslab.cbr.redhat.com | 10.76.23.7 |
| - lab-kvm-1.gpslab.cbr.redhat.com | 192.168.10.43 |
| - lab-kvm-2.gpslab.cbr.redhat.com | 192.168.10.12 |
| - lab-ospd-1.gpslab.cbr.redhat.com | 10.76.23.4 |
| - lab-prometheus-1.gpslab.cbr.redhat.com | 10.76.23.31 |
| - 'lab-rhv-1.gpslab.cbr.redhat.com | ' |
| - 'lab-rhv-2.gpslab.cbr.redhat.com | ' |
| - nfs.gpslab.cbr.redhat.com | 10.76.23.40 |
| - os-control.gpslab.cbr.redhat.com | 10.76.23.17 |
| - osp17-ospd.gpslab.cbr.redhat.com | 10.76.23.55 |
| - ost1-bastion | 172.21.0.252 |

| | |
|--|-----------------|
| - ost1-bastion.vm.gpslab.cbr.redhat.com | 172.21.0.252 |
| - ost1-ceph-1 | 192.168.100.31 |
| - ost1-ceph-1.vm.gpslab.cbr.redhat.com | 172.22.0.31 |
| - ost1-ceph-2 | 172.19.0.32 |
| - ost1-ceph-2.vm.gpslab.cbr.redhat.com | 172.19.0.32 |
| - ost1-ceph-3 | 192.168.100.33 |
| - ost1-ceph-3.vm.gpslab.cbr.redhat.com | 172.22.0.33 |
| - ost1-ceph-4 | 192.168.100.34 |
| - ost1-ceph-4.vm.gpslab.cbr.redhat.com | 192.168.100.34 |
| - ost1-ceph-5 | 172.19.0.35 |
| - ost1-ceph-5.vm.gpslab.cbr.redhat.com | 172.19.0.35 |
| - 'ost1-ospd-1 | , |
| - 'ost1-ospd-1.vm.gpslab.cbr.redhat.com | , |
| - ost3-bastion.vm.gpslab.cbr.redhat.com | 192.168.24.252 |
| - ost4-bastion.vm.gpslab.cbr.redhat.com | 192.168.24.252 |
| - ost4-ceph-1.vm.gpslab.cbr.redhat.com | 172.22.0.31 |
| - ost4-ceph-2.vm.gpslab.cbr.redhat.com | 172.19.0.32 |
| - ost4-ceph-3.vm.gpslab.cbr.redhat.com | 172.22.0.33 |
| - ost4-ceph-4.vm.gpslab.cbr.redhat.com | 172.19.0.34 |
| - ost4-ceph-5.vm.gpslab.cbr.redhat.com | 172.19.0.35 |
| - 'ost4-ospd-1.vm.gpslab.cbr.redhat.com | , |
| - ost5-bastion.vm.gpslab.cbr.redhat.com | 192.168.24.252 |
| - ost6-bastion.vm.gpslab.cbr.redhat.com | 192.168.24.252 |
| - ost6-ceph-1.vm.gpslab.cbr.redhat.com | 192.168.100.31 |
| - ost6-ceph-2.vm.gpslab.cbr.redhat.com | 172.22.0.32 |
| - ost6-ceph-3.vm.gpslab.cbr.redhat.com | 192.168.100.33 |
| - ost6-ceph-4.vm.gpslab.cbr.redhat.com | 172.19.0.34 |
| - ost6-ceph-5.vm.gpslab.cbr.redhat.com | 172.22.0.35 |
| - ost6-novajoin-1 | 192.168.24.7 |
| - ost6-novajoin-1.vm.gpslab.cbr.redhat.com | 192.168.24.7 |
| - ost6-novajoin-2 | 192.168.24.8 |
| - ost6-novajoin-2.vm.gpslab.cbr.redhat.com | 172.21.0.8 |
| - ost6-ospd-1.vm.gpslab.cbr.redhat.com | 192.168.100.253 |
| - ost7-bastion.vm.gpslab.cbr.redhat.com | 172.22.0.252 |
| - quay.gpslab.cbr.redhat.com | 10.76.23.14 |
| - sat-2.gpslab.cbr.redhat.com | 10.76.23.9 |
| - tang.gpslab.cbr.redhat.com | 10.76.23.76 |
| - test01.vm.gpslab.cbr.redhat.com | 192.168.1.114 |
| - test-ceph-1 | 192.168.99.11 |
| - test-ceph-2 | 192.168.99.12 |
| - test-ceph-3 | 192.168.99.13 |
| - test-ceph-4 | 192.168.99.14 |
| - test-ceph-5 | 192.168.99.15 |
| - test-ceph-admin | 10.76.23.47 |
| - test.gpslab.cbr.redhat.com | 10.76.23.17 |
| - test-ospd-1.gpslab.cbr.redhat.com | 10.76.23.8 |

- thanos.gpslab.cbr.redhat.com

10.76.23.30

This is a test commit.