4/16/2018 HackerRank



PRACTICE

COMPETE

JOBS LEADERBOARD

Q Search

o sashu1231 V

Practice > Tutorials > 30 Days of Code > Day 22: Binary Search Trees

8 more challenges to get your gold badge!

30 Days of Code

0% 22/30

Day 22: Binary Search Trees ☆



Problem Submissions Leaderboard Discussions Editorial 🗎 Tutorial

Objective

Today, we're working with Binary Search Trees (BSTs). Check out the Tutorial tab for learning materials and an instructional video!

Task

The height of a binary search tree is the number of edges between the tree's root and its furthest leaf. You are given a pointer, **root**, pointing to the root of a binary search tree. Complete the *getHeight* function provided in your editor so that it returns the height of the binary search tree.

Input Format

The locked stub code in your editor reads the following inputs and assembles them into a binary search tree:

The first line contains an integer, n, denoting the number of nodes in the tree.

Each of the n subsequent lines contains an integer, data, denoting the value of an element that must be added to the BST.

Output Format

The locked stub code in your editor will print the integer returned by your getHeight function denoting the height of the BST.

Sample Input

7

3

5

1

4


6

Sample Output

3


Explanation

The input forms the following BST:




4/16/2018 HackerRank

The longest root-to-leaf path is shown below:



There are ${\bf 4}$ nodes in this path that are connected by ${\bf 3}$ edges, meaning our BST's ${\it height}={\bf 3}$. Thus, we print ${\bf 3}$ as our answer.



```
Java 8
 1 ▶ import ↔;
 3 v class Node{
 4
       Node left, right;
 5
       int data;
 6 ▼
       Node(int data){
           this.data=data;
           left=right=null;
 8
 9
10
   }
   class Solution{
11
       public static int getHeight(Node root){
12 ▼
         //Write your code here
13
14
15
```