USER MANUAL

OpenID Vision

Know when to match. Know when to reject.

How to use the website, step by step - with pictures of the real screens.

This manual is for you if

- you have never used the website before,
- you want to add a person, check a photo, and understand the answer,
- you do not need to know anything about computers or artificial intelligence.

The website address

`http://127.0.0.1:8000`

It only works on this computer. To start it, double-click **Start OpenID Vision.bat** (in the folder **D:\ps1**).

Independent technical prototype responding to the Zed Digital PS-1 assignment - not an official Zed Digital product. Research use with consenting people only. October 2026.


Before you begin

What does this website do?

You give it a **photo of a person**. It tells you whether that person is **someone you added earlier** - and it explains why. It compares the **face** first, and the **body and clothes** second.


Short on time? Open the website and press **Run the example** on the home page. It tests the system on 13 ready-made photos in about 10 seconds - no photos of your own needed.

Every photo gets one of three answers




MATCH

"This is someone you added." The evidence is strong. Nothing more to do.



UNKNOWN

"I do not know this person." Nobody you added matches. It is not an accusation.



REVIEW

"I am not sure - you decide." The photo is poor, or no face is visible. Look yourself.

Three rules

1. **Only use photos of people who agreed.** A face fingerprint is stored on this computer (it is called biometric data). Delete people when you no longer need them.
2. **Add people with clear photos of the face** (looking at the camera, not tiny, not blurry). That is what makes the answer reliable.
3. **MATCH is not proof.** It is a strong hint from a research prototype. Never use it alone for an important decision about a person.

The whole process in 5 steps

1. **Open the website** — double-click the start file
2. **Add people** — once, with consent
3. **Check a photo** — Match Studio
4. **Read the answer** — MATCH · UNKNOWN · REVIEW
5. **Tidy up** — history, delete, stop

STEP	WHAT YOU DO	WHERE	SECTION OF THIS MANUAL
1	Start the website and open it in your browser	Start file + browser	Open the website
2	Add each person you want to recognise (2-5 clear photos each)	Identity Gallery	Add a person
3	Choose the photo to check and press the red button	Match Studio	Check a photo
4	Read MATCH / UNKNOWN / REVIEW and the reason	Match Studio (right side)	Read the answer
★	Try the ready-made example (no photos of your own)	Home page	Try the example first
+	Photos with several people · video clips	Match Studio · Video Explorer	A photo with several people · Check a video clip
+	Look back at past answers · save them · remove people · stop the website	Decision history · Identity Gallery	Look back · Manage people · Stop, restart

Tip. The very first time, do the **Practice exercise at the end of this manual**: it uses photos that come with the website and tells you the answer you should get. If you get the same answers, everything works.

Words you will see

Add / enroll a person	Save a person's photos so the system can recognise them later.
Reference ID	A code name for a person, like `subject-001`. Not a real name.
Similarity	How alike two faces (or two bodies) look, from -1 to 1. It is a score, not a percentage: 0.9 does not mean "90% sure".
Threshold	The score a face must reach to count as a match. The black tick on every bar shows it.
Face + body	The way the system works now: the face decides when it is clearly visible; clothes and build only support it.

1 Open the website

About 30 seconds. You do this each time you sit down to work.

1. Open the folder **D:\ps1** and **double-click** the file **Start OpenID Vision.bat**.
2. A **black window** opens. **Keep it open** - it is the engine. Wait until you see `Application startup complete` (15-30 seconds the first time).
3. Your **web browser opens by itself** at the website. If it does not, open Edge or Chrome yourself and type the address below into the bar at the top.
4. You should see the screen on the next page. The status at the top right must say **Models ready**.

What the black window looks like



The address to type (only if the browser did not open)

`http://127.0.0.1:8000`


Careful. If the browser shows **"This site can't be reached"**, the black window is not running. Close any error, then double-click **Start OpenID Vision.bat** again and wait for "Application startup complete".

Good to know. If you double-click the start file while the website is **already running**, it simply opens the browser for you. Nothing breaks.

Tip. To stop the website at the end of the day: close the black window.

1 The first screen

This is the home page (the Command Center). It shows the three things that matter, and whether everything is ready.




1. **The menu** (always on the left). Click a name to go to that screen. The next page explains each one.
2. **Status. Models ready** = everything is loaded and working. If it says *Backend offline* or *Model not loaded*, see "If something goes wrong" near the end.
3. **How it works** - a short plain-language tour of the system, inside the website. Open it any time.
4. **The essentials in three steps** - **1 Enroll people** (add someone the system should know), **2 Match photos** (ask who is in a photo), **3 See the open-set analysis** (the ready-made example). Each card ticks itself when it is done.
5. **The open-set example** - one button that tests the system on 13 ready-made photos. The next pages show how to read it.

Good to know. The moon button at the top right switches between light and dark colours. It changes nothing else.

1 The seven screens


You will mostly use only two of them: Identity Gallery and Match Studio.



	SCREEN	USE IT TO...	HOW OFTEN
1	**Command Center** (home page)	Start here: the three essentials, the one-click example, and a check that everything works	Each time
2	**Identity Gallery**	**Add** people, see their photos, delete them	**Often**
3	**Match Studio**	**Check a photo** and read the answer	**Often**
4	**Video Explorer**	Check a short video clip, one frame every second or so	Sometimes
5	**Lookalike Failure Lab**	For specialists: finds pairs of different people the system confuses	Rarely
6	**Evaluation Lab**	For specialists: measures mistakes on a research data set	Rarely
7	**Model & System**	See the settings and the health of the system (look, do not change)	Rarely

Try the example first

The home page has a ready-made test. No photos of your own and no set-up: about 10 seconds.




1. **Run the example** - press this red button and wait about 10 seconds. A bar shows how far it has got.
2. **Who the system knows** - three example people it is given for the test. The small words under each photo say whether a face was found.
3. **The 13 photos** - what it will be tested on: people it knows, people it has never seen, and strangers dressed in the same clothes as someone it knows. The right answer is written next to every photo.
4. **Rules** - the two lines it will use: how alike two faces must be, and how alike two sets of clothes must be. They are starting values, not proven for your cameras.

Good to know. Nothing is saved and your own people are not touched. The example uses a private, temporary list that disappears when the website stops. The photos are public-domain portraits that come with the project.

Reading the example's result


The same 13 photos, judged two ways: by the system (face + body) and by a weaker matcher that looks only at clothes.



1. **What the example shows** - one plain sentence, written from the counts below it.
2. **The table** - left column: this system. Right column: clothes only. "5 of 5" means five out of five. A **green tick** is good, a **red cross** is not. Look at the third row: the strangers who wore the same clothes.
3. **Face plot** - each dot is one photo; its place shows how alike the face is to the closest known face. Right of the dashed line = passes. Known people (green) are on the right, strangers on the left.
4. **Clothes plot** - the same idea for clothes. The strangers in the same clothes (red) sit to the right of the line, as high as the real people: clothes alone cannot tell them apart.
5. **Try it: move the face line** - drag the slider. Lower it and strangers start to get in; raise it and real people start to be missed.

Every photo, both matchers

Scroll down the home page to the list of photos. Each row is one photo.



1. **The photo**, what it shows, and the **right answer**. Here: a stranger in the same orange suit, so the right answer is UNKNOWN.
2. **Face + body (this system)** - its answer, whether it was right, and the score drawn against the line it needed. **Why this answer** (opened here) gives the reason in words.
3. **Clothes only** - what a weaker matcher would have said. Here it accepted the stranger (red **Stranger accepted**): the clothes looked just like an enrolled person's.
4. **Why this answer** - click to open or close the reason.


What the example does not prove. It is 13 photos: a demonstration of how the system thinks, not a measurement of how accurate it is. The photos are head-and-shoulders portraits, the lines are unproven starting values, and other cameras and lighting have not been tested.

In one sentence: in this small test, clothing pointed at the wrong people and the face did not.

2 Add a person

Do this once for each person you want the system to recognise. Start in the Identity Gallery.

1. Click **Identity Gallery** in the left menu.
2. Click the red button **Enroll identity** (number 1 below). A form opens.




1 The red **Enroll identity** button. ("Enroll" just means "add and save this person".) The gallery is empty the first time - that is normal.

Careful. Add people **only if they agreed**. The form asks you to confirm this.

2 Fill in the form

Seven things, top to bottom.




1. **Reference ID** - a code name, for example `subject-001`. Use letters, numbers, dot, dash. **Not** a real name or ID number.
2. **Description** (optional) - a short, harmless note, for example “Example person 1”.
3. **Photos.** Drag photos into the dashed box, **or** click **Browse files**: a normal Windows window opens - click a photo, hold **Ctrl** to pick several, press **Open**.
4. Check the small pictures. Wrong one? Click the × on it.
5. **Leave ticked** if each photo shows just that one person. Untick only for a wider photo (the system then finds the person itself, and refuses photos with several people).
6. **Tick this** to confirm the person agreed. The Enroll button stays pale until the ID, at least one photo and this tick are all there.
7. Click **Enroll identity**.

Tip. Good photos make the answers reliable: 2 to 5 photos, the **face clearly visible** and looking towards the camera, not tiny, not blurry, no sunglasses or mask. Different clothes or days are a bonus.


2 Check the result of adding

The system tells you, photo by photo, whether it found a usable face.



1. A confirmation: the person now has this many photos saved.
2. One line per photo. **"usable face on file"** is what you want. If a line says *no usable face* or *too small / blurry / turned*, that photo will not help face matching - add a clearer one later.
3. Click **Done**.

Then look at the gallery




1. A card for each person you added.
2. **Green: "2 of 2 with a face"** - both photos have a usable face. This person can be recognised reliably.
3. **Amber: "No face on file"** - no photo of this person shows a usable face (for example a photo from behind, or a blurred head). This person can only be compared by clothes and build, which is weaker, so answers for them will often be **REVIEW**. Add a clear face photo (see "Manage people").
4. Counters: how many people, how many photos, and how many photos have a usable face.

3 Check a photo

Open Match Studio, choose the photo, press the red button.


1. Click **Match Studio** in the left menu.
2. Add the photo you want to check (number 1).
3. Tick the box **"Image is already a person crop"** (number 2) if the photo shows **just one person**, like a portrait. (For a photo with several people see "A photo with several people".)
4. Click Run re-identification (number 4).



1. **The photo box.** Drag a photo in, or click **Browse files** and choose it.
2. **Image is already a person crop** - tick for a photo of one person.
3. **Detect people** - only for photos with several people (see "A photo with several people"). Not needed for a portrait.
4. **Run re-identification** - the red button that starts the check. It stays pale until a photo is chosen.

3 Ready to run

After choosing a photo the left card looks like this.



1. Your photo with its file name. **Replace** swaps it, **Remove** clears it.
2. The crop box is ticked.
3. Press **Run re-identification**. The text under it says what will happen.

Good to know. Waiting: usually **1 to 5 seconds**. A photo with many people, or a slow/busy computer, can take up to **half a minute**. Wait - do not click again.


Tip. Wrong photo? Click **Reset** and start again. Nothing is saved about the photo itself.

The screen then fills with results, in three columns

Left	your photo and the buttons
Middle	your photo with a box drawn on the face, and your photo next to the closest person you added
Right	**the answer**, the evidence behind it, the list of candidates, and buttons to save the result

4 Read the answer

The **Decision** card at the top right is the answer.



1. **The answer:** MATCH, UNKNOWN or REVIEW (next page explains each).
2. **The reason** in plain words. It is built from the real numbers - read it, it tells you exactly what happened.
3. **Only for MATCH:** the code name of the person it found. “View gallery entry” opens that person.
4. **The score bar.** The bar is the face similarity. The **black tick** is the threshold. **Bar reaches the tick = passes.** It is a score, not a percentage.
5. The threshold used. “Unvalidated” means it has not yet been fine-tuned for your own cameras - an honest label, not an error.

You should see. In this example the system found the **same person 12 years later in different clothes**. Clothes are different, the face is the same, so the face decides: MATCH.

4 The three answers - and what to do

ANSWER	IT MEANS	WHAT YOU DO
MATCH	A person you added matches the face (and the system is confident).	Nothing. You may check the two faces side by side (next page). Save the result if you need a record (see “Look back: Decision history”).
UNKNOWN	Nobody you added matches well enough. The person may simply never have been added. This says **nothing bad** about the person.	Nothing - unless you *expected* a match: then check the photo (clear face? big enough?) or add more photos of that person.
REVIEW	The system is **not sure**: the photo is poor, no face is visible, the score is borderline, or two people are very close.	**You decide.** Click **Review candidates** and compare with your own eyes (see “When the answer is REVIEW”).

Tip. Seeing UNKNOWN for someone you expected to be added? Check that they **were** added, and that the photo shows the face clearly.


Same table, in one line each

- MATCH the system is confident - you do nothing.
- UNKNOWN no match - you do nothing (it is not an accusation).
- REVIEW the system is unsure - **you** look.

4 Why a stranger in the same clothes is still UNKNOWN

This is the main idea of the system.

Older systems compared **clothes**. Two different people in the same jacket looked alike, so a stranger could get in. This system compares the **face first**. In the picture the two faces are clearly different, so the answer is UNKNOWN - even if the clothes were similar.




1. The **face bar stays short**: it does not reach the black tick. That is what decides.
2. The two faces: **query** (your photo) on the left, **closest person you added** on the right. You can see for yourself that they are different people.

Good to know. The body/clothes bar is shown too, as **supporting evidence only**. It can never turn a failing face into a MATCH.

You should see. The opposite also works: the **same person in different clothes** is still a MATCH, because their face matches (see “Read the answer”).

4 The evidence card


Why the system decided what it decided - side by side.




1. **Who decided**: "Decided by the face" (a usable face was visible) or "Decided by the body" (no usable face). Also whether a usable face was found.
2. **Face bar** with its threshold tick - this is what decides when a face is usable.
3. **Body and clothing bar.** Supporting evidence. It can be low when the person changed clothes - that is normal.
4. **The two faces** the score was computed from: yours on the left, the enrolled one on the right. Look at them yourself.
5. **Supporting cues**: skin tone, hair and clothing colours, compared in plain words. **They never change the answer** - light and clothes change colours too much. They are only there to help you look.

4 Pictures, candidates and saving

The rest of the right-hand side.



1. A box on the face the system found.
2. Your photo.
3. The photo of the closest person you added.




1. **Best candidate** with its face and body score. A green **MATCH** tag only appears if it passed.
2. Other people, closest first. **Below threshold** = not a match. A person with no face on file is scored by body only.
3. **Save the result:** JSON (for programs) or CSV (opens in Excel).
4. **Upload another query** - start the next photo.
5. **Decision history** - the list of all past answers.


4 When the answer is REVIEW

The system asks you to look. This is normal for poor photos.

1. Click **Review candidates** (number 2).
2. A window opens with your photo on the left and the candidates next to it. **Compare them yourself.** Opening this window changes nothing.
3. Decide for yourself. Close the window with **Esc** or the × at the top right.



1. The yellow notice: a person must look.
2. The button that opens the comparison.



1. The reason (here: no face visible, only clothes matched).
2. Your photo.
3. The candidates, closest first.

Common reasons for REVIEW


- **No face visible** (seen from behind, far away, head covered or blurred). Clothes alone are not enough for an automatic MATCH.
- **The photo is blurry, tiny or cut off.** Try a sharper, larger photo.
- **The face score is just below the line** (a borderline case).
- **Two people look about equally close.**

A photo with several people

Two ways. Both start with a normal photo.

Way A - choose one person (Detect people)


1. Choose the photo. Leave “Image is already a person crop” **unticked**.
2. Click **Detect people** (1). The system draws a box around everyone it finds (2).
3. Click a name chip, **Person 1 … Person 7** (3), or a box in the picture, to choose who to check.
4. Click **Run re-identification** (4). Only the chosen person is checked.



1. Detect people.
2. The picture with boxes. The number on a box is how sure the detector is that it is a **person** - not who it is.
3. Chips to choose a person.
4. Run re-identification.
5. Alternative: tick this box and **everyone** is checked at once (Way B).

Way B - check everyone at once

Tick “Match everyone found in the image”, then Run.




1. **Match everyone found in the image** is ticked.
2. Every box is coloured by its answer and numbered. **Click a box** to see that person's answer on the right.
3. The answer for the selected person (“Person 1 of 7”).
4. A reminder that you can click another box.

Good to know. In this busy street photo the heads are blurred and nobody was added, so the answers are UNKNOWN or REVIEW. That is correct. With many people the check takes longer - **be patient**.

Check a video clip

Video Explorer looks at one frame every second (or every N seconds) and judges each frame by itself.

1. Click **Video Explorer** in the menu.
2. Drag a video into the box or click Browse files (1). Accepted: `.mp4 .mov .avi .mkv .webm`, up to 100 MB and 3 minutes.
3. Choose how often to take a frame (3) and the maximum number of frames (4). The defaults (every 1 second, up to 30 frames) are fine.
4. Click Analyse video (5) and wait. It takes longer than a photo: roughly **1-5 seconds per frame**.




1. Drop area.
2. Preview. (Some video types, like .avi, may show a black picture here; this is not a problem.)
3. How often to take a frame.
4. Maximum frames.
5. Start.

Careful. It does not follow people. Every frame is judged on its own. The same person in two frames is not “tracked”.

Good to know. Your video is **deleted from the server** as soon as it has been processed. Small preview pictures are kept 24 hours so you can look at them.

Careful. Only use footage of people who agreed.


Reading the video result



1. **Summary:** how many frames, how many people, how many MATCH / UNKNOWN / REVIEW. Buttons to save as JSON or CSV, or delete this result.
2. **Timeline:** one square per frame. **M** = match, **U** = unknown, **R** = review, **–** = nobody found. Click a square to look at that frame.
3. The chosen frame, with the people found.
4. The answer for that frame, with its reason and scores.

Look back: Decision history

Every check you ran is listed - scores and answers only. Your photos are not kept here.




1 One row per check: when, how many people, the answers, the best score, how long it took. Click **Details** to open one. Use the **Outcome** filter above to show only MATCH, UNKNOWN or REVIEW.

Saving a result

After any check, the card **Export and next steps** (see “Pictures, candidates and saving”) has **Decision record (JSON)** and **(CSV)**. CSV opens in Excel. Each record states which rules were active, so the answer can be explained later.

The summary screen




1 How many MATCH answers so far.

2 How many UNKNOWN.

3 How many REVIEW.


Manage people

Add more photos, delete someone, or start over - all in the Identity Gallery.



1. **Enroll identity** - add a new person (see "Add a person").
2. **Rebuild embeddings** - only needed after a technician changes the model. You can ignore it.
3. **Analyse faces** - looks for faces in photos added before face matching existed. Press it if the screen says photos "have not had their face analysed".
4. **Reset demo gallery** - deletes **everyone** (asks you to type `RESET DEMO GALLERY`).

Click a person's card to open this window:




1. **Faces on file** - "2 of 2 with a face" is good.
2. The saved photos. The small label under each says **Face on file** (good) or the reason there is none.
3. **Add images** - add more photos of this person (clear faces help).
4. **Delete identity** - removes the person, their photos and their face data for good. You must type their Reference ID to confirm.


Careful. When you finish a project, **delete the people you added**. Their face fingerprints stay on this computer until you do.

Settings: look, but do not change

Model & System shows how the system is set up. You normally never need to change anything.



1. **Matching mode: Face + body** (the recommended way).
2. The face score a match must reach (**0.465**), and the "borderline" zone just below it that goes to REVIEW.
3. **Unvalidated**: the numbers are sensible starting values that have not yet been tested on *your* cameras. Honest, not an error.
4. A reminder of what that means.



1. **Matching mode**: *Face + body* (recommended) or *Body only* (the original clothes-and-build behaviour).
2. **Face threshold**: higher = stricter (fewer wrong matches, more REVIEW).
3. **Save settings** - asks you to confirm first. It creates a **new numbered version**; the old one is kept.

Careful. Do not change these unless someone who understands them asks you to. Every change affects all later answers. Nothing is lost - old versions stay in the "Policy version history" at the bottom of the page - but results before and after a change are not comparable.

Stop, restart, and your data

Stopping the website

Close the **black window**. The website stops. Closing only the browser tab does **not** stop it.

Starting it again later

Double-click **Start OpenID Vision.bat** again. The people you added are still there - they are stored on this computer in `D:\ps1\backend\data`.

Privacy checklist

- Only people who agreed are added or checked.
- Nothing is sent over the internet. The website only answers on this computer.
- The original photo you check is never saved. A small picture of the person is kept for **24 hours** (so the history can show it), then deleted; the scores stay in the history.
- Photos of people you **add**, and their face data, are kept until you delete the person.
- Delete people you no longer need; **Reset demo gallery** removes everyone.

If something goes wrong

YOU SEE	WHAT TO DO
Browser says **"This site can't be reached"**	The black window is not running. Double-click **Start OpenID Vision.bat**, wait for "Application startup complete", then refresh the page (F5).
Top bar says **Backend offline**	Same as above - the engine stopped. Start it again.
Top bar says **Model not loaded**	A model file is missing or damaged. Ask the person who installed the system to run `scripts\download_weights.py`, then restart.
"No person was detected"	The photo has no clear person. Try a clearer photo, or tick "Image is already a person crop" if it is a portrait.
The answer is always **REVIEW** for one person	That person has **No face on file**. Add a clear front-facing photo (see "Manage people").
A photo is refused	Use JPG, PNG, WEBP or BMP, under 10 MB, at least 32 pixels wide. The message tells you which rule it broke.
It is very slow	Close other heavy programs. A photo normally takes a few seconds; many people or a video take longer.
"Port 8000 is already in use"	The website is already running (just open the browser), or another program uses that port - ask for help.

Practice exercise

Photos that come with the website, and the answers it gives. If you get the same answers, everything works.

Part 1 - add two people (see “Add a person”)

REFERENCE ID	DESCRIPTION	PHOTOS TO ADD (IN `D:\PS1\DEMO\SAMPLES\`)	“TIGHT CROP” TICK
`subject-001`	Example person 1	`faces\enroll\collins\` - both photos	yes
`subject-002`	Example person 2 (street photo, head blurred)	`person_A_reference_1.jpg` and `person_A_reference_2.jpg`	yes

Remember the consent tick. After adding, `subject-001` should say **2 of 2 with a face**, and `subject-002` **No face on file**.

Part 2 - check these photos in Match Studio (tick “Image is already a person crop”)

Find them in `D:\ps1\demo\samples\faces\test\collins`, `…\ride` and `…\jemison`, and directly in `D:\ps1\demo\samples\` for the last four.

PHOTO	WHAT IT SHOWS	THE ANSWER YOU SHOULD GET	SCORE
`collins_test_1_nasa_jacket_1999.jpg`	Example person 1 in a NASA jacket (1999)	**MATCH** **subject-001**	face 0.62
`collins_test_2_suit_jacket_2010.jpg`	Example person 1 in a suit jacket (2010)	**MATCH** **subject-001**	face 0.65
`collins_test_3_hard_hat_2004.jpg`	Example person 1 in a hard hat (2004)	**MATCH** **subject-001**	face 0.73
`ride_stranger_1_cockpit_1983.jpg`	A stranger (never added), in a cockpit	**UNKNOWN**	face 0.21
`ride_stranger_2_blue_shirt_1983.jpg`	The same stranger, blue shirt	**UNKNOWN**	face 0.26
`jemison_test_1_in_flight_1992.jpg`	Another person who was never added	**UNKNOWN**	face 0.09
`query_1_same_person.jpg`	Example person 2 again - but the head is blurred, so no face	**REVIEW**	body 0.91
`query_2_stranger.jpg`	A stranger, head blurred	**UNKNOWN**	body 0.63
`query_3_blurry.jpg`	Example person 2, heavily out of focus	**REVIEW**	body 0.49
`scene_B_station_square.jpg`	A busy square with 7 people (tick “Match everyone found in the image”, not the crop box)	**6 x UNKNOWN, 1 x REVIEW** (nobody matched)	-

The answers and scores in this table were produced by the running system when this manual was built. Scores can differ slightly on another computer; the **answers** should be the same. Photo licences: `demo\samples\SOURCES.md`.

Tidy up afterwards: Identity Gallery → **Reset demo gallery** (type the phrase) removes both example people.

Quick reference card

Print this page and keep it next to the computer.

Start

Double-click **Start OpenID Vision.bat**.
Keep the black window open.
Browser address: `http://127.0.0.1:8000`
Top right must say **Models ready**.
No photos? Press **Run the example** on the home page.

Add a person (once)

Identity Gallery → Enroll identity
1. code name (not a real name)
2. add 2-5 clear face photos
3. tick "tight crop" and the **consent** box
4. click **Enroll identity → Done**

Check: "**... with a face**" (green).

Check a photo

Match Studio
1. add the photo
2. tick "already a person crop" (one person) *or* **Detect people** / "Match everyone" (several)
3. **Run re-identification**
4. read the **Decision** card (top right)

The three answers

MATCH someone you added - nothing to do

UNKNOWN nobody matches - nothing to do

REVIEW the system is unsure - **you look**: **Review candidates**

Reading the bar

Bar reaches the **black tick** = passes.
A **score**, not a percentage.
Face decides when clearly visible; clothes only support.

Finish

Delete people you no longer need (**click the card → Delete identity**).
Close the **black window** to stop.

Remember: only photos of people who agreed · a MATCH is a strong hint, not proof · UNKNOWN is not an accusation · never decide something important about a person from this alone.