

DAY 1 SALES FORCE TRAINING

Block -1

1-1- what are the objects

Objects are the Database tables used to store a particular type of information. Objects contain records and fields. Objects are categorised into two types: 1 Standard Object 2 Custom Object

1-2-Standard vs Custom?

Standard Objects- These are the Objects provided by salesforce by default. Limited customisation is possible. Objects like Account, opportunity , contact are standard objects. These objects are available in every salesforce org by default .


Custom Objects- Objects created by the user based on requirements of business These are not provided by default in salesforce Created by admin or developer These objects are fully customizable and must be created manually

1-3-Lookup vs Master-Detail relationships?

A **Lookup Relationship** is a loose relationship between two objects. The child record can exist independently without the parent. Deleting the parent record does not automatically delete the child record.

A **Master-Detail Relationship** is a strong parent-child relationship. The child record cannot exist without the parent. Deleting the parent automatically deletes all related child records (cascade delete), and the child inherits the parent's ownership and security.

2- Data Model



The screenshot shows the Salesforce Developer Edition interface, specifically the Object Manager for the 'Appointment' object. The left sidebar contains a navigation menu with options like Details, Fields & Relationships, Page Layouts, Lightning Record Pages, Buttons, Links, and Actions, Compact Layouts, Field Sets, Object Limits, Record Types, Related Lookup Filters, Restriction Rules, Scoping Rules, Object Access, and Field Access. The main content area is titled 'Appointment' and shows a table of fields and relationships. The table has columns for FIELD LABEL, FIELD NAME, DATA TYPE, CONTROLLING FIELD, and INDEXED. The fields listed are Appointment Name, Appointment number, Created By, Last Modified By, Owner, Technician, and Vehicle. The relationships listed are CreatedById, LastModifiedById, OwnerId, Technician_c, and Vehicle_c. The table also includes a search bar and buttons for New, Deleted Fields, Field Dependencies, and Set History Tracking.

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Appointment Name	Name	Text(80)		✓
Appointment number	Appointment_number_c	Auto Number		
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Owner	OwnerId	Lookup(User.Group)		✓
Technician	Technician_c	Lookup(Technician)		✓
Vehicle	Vehicle_c	Lookup(Vehicle)		✓

Developer Edition

Setup

Home

Object Manager

Search Setup

Invoice

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Field Access

Fields & Relationships

10 Items, Sorted by Field Label

Q Quick Find

New

Deleted Fields

Field Dependencies

Set History Tracking

Amount	Amount__c	Currency(18, 0)		
Appointment	Appointment__c	Master-Detail(Appointment)	✓	
Created By	CreatedById	Lookup(User)		
Due date	Due_date__c	Date		
Invoice date	Invoice_date__c	Date		
Invoice Name	Name	Text(80)	✓	
Invoice Number	Invoice_Number__c	Number(18, 0)		
Last Modified By	LastModifiedById	Lookup(User)		
payment mode	payment_mode__c	Picklist		
payment status	payment_status__c	Picklist		

Developer Edition

Setup

Home

Object Manager

Search Setup

Vehicle

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Field Access

Fields & Relationships

7 Items, Sorted by Field Label

Q Quick Find

New

Deleted Fields

Field Dependencies

Set History Tracking

FIELD LABEL	FIELD NAME	DATA TYPE	CONTROLLING FIELD	INDEXED
Contact	Contact__c	Lookup(Contact)		✓
Created By	CreatedById	Lookup(User)		
Last Modified By	LastModifiedById	Lookup(User)		
Model	Model__c	Text(50)		
Owner	OwnerId	Lookup(User,Group)		✓
Vehicle Name	Name	Text(80)		✓
vehicle number	vehicle_number__c	Text(10)		

Setup

Object Manager

Technician

Details

Fields & Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Restriction Rules

Scoping Rules

Object Access

Field Access

Details

Q Quick Find

Edit

Delete

Description

API Name

Technician__c

Custom

✓

Singular Label

Technician

Plural Label

Technicians

Enable Reports

✓

Track Activities

Track Field History

✓

Deployment Status

Deployed

Help Settings

Standard salesforce.com Help Window

Block -2

3-WHERE clause query

->SELECT Id, FirstName, LastName, Email
FROM Contact
WHERE LastName = 'ramayanamr'

The screenshot shows the Salesforce Query Editor interface. The query entered is: `SELECT Id, FirstName, LastName, Email FROM Contact WHERE LastName = 'ramayanamr'`. The results table shows one record with Id 003dL00002L8uBaQAj, FirstName Eswar, and LastName ramayanam. The interface includes a menu bar (File, Edit, Debug, Test, Workspace, Help), a toolbar (Save Rows, Insert Row, Delete Row, Refresh Grid), and a History panel on the right showing the executed query.

Id	FirstName	LastName	Email
003dL00002L8uBaQAj	Eswar	ramayanam	

4-ORDER BY + LIMIT

->SELECT Id, FirstName, LastName
FROM Contact
ORDER BY CreatedDate DESC
LIMIT 5

The screenshot shows the Salesforce Query Editor interface. The query entered is: `SELECT Id, FirstName, LastName FROM Contact ORDER BY CreatedDate DESC LIMIT 5`. The results table shows five records ordered by CreatedDate in descending order. The interface includes a menu bar (File, Edit, Debug, Test, Workspace, Help), a toolbar (Save Rows, Insert Row, Delete Row, Refresh Grid), and a History panel on the right showing the executed query.

Id	FirstName	LastName
003dL00002L8uBaQAj	Eswar	ramayanam
003dL00002L1IzHQAZ	Jack	Rogers
003dL00002L1IzIQAj	Pat	Stumuller
003dL00002L1IzJQAj	Andy	Young
003dL00002L1IzGQAj	Sean	Forbes

5-Relationship query (parent-to-child or child-to-parent)

```
->SELECT FirstName,  
      LastName,  
      Account.Name  
FROM Contact
```

SELECT FirstName, LastName, Account.Name FROM Contact

Query Results - Total Rows: 21		
FirstName	LastName	Account.Name
Rose	Gonzalez	Edge Communications
Sean	Forbes	Edge Communications
Jack	Rogers	Burlington Textiles Corp of America
Pat	Stumuller	Pyramid Construction Inc.
Andy	Young	Dickenson plc
Tim	Barr	Grand Hotels & Resorts Ltd
John	Bond	Grand Hotels & Resorts Ltd
Stella	Pavlova	United Oil & Gas Corp.
Lauren	Boyle	United Oil & Gas Corp.
Babara	Levy	Express Logistics and Transport
Josh	Devis	Express Logistics and Transport

Query Grid: Save Rows Insert Row Delete Row Refresh Grid Access in Salesforce: Create New Open Detail Page Edit Page

Logs Tests Checkpoints **Query Editor** View State Progress Problems

```
SELECT FirstName,  
      LastName,  
      Account.Name  
FROM Contact
```

History

- Executed
- SELECT Id, FirstName, LastName, Email FROM ...
- SELECT Id, FirstName, LastName FROM Contac...
- SELECT FirstName, LastName, Account.Name ...

Any query errors will appear here...

6-Aggregate query with COUNT() or GROUP BY

```
->SELECT COUNT(Id)  
FROM Contact
```

File Edit Debug Test Workspace Help < >

Contact@4:03 PM Contact@4:05 PM Contact@4:08 PM **Contact@4:08 PM**

SELECT COUNT(Id) FROM Contact

Query Results - Total Rows: 1	
count(Id)	
21	

Query Grid: Save Rows Insert Row Delete Row Refresh Grid Access in Salesforce: Create New Open Detail Page Edit Page

Logs Tests Checkpoints **Query Editor** View State Progress Problems

```
SELECT COUNT(Id)  
FROM Contact
```

History

- Executed
- SELECT Id, FirstName, LastName, Email FROM ..
- SELECT Id, FirstName, LastName FROM Contac..
- SELECT FirstName, LastName, Account.Name ...
- SELECT COUNT(Id) FROM Contact

Any query errors will appear here...

7-Comparison operator (>=) on a date or number field

```
->SELECT FirstName,  
      LastName,  
      CreatedDate  
FROM Contact  
WHERE CreatedDate >= TODAY
```

The screenshot displays the Salesforce Query Editor interface. At the top, a menu bar includes File, Edit, Debug, Test, Workspace, and Help. Below the menu, a tab bar shows several open queries, with 'Contact@4:09 PM' selected. The main query text area contains the following SQL query:

```
SELECT FirstName, LastName, CreatedDate FROM Contact WHERE CreatedDate >= TODAY
```

Below the query text, a table titled 'Query Results - Total Rows: 21' displays the results. The table has three columns: FirstName, LastName, and CreatedDate. The results list 21 contacts, all with a CreatedDate of 2026-07-28T05:29:53.000+0000. The contacts listed are Rose Gonzalez, Sean Forbes, Jack Rogers, Pat Stummuller, Andy Young, Tim Barr, John Bond, Stella Pavlova, Lauren Boyle, Babara Levy, and Josh Davis. Below the table, a toolbar includes buttons for Save Rows, Insert Row, Delete Row, and Refresh Grid. To the right of the toolbar, there are links for Access in Salesforce, Create New, Open Detail Page, and Edit Page. Below the toolbar, a tab bar shows Logs, Tests, Checkpoints, Query Editor (selected), View State, Progress, and Problems. The Query Editor tab is active, showing the query text. To the right of the query text, a History panel shows a list of executed queries, including the current query. At the bottom of the interface, a status bar indicates 'Any query errors will appear here...'

FirstName	LastName	CreatedDate
Rose	Gonzalez	2026-07-28T05:29:53.000+0000
Sean	Forbes	2026-07-28T05:29:53.000+0000
Jack	Rogers	2026-07-28T05:29:53.000+0000
Pat	Stummuller	2026-07-28T05:29:53.000+0000
Andy	Young	2026-07-28T05:29:53.000+0000
Tim	Barr	2026-07-28T05:29:53.000+0000
John	Bond	2026-07-28T05:29:53.000+0000
Stella	Pavlova	2026-07-28T05:29:53.000+0000
Lauren	Boyle	2026-07-28T05:29:53.000+0000
Babara	Levy	2026-07-28T05:29:53.000+0000
Josh	Davis	2026-07-28T05:29:53.000+0000

Block -3

Apex Triggers:

Handler class:

```
public class AppointmentHandler {

    public static void checkDuplicate(List<Appointment__c> appointments) {

        for (Appointment__c a : appointments) {

            List<Appointment__c> existing = [
                SELECT Id
                FROM Appointment__c
                WHERE Vehicle__c = :a.Vehicle__c
                LIMIT 1
            ];

            if (!existing.isEmpty()) {
                a.addError('Appointment already exists for this vehicle.');
            }
        }
    }

    public static void updateInvoice(List<Appointment__c> appointments) {

        List<Invoice__c> invoicesToUpdate = new List<Invoice__c>();

        for (Appointment__c app : appointments) {

            List<Invoice__c> invoiceList = [
                SELECT Id, payment_status__c
                FROM Invoice__c
                WHERE Appointment__c = :app.Id
            ];

            for (Invoice__c inv : invoiceList) {
                inv.payment_status__c = 'Pending';
                invoicesToUpdate.add(inv);
            }
        }

        if (!invoicesToUpdate.isEmpty()) {
            update invoicesToUpdate;
        }
    }
}
```

```
}  
  
}
```

Trigger:



trigger AppointmentTrigger on Appointment__c (before insert, after update) {

```
    if (Trigger.isBefore && Trigger.isInsert) {  
        AppointmentHandler.checkDuplicate(Trigger.new);  
    }
```

```
    if (Trigger.isAfter && Trigger.isUpdate) {  
        AppointmentHandler.updateInvoice(Trigger.new);  
    }
```

```
}
```

Output :



Developer Edition

Search...

Sales Home Opportunities Leads Tasks Files Accounts Contacts Campaigns Dashboards Reports Invoices More

Invoice eswar honda

New Contact Edit New Opportunity

Related Details

Invoice Name	eswar honda
Appointment	eswar honda
Invoice Number	4,58,71,366
Invoice date	28/07/2026
Due date	29/07/2026
Amount	₹4,000
payment mode	UPI
payment status	Pending

Created By Mamchim Sasikiran, 28/07/2026, 3:15 pm

Last Modified By Mamchim Sasikiran, 28/07/2026, 3:15 pm