Name: SASIKUMAR.B

Ex. No.: 10 Roll no:231901047

MITM ATTACK WITH ETTERCAP

Aim:

To initiate a MITM attack using ICMP redirect with Ettercap tool.

Algorithm:

- 1. Install ettercap if not done already using the command- dnf install ettercap
- 2. Open etter.conf file and change the values of ec_uid and ec_gid to zero from default.

vi/etc/ettercap/etter.conf


- 3. Next start ettercap in GTK ettercap -G
- 4. Click sniff, followed by unified sniffing.
- 5. Select the interface connected to the network.
- 6. Next ettercap should load into attack mode by clicking Hosts followed by Scan for Hosts
- 7. Click Host List and choose the IP address for ICMP redirect
- 8. Now all traffic to that particular IP address is redirected to some other IP address.
- 9. Click MITM and followed by Stop to close the attack.


Output:


[root@localhost security lab]# dnf install ettercap

[root@localhost security lab]# vi /etc/ettercap/etter.conf

[root@localhost security lab]# ettercap -G







Result: Thus, the MITM attack has been successfully executed using Ettercap tool.								
Result: Thus, the MITM attack has been successfully executed using Ettercap tool.								
Result: Thus, the MITM attack has been successfully executed using Ettercap tool.								
Thus, the MITM attack has been successfully executed using Ettercap tool.	Result:							
	Thus,th	ne MITM at	tack has bee	en successfu	ılly executed	d using Etter	cap tool.	