


Assignment: 8

PROBLEM STATEMENT: Deploy a project from a local machine to GitHub and vice versa.

Step 1. Go to the folder containing your project files. Right Click, and select 'Open Git Bash Here' from the pop up menu



Step 2. Run the following commands

Initialize Git-

```
git init
```

See content of the directory-

```
dir
```

Add all files to the current working tree-

```
git add .
```

Status of the Working Tree-

```
git status
```

Set Global user Email-

```
git config --global user.email <user email address>
```

Set Global User Name-

```
git config --global user.name <username>
```

Commit changes to the working tree with a message-

```
git commit -m "<message>"
```

Add the repository address-

```
git remote add origin <https address of the repository>
```

Push The committed changes-

```
git push -u origin master
```

```

SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/CSE_48
$ git init
Initialized empty Git repository in D:/CSE_48/.git/

SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/CSE_48 (main)
$ git add .
warning: in the working copy of 'index.js', LF will be replaced by CRLF the next
time Git touches it
warning: in the working copy of 'package.json', LF will be replaced by CRLF the
next time Git touches it

SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/CSE_48 (main)
$ git commit -m "First commit"
[main (root-commit) faa296b] First commit
2 files changed, 30 insertions(+)
 create mode 100644 index.js
 create mode 100644 package.json

SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/CSE_48 (main)
$ git remote add origin https://github.com/Subhadeep-pan/AWS.git


SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/CSE_48 (main)
$ git branch -M master

SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/CSE_48 (master)
$ git push -u origin master
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 16 threads
Compressing objects: 100% (4/4), done.
Writing objects: 100% (4/4), 602 bytes | 301.00 KiB/s, done.
Total 4 (delta 0), reused 0 (delta 0), pack-reused 0 (from 0)
To https://github.com/Subhadeep-pan/AWS.git
 * [new branch]      master -> master
branch 'master' set up to track 'origin/master'.

SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/CSE_48 (master)
$ |

```

Step 3. Refresh your repository and see project has uploaded.



Now deploy a project from git hub to local machine

Step 1. Create a folder and from there select 'Open Git Bash Here' from the pop up menu.


Step 2. Write this commands.

```
SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/cse-48
$ git init
Initialized empty Git repository in D:/cse-48/.git/


SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/cse-48 (main)
$ git add .

SUBHADEEP PAN@LAPTOP-UMTRHNB MINGW64 /d/cse-48 (main)
$ git clone https://github.com/Subhadeep-pan/AWS.git
Cloning into 'AWS'...
remote: Enumerating objects: 4, done.
remote: Counting objects: 100% (4/4), done.
remote: Compressing objects: 100% (4/4), done.
remote: Total 4 (delta 0), reused 4 (delta 0), pack-reused 0 (from 0)
Receiving objects: 100% (4/4), done.
```

Step 3. Refresh your folder and see projects are in your folder now.



Name	Date modified	Type	Size
.git	4/2/2025 11:52 AM	File folder	
AWS	4/2/2025 11:53 AM	File folder	



Name	Date modified	Type	Size
.git	4/2/2025 11:53 AM	File folder	
index.js	4/2/2025 11:53 AM	JSFile	1 KB
package.json	4/2/2025 11:53 AM	JSON File	1 KB