

TWILIO · SOLUTIONS ENGINEERING

SURGE

MASTERCARD®

Continental Finance

Twilio Bulk Messaging Demo

Presenter Guide · Step-by-step run of book

Prepared for: Amplix + Continental Finance RFP evaluation
Date: September 11, 2026

Prepared by: Twilio SE

Purpose & flow

This demo answers Continental Finance's SMS RFP by proving three of the four core use cases live against the Twilio Bulk Messaging API. It runs 15–20 minutes end-to-end.

The fourth use case (business-user campaign administration) is addressed as a talk-track in this document — Twilio Console covers most of it honestly, and we concede the one gap explicitly.

THREE SCENES, ONE BROWSER, ONE CELL PHONE

Use Case 1 Payment reminder + past-due messaging — high-volume, personalized, scheduled.

Use Case 2 Payment-triggered suppression — near-real-time list-right-before-send.

Use Case 3 Response & opt-out — Advanced Opt-Out + free-form capture + DNC.

WHAT YOU'LL ASK THEM TO NOTICE

- One API call, up to 10,000 recipients per request, per-recipient status tracking.
- Personalization via Liquid variables — no per-recipient API call.
- Native scheduling with per-cardholder timezone localization (Bulk feature, no cron needed).
- Rich content is on the same API — Content Templates plus SMS fallback.
- STOP/START/HELP handled natively via Advanced Opt-Out — zero code.
- Free-form inbound captured for human review — real cross-sender DNC.

Pre-flight checklist

Complete all six before the demo starts. Total time: ~2 minutes.

STEP 1 Server up on :3001

Terminal 1: `cd ~/Documents/ContinentalFinanceBulkDemo && node server.js`

Watch for: "Continental Finance Bulk Messaging Demo running on http://localhost:3001". No missing env-var warnings.

STEP 2 ngrok tunnel up

Terminal 2: `ngrok http 3001 --url sasmith.ngrok.app`

Browser test: `https://sasmith.ngrok.app/api/queue` should return JSON (may 307 through ngrok abuse page — fine, Twilio's webhook UA bypasses it).

STEP 3 Messaging Service inbound webhook

Console !' Messaging !' Services !' your Surge service !' Integration !' Inbound Webhook URL = `https://sasmith.ngrok.app/webhooks/twilio/inbound`. Method: POST.

STEP 4 Advanced Opt-Out configured

Same service !' Opt-Out Management !' Advanced enabled. Custom Surge STOP copy set (see appendix for suggested wording). Keywords: STOP/START/HELP.

STEP 5 Dashboard open

Browser: `http://localhost:3001` — you should see the Surge SMS Operations Center, three tabs (A, B, C), and the pulsing green "Live" pill in the header.

STEP 6 Cell in hand, signal confirmed

You'll text to the Surge long code from your cell during Use Case 3. Test with a single "test" text before the demo starts — it will show up in the Inbound stream and you'll know the round-trip works.

Fallback: if ngrok flakes or Twilio 5xx during the demo, you have a screen-recorded backup take. Do not attempt to fix live — pivot to the recording and keep talking.

Use Case 1 · Payment Reminder

RFP use case 1: high-volume scheduled reminders. Target: 3 minutes.

Open on Use Case 1 tab

Say: "Continental sends 3.5 million payment reminders a month today — both proactive statement-due nudges and past-due delinquency messaging — from short codes, in an 8-to-9 window. Watch what one Twilio Bulk API call looks like."

STEP 1 Click "Send now"

The activity log below shows exactly what happens: dashboard hits our server, server calls Twilio Bulk API, Twilio returns 202 Accepted with an operationId. Counters advance. Your cell gets a real SMS in under 4 seconds.

Say: "That was one API call. Same call scales to 10,000 recipients per request. The counters — Total, Delivered, Failed, Unaddressable — come back per recipient from Twilio's Operations resource. No polling loops on your side."

STEP 2 Click "Schedule for 10am tomorrow (per-cardholder local)"

Same Bulk API, this time with a schedule.sendAt field. Point at the activity log — highlight that the sendAt has NO timezone marker.

Say: "This is the win Continental doesn't have today: because we didn't specify a timezone, Twilio localizes 10am to each cardholder's zone based on their phone number. An 8-to-9 ET window becomes 8-to-9 LOCAL for every one of your 3.5 million cardholders — without you segmenting the file by timezone. That work moves off your scheduler."

STEP 3 Point at the "Rich content, same API" bullet

Bottom of the "What this proves" panel.

Say: "Same endpoint accepts Content Templates by SID for RCS cards, MMS, WhatsApp — and with a channels.priority array of RCS then SMS, Twilio delivers the richest format the cardholder's device supports and automatically falls back to SMS for everyone else. One payload, one API, best-format-per-cardholder."

Use Case 2 · Payment-Triggered Suppression

RFP use case 2: "receive payment/account updates quickly enough to remove customers from active campaigns and prevent unnecessary reminders after payment." Target: 3 minutes.

Open Use Case 2 tab

Say: "Continental Finance's current lag from payment posting to reminder suppression is about fifteen minutes — the RFP calls this out explicitly. Payment posts, but the SMS provider does not know about it in time, and the reminder still fires. Watch what near-real-time suppression looks like when the list is built at the moment of send."

STEP 1 Click any peer row's "Payment posted" button

Simulates Continental Finance's payment system firing a webhook — POST /webhooks/payment with a Fiserv-shaped payload {phone, accountId, amount, postedAt}. Our server marks that cardholder as suppressed in the pending queue. Row grays out, status badge flips to "Suppressed", timeline stamps the event, activity log narrates in plain English. NO Twilio call in this step.

Say: "That was a payment-posted webhook. Continental Finance's server suppressed that cardholder from today's queue — immediately. No batch job, no 15-minute cycle. Whatever their webhook-to-database latency is, that becomes their new suppression latency."

STEP 2 Click "Send today's 10am reminder"

Bulk API call fires with only the pending rows. Server reads the queue AT THIS MOMENT — including every payment that has posted since the queue was built. Counters advance. Activity log shows: "N cardholders — M excluded because their payment posted before send." The suppressed cardholder shows no delivery in the operations resource.

Say: "This is the 'list-right-before-send' mechanic. The list is re-read at the moment of the API call, not at scheduling time. If ten thousand cardholders paid in the ninety seconds between the queue building and the send firing, all ten thousand are automatically excluded. Continental Finance's 15-minute lag is gone."

Talking point

The Bulk Messaging API does not need a "cancel a recipient" endpoint because Continental Finance's server owns the list until the moment of send. Every payment webhook that arrives before the send fires takes effect — no matter how close to send time. This works because the mechanic honors what the API is: fire-and-deliver.

Say: "For flows where Continental Finance wants to schedule an SMS on Twilio and pull it back later — a different pattern, a different API — see the supporting capabilities appendix at the end of this guide."

Use Case 3 · Response & Opt-Out

RFP use case 3: capture every inbound, handle STOP compliantly, review the rest, block on request. Target: 5 minutes. Two things happen here — the automated path (STOP/START/HELP handled entirely by Twilio) and the manual path (free-form text captured for a human).

Open Use Case 3 tab

Say: "Every SMS platform has to handle inbound messages from customers. There are two flavors: the compliance-critical keywords like STOP, and everything else. Watch how Twilio handles each."

STEP 1 PART A — Text "STOP" from your cell to the Surge long code

Within 1–2 seconds:

- Twilio auto-replies with your custom Surge confirmation copy — no code on your side.
- A red-bordered row appears in the Inbound Stream: "Advanced Opt-Out · STOP".
- The activity log narrates the OptOutType=STOP event with a link to the Twilio doc.
- Twilio adds your cell to its block list.

Say: "That reply, that block-list entry, that audit record — all handled by Twilio's Advanced Opt-Out feature on the Messaging Service. You configured the reply copy once in Console. No downstream sync, no code, no risk of missing a STOP."

STEP 2 PART A — Prove the block by trying to send again

Click the Use Case 1 tab. Click "Send now". The activity log will show Twilio accepted the request but the response will surface error 21610 — attempt to send to unsubscribed recipient — and the Delivered counter for your cell does not increment.

Say: "Continental's STOP compliance is now enforced at the Twilio edge. Even a rogue downstream send is blocked before it leaves. That's a compliance posture your incumbent can't match without your engineers writing the enforcement themselves."

STEP 3 PART A — Text "START" to re-opt

Back on Use Case 3. Text START from your cell. Twilio auto-replies with the re-opt confirmation. Row appears: "Advanced Opt-Out · START". Number is removed from Twilio's block list. Future sends go through.

Say: "Same automation for opt-in. Same audit trail. Same zero code."

Use Case 3 · continued

STEP 4 PART B — Text "please stop bugging me" from your cell

This is NOT a keyword. Twilio doesn't classify it. Twilio delivers the raw text to our inbound webhook. An amber-bordered row appears in the Inbound Stream: "Free-form (needs human review)".

Say: "Every SMS platform has this problem: cardholders don't always say STOP. They say "quit texting me," or "I paid this last week," or "wrong number." Your incumbent misses these because it only classifies the exact word STOP. Watch what Twilio does."

STEP 5 PART B — Click "Add to DNC" on that row

The row moves. The Do-Not-Contact panel on the right lists that number. Timeline in the activity log stamps the addition.

Say: "That number is now on our app-side Do-Not-Contact list. This is a suppression layer that Continental controls — separate from Twilio's Advanced Opt-Out block list. Two important reasons."

One: it works across every sender you ever add. If you buy a second Surge number tomorrow, the DNC still applies. That's the cross-sender governance the RFP explicitly asks for. Two: it lets a compliance officer intervene proactively — for example, adding a number after a support call, or a complaint routed through Genesys.

STEP 6 PART B — Prove the DNC block by trying to send again

Click the Use Case 1 tab. Click "Send now". The response payload will show "blockedByDnc": [<your cell>]. The send never leaves our server — Twilio isn't even called for that number.

Say: "That's defense in depth. Twilio blocks at the edge for STOP. We block before the API call for our own DNC list. Cardholders don't receive messages they asked us to stop."

Honest concession on re-opt: Twilio's Advanced Opt-Out block list is Console-managed. There is no public REST API to remove a number from that block list — the customer must text START. If Continental wants programmatic re-opt for support-desk workflows, that's a Support case or a manual Console action.

RFP use case 4 · Business-user administration (talk-track)

No live UI. This is the section you present with slides on the projector when the evaluation team asks about business-user self-service.

BUSINESS USERS SELF-SERVE FOR

- DNC / suppression list management via Messaging > Advanced Opt-Out (Console).
- Opt-out confirmation wording — the custom Surge copy is editable in Console without a code deploy.
- Sender Pool / Messaging Service configuration — add or remove numbers, change routing rules.
- Scheduling adjustments and pausing campaigns — Bulk scheduling window up to 7 days out.
- Delivery monitoring, alerts, reports — Console + Insights + Event Streams for BI destinations.
- User & role management via Twilio IAM for tenant-scoped access.

WHERE WE CONCEDE HONESTLY

Changing SMS body copy itself still requires an application code change. Twilio does not ship a business-user editor for SMS body text.

If Continental Finance wants a business-user-facing content editor on top of Bulk Messaging, that is a scoped services engagement — quoted separately. We won't fake it in this demo.

Say: "The RFP explicitly asks for business-user self-service without IT code changes. For everything except message body copy, Console + IAM cover it. For message body copy, you get a services engagement price with a real Twilio partner. That is honest, and if that gap is the deal-breaker, we'll size the services engagement in the follow-up."

Honest concessions summary

You will get asked. Answer directly.

BUSINESS-USER SMS BODY EDITOR

Twilio does not ship this. Console covers DNC, sender config, opt-out wording, scheduling, monitoring — but NOT body copy. Body copy edits are a code change, or a services engagement to build a content editor on top of Bulk.

PROGRAMMATIC RE-OPT FROM TWILIO BLOCK LIST

Advanced Opt-Out block list is Console-managed. No public REST API to remove numbers from that block list. Customer texts START, or Support intervenes.

GENESYS INTEGRATION

Continental's contact center is entirely Genesys. Twilio is not competing to replace it. If agents ever need SMS visibility inside Genesys, that's a services integration — not part of this demo.

Appendix · Suggested Advanced Opt-Out copy

STOP confirmation

You've been unsubscribed from Surge Mastercard reminders.
Reply START to resubscribe. For help, reply HELP.

START confirmation

You're re-subscribed to Surge Mastercard reminders.
Msg&data rates may apply. Reply STOP to opt out.

HELP reply

Surge Mastercard from Continental Finance.
Call 1-877-xxx-xxxx for cardholder services.
Msg&data rates may apply. Reply STOP to opt out.

Appendix · Sample Bulk API payload with schedule

```
{
  "from": {
    "address": "+18776197994",
    "channel": "SMS"
  },
  "to": [
    {
      "address": "+15551234567",
      "channel": "PHONE",
      "variables": {
        "firstName": "Jane",
        "lastFour": "4832",
        "dueDate": "Sep 15",
        "amountDue": "$47.50"
      }
    }
  ],
  "content": {
    "text": "Hi {{firstName | default: 'Customer'}}, this is a reminder..."
  },
  "schedule": {
    "sendAt": [
      "2026-09-11T10:00:00"
    ]
  }
}
```

Supporting capability · Programmable Messaging schedule + cancel

Not required by the Continental Finance RFP. Available if a specific flow needs an SMS scheduled on Twilio and pulled back later.

Continental Finance's core RFP requirement for Use Case 2 (near-real-time payment-triggered suppression) is best served by the list-right-before-send mechanic on Bulk Messaging — that is what the live demo shows.

For narrower flows where a specific message has already been handed to Twilio and must be pulled back before send, Twilio's Programmable Messaging API supports a documented cancel flow. Available if it comes up in Q&A.

Schedule

Programmable Messaging Create Message with a Messaging Service SID and scheduleType=fixed:

```
POST /2010-04-01/Accounts/{AccountSid}/Messages.json
```

```
messagingServiceSid = MG...
to = +1...
body = "Your Surge payment is due Sep 15..."
scheduleType = fixed
sendAt = 2026-09-11T15:20:00Z
```

Twilio returns a MessageSid and status=scheduled. Minimum lead time is 15 minutes; maximum is 7 days.

Cancel

While the message is still in scheduled status:

```
POST /2010-04-01/Accounts/{AccountSid}/Messages/{MessageSid}.json
```

```
Status = canceled
```

Twilio flips the status to canceled and drops the message before it reaches the carrier. Verifiable in Console !' Monitor !' Logs !' Messaging.

Cancellation window

Cancellation is only available while status = scheduled. Twilio moves scheduled messages to queued approximately 15 minutes before sendAt. After that, cancellation returns error 30409 and the message is committed.

Say: "If the RFP evaluators ask about pulling back a message that has already been handed to Twilio: it is supported on Programmable Messaging with Status=canceled, up to about 15 minutes before send. For the recurring reminder flow, list-right-before-send on Bulk is the better fit — that's what the live demo shows."