In [6]:
```
import seaborn as sns
import pandas as pd
import numpy as np
import matplotlib.pyplot as plt

%matplotlib inline
```

In [7]:
```
tips = sns.load_dataset('tips')
```


In [8]:
```
tips.head()
```

Out[8]:

	total_bill	tip	sex	smoker	day	time	size
0	16.99	1.01	Female	No	Sun	Dinner	2
1	10.34	1.66	Male	No	Sun	Dinner	3
2	21.01	3.50	Male	No	Sun	Dinner	3
3	23.68	3.31	Male	No	Sun	Dinner	2
4	24.59	3.61	Female	No	Sun	Dinner	4


In [9]:
```
sns.displot(tips.total_bill, kde=True)
```

Out[9]:
```
<seaborn.axisgrid.FacetGrid at 0x11770340a50>
```




In [10]:
```
sns.displot(tips.total_bill, kde=False)
```

Out[10]: <seaborn.axisgrid.FacetGrid at 0x11770397b10>




In [11]:
```
sns.jointplot(x=tips.tip, y=tips.total_bill)
```

Out[11]: <seaborn.axisgrid.JointGrid at 0x117713dee40>




In [12]:
```
sns.jointplot(x=tips.tip, y=tips.total_bill, kind="reg")
```

Out[12]:
```
<seaborn.axisgrid.JointGrid at 0x117715516d0>
```




In [13]:
```
sns.jointplot(x=tips.tip, y=tips.total_bill, kind="hex")
```

Out[13]: <seaborn.axisgrid.JointGrid at 0x11771ad5090>



In [14]:
```
sns.pairplot(tips)
```

Out[14]:
```
<seaborn.axisgrid.PairGrid at 0x11771ea5e80>
```




In [15]:
```
tips.time.value_counts()
```

Out[15]:
```
time
Dinner    176
Lunch      68
Name: count, dtype: int64
```


In [16]:
```
sns.pairplot(tips, hue='time')
```

Out[16]:
```
<seaborn.axisgrid.PairGrid at 0x11772701450>
```




In [17]:
```
sns.pairplot(tips, hue='day')
```

Out[17]:
```
<seaborn.axisgrid.PairGrid at 0x117733e82d0>
```




In [18]:
```
sns.heatmap(tips.corr(numeric_only=True), annot=True)
```

Out[18]: <Axes: >




In [19]:
```
sns.boxplot(tips.total_bill)
```

Out[19]: <Axes: ylabel='total_bill'>




In [20]:
```
sns.boxplot(tips.tip)
```

Out[20]: <Axes: ylabel='tip'>




In [21]:
```
sns.countplot(tips.day)
```

Out[21]:
```
<Axes: xlabel='count', ylabel='day'>
```




In [22]:
```
sns.countplot(tips.sex)
```

Out[22]:
```
<Axes: xlabel='count', ylabel='sex'>
```




In [23]:
```
tips.sex.value_counts().plot(kind='pie')
```

Out[23]: <Axes: >




In [24]:
```
tips.sex.value_counts().plot(kind='bar')
```

Out[24]: <Axes: xlabel='sex'>



In [25]:
```
sns.countplot(tips[tips.time == 'Dinner']['day'])
```

Out[25]:
```
<Axes: xlabel='count', ylabel='day'>
```



In [ ]: