

2.7 The Thirty-Minute Correction Drill Sprint

Complete all three drills below in a single session. Total time: thirty minutes. You will produce a Three-Prompt Rewrite Log, a Verification Drill Log, and a Cross-Platform Stability Test. Together, these three artifacts are your personal evidence that the methodology works on your characters, in your genre, under your deadline.

2.7.1 Setup Checklist

Confirm you have everything before starting the timer.

- ☐ Chapter 1 diagnostic worksheet open beside you (the one with Mild / Moderate / Severe ratings)
- ☐ Three prompts from your current WIP where voice bleed occurred
- ☐ Your AI tool open and ready
- ☐ A blank document or notebook for logging results
- ☐ Timer set for thirty minutes

2.7.2 Drill 1: Three-Prompt Rewrite

Instructions: Select three prompts where you previously experienced voice bleed. For each, identify the flattening dimensions from your Chapter 1 audit. Rewrite the prompt using two or three stacked principle-based modifiers. Regenerate. Score the results.

Prompt 1

Field	Your Entry
Original prompt (paste as-is):	[PASTE_ORIGINAL_PROMPT]
Dimensions flattening (from Ch. 1 audit):	[E.G., Cadence, Emotional Register, Conversational Rhythm]
Modifiers applied (name + constraint):	[E.G., Rhythm Lock: "Alternate 2–4 word fragments with one 12–15 word sentence." / Baseline Temperature: "Cold, controlled. Irritation leaks only through clipped syntax." / Turn-Taking Style: "Interrupts. Shuts down exchange before apology completes."]
Rewritten prompt (final version):	[PASTE_CORRECTED_STACKED_PROMPT]

Prompt 2

Field	Your Entry
Original prompt (paste as-is):	[PASTE_ORIGINAL_PROMPT]
Dimensions flattening (from Ch. 1 audit):	[LIST_DIMENSIONS]
Modifiers applied (name + constraint):	[LIST_MODIFIERS_WITH_CONSTRAINTS]
Rewritten prompt (final version):	[PASTE_CORRECTED_STACKED_PROMPT]

Prompt 3

Field	Your Entry
Original prompt (paste as-is):	[PASTE_ORIGINAL_PROMPT]
Dimensions flattening (from Ch. 1 audit):	[LIST_DIMENSIONS]
Modifiers applied (name + constraint):	[LIST_MODIFIERS_WITH_CONSTRAINTS]
Rewritten prompt (final version):	[PASTE_CORRECTED_STACKED_PROMPT]

Dimension Improvement Tracker:

After regenerating all three prompts, score each dimension. Mark ↑ (improved), → (stayed the same), or ↓ (regressed).

Dimension	Prompt 1	Prompt 2	Prompt 3
Cadence	[↑ / → / ↓]	[↑ / → / ↓]	[↑ / → / ↓]
Vocabulary Range	[↑ / → / ↓]	[↑ / → / ↓]	[↑ / → / ↓]
Sentence-Length Variance	[↑ / → / ↓]	[↑ / → / ↓]	[↑ / → / ↓]
Emotional Register	[↑ / → / ↓]	[↑ / → / ↓]	[↑ / → / ↓]
Conversational Rhythm	[↑ / → / ↓]	[↑ / → / ↓]	[↑ / → / ↓]

Total upward arrows: [YOUR_COUNT] out of 15 possible.

2.7.3 Drill 2: Ninety-Second Verification Drill

Instructions: Take the three regenerated scenes from Drill 1. Perform the Ninety-Second Voice Verification Read on each one. Time yourself. Log the results. If any scene requires more than one adjustment, apply the Escalation Decision Tree (section 2.6), flag the scene, and move on.

Scene	Timer Start	Timer Stop	Dimensions Landed Cleanly	Dimensions Needing Adjustment	Action Taken	Escalated?
Prompt 1 output	[TIME]	[TIME]	[LIST]	[LIST]	[E.G., "Adjusted Baseline Temperature to 'volatile.' Regenerated."]	[Yes / No]
Prompt 2 output	[TIME]	[TIME]	[LIST]	[LIST]	[ACTION]	[Yes / No]
Prompt 3 output	[TIME]	[TIME]	[LIST]	[LIST]	[ACTION]	[Yes / No]

Escalation Queue (scenes flagged for Dialogue Matrix work in Chapters 3–4):

[SCENE_REFERENCE / CHAPTER / BRIEF_NOTE]

2.7.4 Drill 3: Cross-Platform Stability Test

Instructions: Run your best-performing corrected prompt through two different AI tools or model versions. Compare outputs across all five dimensions. If you have access to only one tool, run the same prompt twice in two separate sessions and compare for consistency.

Prompt tested: [PASTE_YOUR_BEST_PERFORMING_STACKED_PROMPT]

Dimension	Platform A Output	Platform B Output	Held Steady?	Adjustmer
Cadence	[BRIEF_DESCRIPTION]	[BRIEF_DESCRIPTION]	[Yes / No]	[IF_NO_WI
Vocabulary Range	[DESCRIPTION]	[DESCRIPTION]	[Yes / No]	[ADJUSTM
Sentence-Length Variance	[DESCRIPTION]	[DESCRIPTION]	[Yes / No]	[ADJUSTM
Emotional Register	[DESCRIPTION]	[DESCRIPTION]	[Yes / No]	[ADJUSTM
Conversational Rhythm	[DESCRIPTION]	[DESCRIPTION]	[Yes / No]	[ADJUSTM

Stability Summary:

- **Dimensions that transfer cleanly across platforms:** [LIST]
- **Dimensions that require platform-specific tuning:** [LIST]
- **Specific values I will adjust if my platform updates:** [LIST]

Action: Save this summary in your project notes. When your AI tool releases an update and the dialogue suddenly sounds different, open this document. Find the dimensions that are most vulnerable to change, adjust their specific values, and regenerate. You can then respond without panic, avoid losing your morning, and keep from slipping back into the old loop.