

6.7 The Thirty-Five-Minute Calibration Sprint

6.7.1 Calibration Sprint Prep Checklist

- ☐ Chapter 5 Three-Tier Emotional Filters open (both characters)
- ☐ Genre Calibration Reference Chart visible
- ☐ Scene Type Emotional Template library visible
- ☐ Reader Expectation Alignment checklist printed or open in a second window
- ☐ AI tool open (needed for Step 3)
- ☐ Blank document open for the calibrated filter
- ☐ Timer set for thirty-five minutes

6.7.2 Thirty-Five-Minute Pacing Guide

Time Block	Step	Focus
0:00–5:00	Step 1	Identify subgenre. Apply calibration parameters.
5:00–12:00	Step 2	Select three scene types. Apply templates. Stack layers.
12:00–25:00	Step 3	Generate three scenes. Run the checklist. Adjust if needed.
25:00–32:00	Step 4	Compare scenes side by side. Confirm emotional arc.
32:00–35:00	Buffer	Save. Label. Archive. Read the calibrated filter aloud.

Step 1 Detail: Open the Genre Calibration Reference Chart. Locate your subgenre. Write the three calibration values at the top of a new document labeled "[CHARACTER_NAME] — Calibrated Emotional Filter — [SUBGENRE] — [DATE]."

Step 2 Detail: Select three scene types (one high-tension, one tender, one light). Stack all three layers for each scene using the Three-Layer Stacking Record.

Step 3 Detail: Generate six to eight lines for each scene. Run the five-question checklist after each generation. Log results in the tracker below.

Generation and Verification Log:

Scene	Generated?	Checklist Result	Adjustment Made	Reverified?
High-Tension: [SCENE_TYPE]	[Yes / No]	[All aligned / Adjust needed]	[E.G., "Intensity +1 increment"]	[Yes / No / N/A]

Scene	Generated?	Checklist Result	Adjustment Made	Reverified?
Tender: [SCENE_TYPE]	[Yes / No]	[All aligned / Adjust needed]	[ADJUSTMENT]	[Yes / No / N/A]
Light: [SCENE_TYPE]	[Yes / No]	[All aligned / Adjust needed]	[ADJUSTMENT]	[Yes / No / N/A]

Step 4 Detail: Place the three generated scenes side by side. Complete the comparison table below.

Side-by-Side Emotional Arc Comparison:

Dimension	High-Tension Scene	Tender Scene	Light Scene
Emotional Intensity	[E.G., "Peak"]	[E.G., "Moderate-to-high"]	[E.G., "Light"]
Subtext Density	[E.G., "Heavy"]	[E.G., "Medium"]	[E.G., "Light"]
Pacing Speed	[E.G., "Compressed"]	[E.G., "Slow acceleration"]	[E.G., "Rapid-fire"]
Distinct from the others?	[Yes / No]	[Yes / No]	[Yes / No]
Within genre contract?	[Yes / No]	[Yes / No]	[Yes / No]

If all three columns read "Yes" for both the final two rows, your calibration is complete.

6.7.3 Save and Archive Protocol

- ☐ File name follows this format: **[CHARACTER_NAME] — Calibrated Emotional Filter — [SUBGENRE] — v1.0 — [DATE]**
- ☐ File is stored alongside the Chapter 5 Emotional Filters in your project directory
- ☐ You can locate and open the file in under ten seconds
- ☐ You have read the calibrated filter aloud one final time and felt the genre's emotional texture activate
- ☐ You have resisted the urge to make one more adjustment after the comparison confirmed all three scenes hold

Troubleshooting note: If one scene type consistently goes too far or not far enough after two adjustment passes, check how you applied your layers. You might have placed the scene-type

template on top of the genre calibration, which is the correct approach. You might have replaced the genre calibration with the template instead, which causes the problem. These two layers stack together. The genre calibration sets the overall intensity, density, and pacing range for your story. The scene-type template then modulates the scene within that range. If you find that you replaced the calibration rather than stacking the template on top, reapply both layers and regenerate.