

7.5 The Ninety-Minute Library Build Sprint

7.5.1 Sprint Session Prep Checklist

- ☐ All Dialogue Matrix files from Chapter 4 located and accessible
- ☐ All Three-Tier Emotional Filter files from Chapter 5 located and accessible
- ☐ All genre-calibration settings from Chapter 6 located and accessible
- ☐ Document-management tool open (Scrivener, Notion, or file system)
- ☐ Naming convention reference visible: "[CHARACTER_NAME] — [ASSET_TYPE] — [ARC_STAGE] — [EMOTIONAL_STATE] — [SCENE_TYPE] — v[VERSION_NUMBER] — [DATE]"
- ☐ Timer set for ninety minutes
- ☐ Current work-in-progress open (needed for Step 3 tests)

7.5.2 Ninety-Minute Pacing Guide

Time Block	Step	Focus
0:00–20:00	Step 1	Create the folder structure
20:00–50:00	Step 2	Migrate Dialogue Matrices and Emotional Filters
50:00–75:00	Step 3	Run three timed Pull-and-Deploy tests
75:00–90:00	Step 4	Establish the version-control protocol

7.5.3 Step 1: Folder Structure Verification Checklist

Complete during minutes 0–20. Confirm before moving to Step 2.

- ☐ Top-level "Character Voice Library" folder created
- ☐ Series subfolder created and labeled
- ☐ Character subfolder created for [CHARACTER_A_NAME]
- ☐ Character subfolder created for [CHARACTER_B_NAME]
- ☐ Arc-stage subfolders created within each character folder
- ☐ All folders labeled using the naming convention
- ☐ Navigation path from top-level to any file is no more than four clicks deep

7.5.4 Step 2: Migration Log

Complete during minutes 20–50. Track each asset as you rename and move it.

Original File Name	Character	Asset Type	New File Name (per convention)	Moved to Correct Folder?	Older Versions Archived
[E.G., "Callum matrix FINAL v2"]	[Callum]	[Dialogue Matrix]	[Callum — Dialogue Matrix — Book 1 — Baseline Guarded — All Scenes — v2.0 — 2025-01-15]	[Yes / No]	[Yes / No / N/A]
[ORIGINAL_NAME]	[CHARACTER]	[ASSET_TYPE]	[NEW_NAME]	[Yes / No]	[Yes / No / N/A]
[ORIGINAL_NAME]	[CHARACTER]	[ASSET_TYPE]	[NEW_NAME]	[Yes / No]	[Yes / No / N/A]
[ORIGINAL_NAME]	[CHARACTER]	[ASSET_TYPE]	[NEW_NAME]	[Yes / No]	[Yes / No / N/A]
[ORIGINAL_NAME]	[CHARACTER]	[ASSET_TYPE]	[NEW_NAME]	[Yes / No]	[Yes / No / N/A]

Momentum rule: If a matrix needs a small content adjustment during migration, do not stop to fix it. Note the adjustment in a separate "To Refine" document and continue. The sprint is about structure and placement. Refinement comes later.

7.5.5 Step 3: Pull-and-Deploy Test Log

Complete during minutes 50–75. Select three different scenes from your current work-in-progress. Time each retrieval. Target: sixty seconds from navigation start to file open.

Test #	Scene Context	Character	Arc Stage	Emotional State	Scene Type	Retrieval Time
1	[BRIEF_DESCRIPTION]	[NAME]	[STAGE]	[STATE]	[TYPE]	[E.G., "42 sec"]
2	[BRIEF_DESCRIPTION]	[NAME]	[STAGE]	[STATE]	[TYPE]	[TIME]
3	[BRIEF_DESCRIPTION]	[NAME]	[STAGE]	[STATE]	[TYPE]	[TIME]

7.5.6 Step 4: Version-Control Verification Checklist

Complete during minutes 75–90.

- ☐ Every active file displays the correct version number in its file name
- ☐ "Archive" subfolder created within each character directory
- ☐ All duplicate or outdated versions moved to the archive
- ☐ Each active file contains a one-line note: last substantive change date and description
- ☐ I can look at any file and immediately identify whether it is the current version
- ☐ I can open the archive and locate any previous version in under fifteen seconds