Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101

```
Private_66:68:03
                                                                                                      Who has 10.0.1.120? Tell 10.0.1.100
        1 0.000000
                                                       Broadcast
[ETHERNET FRAME CHECK SEQUENCE INCORRECT]
Frame 1: 64 bytes on wire (512 bits), 64 bytes captured (512 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Broadcast (ff:ff:ff:ff:ff)
Address Resolution Protocol (request)
       2 0.000349
                            Private_66:68:02
                                                       Private_66:68:03
                                                                                                      10.0.1.120 is at 00:50:79:66:68:02 [ETHERNET
FRAME CHECK SEQUENCE INCORRECT]
Frame 2: 64 bytes on wire (512 bits), 64 bytes captured (512 bits) on interface 0
Ethernet II, Src: Private_66:68:02 (00:50:79:66:68:02), Dst: Private_66:68:03 (00:50:79:66:68:03)
Address Resolution Protocol (reply)
       3 0.001016
                            10.0.1.100
                                                       10.0.1.120
                                                                                  TCMP
                                                                                             98
                                                                                                      Echo (ping) request id=0x36b3, seq=1/256,
ttl=64 (reply in 4)
Frame 3: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:02 (00:50:79:66:68:02)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.120
Internet Control Message Protocol
       4 0.001208
                            10.0.1.120
                                                       10.0.1.100
                                                                                  ICMP
                                                                                             98
                                                                                                                                id=0x36b3, seq=1/256,
                                                                                                      Echo (ping) reply
ttl=64 (request in 3)
Frame 4: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:02 (00:50:79:66:68:02), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.120, Dst: 10.0.1.100
Internet Control Message Protocol
       5 1.002260
                            10.0.1.100
                                                       10.0.1.120
                                                                                  ICMP
                                                                                              98
                                                                                                      Echo (ping) request id=0x37b3, seq=2/512,
ttl=64 (reply in 6)
Frame 5: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:02 (00:50:79:66:68:02)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.120 Internet Control Message Protocol
       6 1.002466
                                                       10.0.1.100
                                                                                  TCMP
                                                                                             98
                                                                                                                                id=0x37b3, seq=2/512,
                            10.0.1.120
                                                                                                      Echo (ping) reply
ttl=64 (request in 5)
Frame 6: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:02 (00:50:79:66:68:02), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.120, Dst: 10.0.1.100
Internet Control Message Protocol
       7 2.003393
                            10.0.1.100
                                                       10.0.1.120
                                                                                  ICMP
                                                                                                      Echo (ping) request id=0x38b3, seq=3/768,
ttl=64 (reply in 8)
Frame 7: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:02 (00:50:79:66:68:02)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.120
Internet Control Message Protocol
       8 2.003663
                            10.0.1.120
                                                       10.0.1.100
                                                                                  TCMP
                                                                                             98
                                                                                                      Echo (ping) reply
                                                                                                                                id=0x38b3, seq=3/768,
ttl=64 (request in 7)
Frame 8: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:02 (00:50:79:66:68:02), Dst: Private_66:68:03 (00:50:79:66:68:03) Internet Protocol Version 4, Src: 10.0.1.120, Dst: 10.0.1.100
Internet Control Message Protocol
       9 3.004541
                            10.0.1.100
                                                       10.0.1.120
                                                                                  ICMP
                                                                                             98
                                                                                                      Echo (ping) request id=0x39b3, seq=4/1024,
ttl=64 (reply in 10)
Frame 9: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:02 (00:50:79:66:68:02)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.120
Internet Control Message Protocol
      10 3.004768
                            10.0.1.120
                                                       10.0.1.100
                                                                                  ICMP
                                                                                                      Echo (ping) reply
                                                                                                                                id=0x39b3, sea=4/1024,
ttl=64 (request in 9)
Frame 10: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:02 (00:50:79:66:68:02), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.120, Dst: 10.0.1.100 Internet Control Message Protocol
                                                                                                      Echo (ping) request id=0x3ab3, seq=5/1280,
      11 4.005643
                            10.0.1.100
                                                       10.0.1.120
                                                                                  ICMP
                                                                                             98
ttl=64 (reply in 12)
Frame 11: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:02 (00:50:79:66:68:02) Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.120
Internet Control Message Protocol
      12 4.005878
                            10.0.1.120
                                                                                  ICMP
                                                       10.0.1.100
                                                                                                      Echo (ping) reply
                                                                                                                                id=0x3ab3, seg=5/1280,
ttl=64 (request in 11)
Frame 12: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:02 (00:50:79:66:68:02), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.120, Dst: 10.0.1.100
Internet Control Message Protocol
      13 25.503989
                            Private_66:68:03
                                                                                  ARP
                                                                                                      Who has 10.0.1.101? Tell 10.0.1.100
                                                                                              64
[ETHERNET FRAME CHECK SEQUENCE INCORRECT]
Frame 13: 64 bytes on wire (512 bits), 64 bytes captured (512 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Broadcast (ff:ff:ff:ff:ff)
Address Resolution Protocol (request)
      14 25.504789
                            Private_66:68:00
                                                       Private_66:68:03
                                                                                                      10.0.1.101 is at 00:50:79:66:68:00 [ETHERNET
FRAME CHECK SEQUENCE INCORRECT]
Frame 14: 64 bytes on wire (512 bits), 64 bytes captured (512 bits) on interface 0 Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Address Resolution Protocol (reply)
                                                       10.0.1.101
      15 25.505104
                            10.0.1.100
                                                                                   ICMP
                                                                                              98
                                                                                                      Echo (ping) request id=0x50b3, seq=1/256,
ttl=64 (reply in 16)
Frame 15: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
                            10.0.1.101
      16 25.505356
                                                       10.0.1.100
                                                                                  ICMP
                                                                                                      Echo (ping) reply
                                                                                                                                id=0x50b3, seq=1/256,
ttl=64 (request in 15)
Frame 16: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100 Internet Control Message Protocol
      17 26.506255
                            10.0.1.100
                                                       10.0.1.101
                                                                                  ICMP
                                                                                             98
                                                                                                      Echo (ping) request id=0x51b3, seq=2/512,
ttl=64 (reply in 18)
Frame 17: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00)
```

Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100

Internet Control Message Protocol

```
Internet Control Message Protocol
      18 26.506483
                             10.0.1.101
                                                          10.0.1.100
                                                                                      ICMP
                                                                                                  98
                                                                                                           Echo (ping) reply
                                                                                                                                      id=0x51b3, seq=2/512,
ttl=64 (request in 17)
Frame 18: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100
Internet Control Message Protocol
      19 27.507477
                             10.0.1.100
                                                          10.0.1.101
                                                                                      ICMP
                                                                                                  98
                                                                                                           Echo (ping) request id=0x52b3, seq=3/768,
ttl=64 (reply in 20)
Frame 19: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00) Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
      20 27,507769
                                                                                      ICMP
                             10.0.1.101
                                                          10.0.1.100
                                                                                                  98
                                                                                                           Echo (ping) reply
                                                                                                                                      id=0x52b3, seq=3/768,
ttl=64 (request in 19)
Frame 20: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03) Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100
Internet Control Message Protocol
      21 28.508652
                             10.0.1.100
                                                          10.0.1.101
                                                                                      ICMP
                                                                                                           Echo (ping) request id=0x53b3, seq=4/1024,
ttl=64 (reply in 22)
Frame 21: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
      22 28.508930
                             10.0.1.101
                                                          10.0.1.100
                                                                                      ICMP
                                                                                                  98
                                                                                                           Echo (ping) reply
                                                                                                                                      id=0x53b3, seq=4/1024,
ttl=64 (request in 21)
Frame 22: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100
Internet Control Message Protocol
      23 29.509773
                                                                                      ICMP
                             10.0.1.100
                                                          10.0.1.101
                                                                                                  98
                                                                                                           Echo (pina) request id=0x54b3, sea=5/1280,
ttl=64 (reply in 24)
Frame 23: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
      24 29.510106
                             10.0.1.101
                                                          10.0.1.100
                                                                                      ICMP
                                                                                                  98
                                                                                                           Echo (ping) reply
                                                                                                                                      id=0x54b3, seq=5/1280,
ttl=64 (request in 23)
Frame 24: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100 Internet Control Message Protocol
                                                                                                           Echo (ping) request id=0xb0b3, seq=1/256,
      25 122.328020
                             10.0.1.101
                                                          10.0.1.100
                                                                                      TCMP
                                                                                                  98
ttl=64 (reply in 26)
Frame 25: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100
Internet Control Message Protocol
      26 122.328250
                             10.0.1.100
                                                          10.0.1.101
                                                                                      TCMP
                                                                                                                                      id=0xb0b3, seq=1/256,
                                                                                                           Echo (pina) reply
ttl=64 (request in 25)
Frame 26: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00) Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
      27 123.329220
                             10.0.1.101
                                                          10.0.1.100
                                                                                      ICMP
                                                                                                  98
                                                                                                           Echo (ping) request id=0xb1b3, seq=2/512,
ttl=64 (reply in 28)
Frame 27: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100
Internet Control Message Protocol
      28 123.329448
                                                                                      TCMP
                             10.0.1.100
                                                          10.0.1.101
                                                                                                  98
                                                                                                           Echo (ping) reply
                                                                                                                                      id=0xb1b3, seq=2/512,
ttl=64 (request in 27)
Frame 28: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
      29 124.330420
                             10.0.1.101
                                                          10.0.1.100
                                                                                      ICMP
                                                                                                           Echo (ping) request id=0xb2b3, seq=3/768,
ttl=64 (reply in 30)
Frame 29: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100
Internet Control Message Protocol
      30 124.330662
                             10.0.1.100
                                                                                      ICMP
                                                                                                                                      id=0xb2b3, seq=3/768,
                                                          10.0.1.101
                                                                                                  98
                                                                                                           Echo (ping) reply
ttl=64 (request in 29)
Frame 30: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00) Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
                                                                                                           Echo (ping) request id=0xb3b3, seq=4/1024,
      31 125.331647
                             10.0.1.101
                                                          10.0.1.100
                                                                                      ICMP
                                                                                                  98
ttl=64 (reply in 32)
Frame 31: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
Internet Protocol Version 4, Src: 10.0.1.101, Dst: 10.0.1.100
Internet Control Message Protocol
      32 125.331914
                             10.0.1.100
                                                          10.0.1.101
                                                                                      ICMP
                                                                                                  98
                                                                                                           Echo (ping) reply
                                                                                                                                      id=0xb3b3, seq=4/1024,
ttl=64 (request in 31)
Frame 32: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0
Ethernet II, Src: Private_66:68:03 (00:50:79:66:68:03), Dst: Private_66:68:00 (00:50:79:66:68:00)
Internet Protocol Version 4, Src: 10.0.1.100, Dst: 10.0.1.101
Internet Control Message Protocol
      33 126.332784
                             10.0.1.101
                                                          10.0.1.100
                                                                                      ICMP
                                                                                                  98
                                                                                                           Echo (ping) request id=0xb4b3, seq=5/1280,
ttl=64 (reply in 34)
Frame 33: 98 bytes on wire (784 bits), 98 bytes captured (784 bits) on interface 0 Ethernet II, Src: Private_66:68:00 (00:50:79:66:68:00), Dst: Private_66:68:03 (00:50:79:66:68:03)
```

34 126.333121 10.0.1.100 10.0.1.101 Echo (ping) reply id=0xb4b3, seq=5/1280,

10.0.1.101 10.0.101 10.0.10