All About Telemetry (Betterstack)

Telemetry is Betterstack's Log Management platform. All the logs sent to it are stored in the **ClickHouse** database. [1]

Sending Logs to Telemetry:

On BetterStack, we need to do the following:

- First we must create a BetterStack Account. [2]
- We need to go to: Better Stack -> Sources and select a source. [2]
- Then, we need to click Connect Source. [2]
- We need to name the source. [2]
- After that, we need to select the type of source that we are connecting to. Eg For our NodeJS server, we would select "NodeJS". The logs will automatically be parsed based on the type of source that we select. [2]
- To see if the logs are arriving correctly or not, we need to test the pipes. For this, we need to copy the Source Token. Every source has a Source Token that uniquely identifies the source. [2]
- After that, we need to go to Live Tail. There, we will see a JSON message that says:
 Hello from Better Stack! [2]
- Now, we need to integrate BetterStack into our applications. To do that, we must choose the correct Log Forwarding method. [2]

To start sending logs to Telemetry, we need to do the following:

- Install @logtail/winston and @logtail/node packages using **npm**. [3]
- Set up the Logtail Winston transport and create a winston logger. [3]
- Start logging entries. These will be sent using the transport to BetterStack. [3]

Some Important features of Telemetry are:

- Log Management [3]
- Infrastructure Monitoring [3]
- Ready Made and Custom Dashboards [3]

Pricing:

- Free for 2 months. [4]
- \$29 / month (Responder) [4]
- For 10 monitors (\$21/month extra) [4]
- For Transaction Monitoring (\$4/month extra) [4]
- Heartbeats Cron Job Monitoring (\$17/month) [4]

REFERENCES

- [1] https://betterstack.com/telemetry
- [2] https://betterstack.com/docs/logs/logging-start/
- [3] https://betterstack.com/docs/logs/javascript/winston
- [4] https://betterstack.com/pricing