The Results of SAT Competition 2020

Tomáš Balyo, Nils Froleyks, **Marijn Heule**, Markus Iser, Matti Järvisalo, and Martin Suda

SAT 2020 Conference, Alghero, Italy (virtually)

July 8, 2020

SAT Solver Competitions

Goals

- identify new challenging benchmarks
- promote SAT solvers and their development
- "snapshot" evaluation of current solvers

Long tradition, starting from 1992

• 3 competitions in the 90s

(1992,1993, 1996)

• 13 SAT Competitions

(2002-)

• 5 SAT Races

(2006, 2008, 2010, 2015, 2019)

1 SAT Challenge

(2012)

Key rules

- Certified results of unsatisfiability using DRAT proof logging
- Disqualification of buggy solvers
 - Producing an incorrect model
 - Report UNSAT on a known satisfiable instance
 - Proof checker finds inconsistency (demoted to no-limit)
- Mandatory solver descriptions + open source
- Ranking scheme: PAR-2
 - Favors solvers that are faster (not only count solved instances)
- BYOB (Bring Your Own Benchmarks)
 - At most 20 instances per participant are used

What is New This Year

- We have two new tracks
 - Cloud Track evaluate distributed solvers on the Amazon cloud. Solvers are run on 1600 virtual cores for 1000 seconds. Sponsored by Amazon. Participants received AWS credit to develop their solvers.
 - Planning Track dedicated benchmark suite on 200 planning instances. Future competitions will have special benchmark suites for other applications.



- New formally-verified checker
 - cake_lpr_array by Yong Kiam Tan: very easy to install

Benchmark Instance Selection

GBD Benchmark Database (GBD)

- Collaborative Management of Attributes of Benchmark Instances https://pypi.org/project/global-benchmark-database-tool
- Retrieval of Benchmark Instances by their Attributes https://gbd.iti.kit.edu



M. Iser and C. Sinz, "A Problem Meta-Data Library for Research in SAT", Proceedings of Pragmatics of SAT 2018, pp. 144–152, 2018



- Main (Sequential) Track (50 solvers)
 - 400 benchmarks, a combination of "application" and "crafted"
 - 5,000 sec limit for solving and 40,000 sec for proof checking
 - Solvers run on a single core
 - UNSAT proof logging required

- Main (Sequential) Track (50 solvers)
 - 400 benchmarks, a combination of "application" and "crafted"
 - 5,000 sec limit for solving and 40,000 sec for proof checking
 - Solvers run on a single core
 - UNSAT proof logging required
- Parallel Track (14 solvers)
 - The same 400 benchmarks from Main track
 - 5,000 sec limit for solving
 - 1 AWS m4.16xlarge: 64 virtual CPU cores, 256GB RAM

- Main (Sequential) Track (50 solvers)
 - 400 benchmarks, a combination of "application" and "crafted"
 - 5,000 sec limit for solving and 40,000 sec for proof checking
 - Solvers run on a single core
 - UNSAT proof logging required
- Parallel Track (14 solvers)
 - The same 400 benchmarks from Main track
 - 5,000 sec limit for solving
 - 1 AWS m4.16xlarge: 64 virtual CPU cores, 256GB RAM
- Cloud Track (6 solvers)
 - The same 400 benchmarks from Main track
 - 1,000 sec limit for solving
 - 100 AWS m4.4xlarge: total of 1600 virtual CPU cores

- Incremental Library Track (5 solvers)
 - benchmarks are SAT based applications (bones, essentials, lsp, max, ijtihad, pasar), we used same applications but with different inputs
 - combined rank for each application determines winner
 - 2,000 sec limit for solving

- Incremental Library Track (5 solvers)
 - benchmarks are SAT based applications (bones, essentials, lsp, max, ijtihad, pasar), we used same applications but with different inputs
 - · combined rank for each application determines winner
 - 2,000 sec limit for solving
- Planning Track (49 solvers)
 - 200 benchmarks, all coming from planning problems
 - 5,000 sec limit for solving

- Incremental Library Track (5 solvers)
 - benchmarks are SAT based applications (bones, essentials, lsp, max, ijtihad, pasar), we used same applications but with different inputs
 - · combined rank for each application determines winner
 - 2,000 sec limit for solving
- Planning Track (49 solvers)
 - 200 benchmarks, all coming from planning problems
 - 5,000 sec limit for solving
- No-Limit Track (64 solvers, superset of Main track participants)
 - 300 brand new benchmarks (subset of the Main Track benchmarks)
 - 5,000 sec limit for solving
 - Most of the solvers provided source codes and models, but not all
 - No awards: top solvers were open source and proof producing

The Top 3 solvers of the Planning Track are:

The Top 3 solvers of the Planning Track are:

3 **Kissat-sc2020-unsat** (PAR-2: 3472, 74 solved) by Armin Biere

The Top 3 solvers of the Planning Track are:

- 2 Cryptominisat-ccnr-Isids (PAR-2: 3441, 79 solved) Cryptominisat-ccnr (PAR-2: 3446, 79 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel
- 3 **Kissat-sc2020-unsat** (PAR-2: 3472, 74 solved) by Armin Biere

The Top 3 solvers of the Planning Track are:

- 1 CaDiCaL-alluip-trail (PAR-2: 3406, 80 solved) CaDiCaL-alluip (PAR-2: 3409, 80 solved) by Randy Hickey, Nick Feng, and Fahiem Bacchus
- 2 Cryptominisat-ccnr-Isids (PAR-2: 3441, 79 solved) Cryptominisat-ccnr (PAR-2: 3446, 79 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel
- 3 **Kissat-sc2020-unsat** (PAR-2: 3472, 74 solved) by Armin Biere

The Top 3 solvers of the Planning Track are:

- 1 CaDiCaL-alluip-trail (PAR-2: 3406, 80 solved) CaDiCaL-alluip (PAR-2: 3409, 80 solved) by Randy Hickey, Nick Feng, and Fahiem Bacchus
- 2 Cryptominisat-ccnr-Isids (PAR-2: 3441, 79 solved) Cryptominisat-ccnr (PAR-2: 3446, 79 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel
- 3 Kissat-sc2020-unsat (PAR-2: 3472, 74 solved) by Armin Biere

Unfortunately, no planning specific solvers

Incremental Library Track

- 6 applications (bones, essentials, lsp, max, ijtihad, pasar)
- 50 benchmark instances per application
- Ranking by PAR-2 (2000 seconds timeout)
- Final Ranking: Number of Won Categories

	abcdsat-i20		CaDiCaL-sc2020		Cryptominisat5		Riss-7.1.2	
bones	513 (46)	2	631 (43)	3	390 (46)	1	903 (40)	4
essentials	1333 (35)	4	1210 (37)	2	1200 (36)	1	1241 (36)	3
lsp	2495 (21)	4	1959 (26)	3	1789 (29)	1	1881 (27)	2
max	1987 (27)	1	2021 (25)	2	2024 (25)	3	2021 (25)	2
ijtihad	3238 (10)	4	3002 (13)	1	3079 (12)	2	3145 (11)	3
pasar	471 (45)	2	506 (45)	3	969 (38)	4	386 (46)	1
final	1		1		3		1	

Winner: Cryptominisat5

The Top 3 solvers of the Parallel Track SAT are:

The Top 3 solvers of the Parallel Track SAT are:

3 **Plingeling** (PAR-2: 3805, 133 solved) by Armin Biere


The Top 3 solvers of the Parallel Track SAT are:

- 2 PalnleSS_ExMapleLCMDistChronoBT (PAR-2: 2913, 154 solved) by Rodrigue Konan Tchinda and Clémentin Tayou Djamegni
- 3 **Plingeling** (PAR-2: 3805, 133 solved) by Armin Biere

The Top 3 solvers of the Parallel Track SAT are:

- 1 P-MCOMSPS-STR-32 (PAR-2: 2853, 153 solved) by Vincent Vallade, Ludovic Le Frioux, Souheib Baarir, Julien Sopena, and Fabrice Kordon
- 2 PalnleSS_ExMapleLCMDistChronoBT (PAR-2: 2913, 154 solved) by Rodrigue Konan Tchinda and Clémentin Tayou Djamegni
- 3 **Plingeling** (PAR-2: 3805, 133 solved) by Armin Biere

Parallel Track SAT - Plot



The Top 3 solvers of the Parallel Track UNSAT are:

The Top 3 solvers of the Parallel Track UNSAT are:

3 ManyGlucose-32 (PAR-2 3844, 131 solved) ManyGlucose-64 (PAR-2: 3974, 129 solved) by Hidetomo Nabeshima and Katsumi Inoue


The Top 3 solvers of the Parallel Track UNSAT are:

- 2 P-MCOMSPS-STR-32 (PAR-2: 3729, 131 solved) by Vincent Vallade, Ludovic Le Frioux, Souheib Baarir, Julien Sopena, and Fabrice Kordon
- 3 ManyGlucose-32 (PAR-2 3844, 131 solved) ManyGlucose-64 (PAR-2: 3974, 129 solved) by Hidetomo Nabeshima and Katsumi Inoue

The Top 3 solvers of the Parallel Track UNSAT are:

- 1 **Plingeling** (PAR-2: 3630, 137 solved) by Armin Biere
- 2 P-MCOMSPS-STR-32 (PAR-2: 3729, 131 solved) by Vincent Vallade, Ludovic Le Frioux, Souheib Baarir, Julien Sopena, and Fabrice Kordon
- 3 ManyGlucose-32 (PAR-2 3844, 131 solved) ManyGlucose-64 (PAR-2: 3974, 129 solved) by Hidetomo Nabeshima and Katsumi Inoue

Parallel Track UNSAT - Plot



The Top 3 solvers of the Parallel Track ALL are:

The Top 3 solvers of the Parallel Track ALL are:

3 ManyGlucose-32 (PAR-2: 3985, 260 solved) by Hidetomo Nabeshima and Katsumi Inoue


The Top 3 solvers of the Parallel Track ALL are:

- 2 **Plingeling** (PAR-2: 3718, 270 solved) by Armin Biere
- 3 ManyGlucose-32 (PAR-2: 3985, 260 solved) by Hidetomo Nabeshima and Katsumi Inoue

The Top 3 solvers of the Parallel Track ALL are:

- 1 P-MCOMSPS-STR-32 (PAR-2: 3291, 284 solved) P-MCOMSPS-STR-64 (PAR-2: 3689, 272 solved) by Vincent Vallade, Ludovic Le Frioux, Souheib Baarir, Julien Sopena, and Fabrice Kordon
- 2 **Plingeling** (PAR-2: 3718, 270 solved) by Armin Biere
- 3 ManyGlucose-32 (PAR-2: 3985, 260 solved) by Hidetomo Nabeshima and Katsumi Inoue

Parallel Track ALL - Plot



The Top 3 solvers of the Cloud Track are:

The Top 3 solvers of the Cloud Track are:

3 **Slime** (PAR-2 4208, 239 solved) by Oscar Riveros


The Top 3 solvers of the Cloud Track are:

- 2 TopoSAT2 (PAR-2: 3024, 283 solved) by Thorsten Ehlers, Mitja Kulczynski, Dirk Nowotka, and Philipp Sieweck
- 3 Slime (PAR-2 4208, 239 solved) by Oscar Riveros

The Top 3 solvers of the Cloud Track are:

- 1 **mallob-mono** (PAR-2: 2429, 306 solved) by Dominik Schreiber
- 2 TopoSAT2 (PAR-2: 3024, 283 solved) by Thorsten Ehlers, Mitja Kulczynski, Dirk Nowotka, and Philipp Sieweck
- 3 Slime (PAR-2 4208, 239 solved) by Oscar Riveros

Cloud Track - Plot



The Top 3 solvers of the Main Track SAT are:

The Top 3 solvers of the Main Track SAT are:

3 Cryptominisat-ccnr-Isids (PAR-2: 3263, 144 solved) Cryptominisat-ccnr (PAR-2: 3317, 145 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel


The Top 3 solvers of the Main Track SAT are:

- 2 Kissat-sc2020-sat (PAR-2: 3128, 146 solved) by Armin Biere
- 3 Cryptominisat-ccnr-lsids (PAR-2: 3263, 144 solved) Cryptominisat-ccnr (PAR-2: 3317, 145 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel

The Top 3 solvers of the Main Track SAT are:

- 1 Relaxed_LCMDCBDL_newTech (PAR-2: 2997, 150 solved) by Xindi Zhang and Shaowei Cai
- 2 Kissat-sc2020-sat (PAR-2: 3128, 146 solved) by Armin Biere
- 3 Cryptominisat-ccnr-lsids (PAR-2: 3263, 144 solved) Cryptominisat-ccnr (PAR-2: 3317, 145 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel

Main Track SAT - Top 10 Plot



The Top 3 solvers of the Main Track UNSAT are:

The Top 3 solvers of the Main Track UNSAT are:

3 MapleLCMDistChronoBT-f2trc-s (PAR-2: 4991, 110 solved) by Stepan Kochemazov


The Top 3 solvers of the Main Track UNSAT are:

- 2 CaDiCaL-trail (PAR-2: 4842, 117 solved) by Randy Hickey, Nick Feng, and Fahiem Bacchus
- 3 MapleLCMDistChronoBT-f2trc-s (PAR-2: 4991, 110 solved) by Stepan Kochemazov

The Top 3 solvers of the Main Track UNSAT are:

- 1 Kissat-sc2020-unsat (PAR-2: 4315, 124 solved) Kissat-sc2020-default (PAR-2: 4336, 126 solved) Kissat-sc2020-sat (PAR-2: 4725, 118 solved) by Armin Biere
- 2 CaDiCaL-trail (PAR-2: 4842, 117 solved) by Randy Hickey, Nick Feng, and Fahiem Bacchus
- 3 MapleLCMDistChronoBT-f2trc-s (PAR-2: 4991, 110 solved) by Stepan Kochemazov

Main Track UNSAT - Top 10 Plot



The Top 3 solvers of the Main Track ALL are:

The Top 3 solvers of the Main Track ALL are:

3 Cryptominisat-ccnr-lsids (PAR-2: 4267, 248 solved) Cryptominisat-ccnr (PAR-2: 4278, 250 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel


The Top 3 solvers of the Main Track ALL are:

- 2 Relaxed_LCMDCBDL_newTech (PAR-2: 4179, 253 solved) by Xindi Zhang and Shaowei Cai
- 3 Cryptominisat-ccnr-Isids (PAR-2: 4267, 248 solved) Cryptominisat-ccnr (PAR-2: 4278, 250 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel

The Top 3 solvers of the Main Track ALL are:

- 1 Kissat-sc2020-sat (PAR-2: 3926, 264 solved) Kissat-sc2020-default (PAR-2: 4083, 260 solved) by Armin Biere
- 2 Relaxed_LCMDCBDL_newTech (PAR-2: 4179, 253 solved) by Xindi Zhang and Shaowei Cai
- 3 Cryptominisat-ccnr-Isids (PAR-2: 4267, 248 solved) Cryptominisat-ccnr (PAR-2: 4278, 250 solved) by Mate Soos, Shaowei Cai, Jo Devriendt, Stephan Gocht, Arijit Shaw, and Kuldeep Meel

Main Track ALL- Top 10 Plot



More information and Acknowledgments

Additionals Information

- The Competition Proceedings (solver and benchmark descriptions)
 will soon be available at https://satcompetition.github.io/2020/
- For the detailed competition results see the SAT Competition website

Acknowledgments

- Thanks to all the participants
- Thanks for all the benchmarks
- Thanks to Mike Whalen, Jonathan Eidelman, and Frankie Botero at AWS
- Thanks to Aaron Stump and StarExec
- Thanks to CAS Software Karlsruhe for the medals
- Thank You for Your attention

