

“TravelBug”

**A Project Report Submitted to
Rajiv Gandhi Proudhyogiki Vishwavidyalaya**



**Towards Partial Fulfillment for the Award of
Bachelor of Engineering in Computer Science & Engineering
Acropolis Institute of Technology & Research, Indore**

July – Dec 2022

Submitted by:

**Apoorva Shrivastava (0827CS201041)
Archika Kasliwal (0827CS201042)
Atharv Sharma (0827CS201047)
Devendra Singh Pawar
(0827CS201067)**

Guided by:

**Prof. Ronak Jain
Associate Professor
Computer Science & Engineering**

**Acropolis Institute of Technology & Research, Indore
July-Dec 2022**

EXAMINER APPROVAL

The Project entitled “**TravelBug**” Submitted by **Apoorva Shrivastava (0827CS201041)**, **Archika Kasliwal (0827CS201042)**, **Atharva Sharma (0827CS201047)**, **Devendra Singh Pawar (0827CS201067)** has been examined and is hereby approved towards partial fulfilment for the award of **Bachelor of Technology degree in Computer Science** discipline, for which it has been submitted. It is understood that by this approval the undersigned do not necessarily endorse or approve any statement made, opinion expressed or conclusion drawn therein, but approve the project only for the purpose for which it has been submitted.

(Internal Examiner)

Date:

(External Examiner)

Date:

GUIDE RECOMMENDATION

This is to certify that the work embodied in this project entitled “**TravelBug**” submitted by **Apoorva Shrivastava (0827CS201041)**, **Archika Kasliwal (0827CS201042)**, **Atharva Sharma (0827CS201047)**, **Devendra Singh Pawar (0827CS201067)** is a satisfactory account of the bona fide work done under the supervision of **Dr. Kamal Kumar Sethi**, is recommended towards partial fulfilment for the award of the Bachelor of Engineering (Information Technology) degree by Rajiv Gandhi Proudhyogiki Vishwavidhyalaya, Bhopal.

(Project Guide)

(Project Coordinator)

STUDENTS UNDERTAKING

This is to certify that project entitled “**TravelBug**” has developed by us under the supervision of **Dr. Kamal Kumar Sethi**. The whole responsibility of work done in this project is ours. The sole intension of this work is only for practical learning and research.

We further declare that to the best of our knowledge; this report does not contain any part of any work which has been submitted for the award of any degree either in this University or in any other University / Deemed University without proper citation and if the same work found then we are liable for explanation to this.

Apoorva Shrivastava (0827CS201041)

Archika Kasliwal (0827CS201042)

Atharva Sharma (0827CS201047)

Devendra Singh Pawar (0827CS201067)

Acknowledgement

We thank the almighty Lord for giving me the strength and courage to sail out through the tough and reach on shore safely. There are a number of people without whom this projects work would not have been feasible. Their high academic standards and personal integrity provided me with continuous guidance and support.

We owe a debt of sincere gratitude, deep sense of reverence and respect to our guide and mentors **Prof. Ronak Jain**, Associate Professor, AITR, for their motivation, sagacious guidance, constant encouragement, vigilant supervision and valuable critical appreciation throughout this project work, which helped us to successfully complete the project on time.

We express profound gratitude and heartfelt thanks to **Dr Kamal Kumar Sethi**, HOD CSE, AITR Indore for his support, suggestion and inspiration for carrying out this project. I am very much thankful to other faculty and staff members of CSE Dept, AITR Indore for providing me all support, help and advice during the project. We would be failing in our duty if we do not acknowledge the support and guidance received from **Dr S C Sharma**, Director, AITR, Indore whenever needed. We take the opportunity to convey my regards to the management of Acropolis Institute, Indore for extending academic and administrative support and providing me all necessary facilities for the project to achieve our objectives.

We are grateful to **our parents and family members** who have always loved and supported us unconditionally. To all of them, we want to say, “Thank you”, for being the best family that one could ever have and without whom none of this would have been possible

Apoorva Shrivastava (0827CS201041)

Archika Kasliwal (0827CS201042)

Atharva Sharma (0827CS201047)

Devendra Singh Pawar (0827CS201067)

Executive Summary

TravelBug

This project is submitted to Rajiv Gandhi Proudyogiki Vishwavidhyalaya, Bhopal (MP), India for partial fulfillment of Bachelor of Engineering in Computer Science & Engineering branch under the sagacious guidance and vigilant supervision of **Prof. Ronak Jain**.

The web application serves the purpose by supplying the correct information based on the location information and the user selections. It supplies the information of the most important places and local best food, famous art and craft of that place, weather etc. this could be used before the planned visit or on location to access detailed information of points of interest without going through lengthy printed catalogs.

*“Where the sky bows
down in front of the
Himalayas that is
Devbhoomi
Uttarakhand.”*

Table of Contents

Chapter 1	Introduction	1
	Abstract	2
	1.1 Overview	2
	1.2 Background and Motivation	3
	1.3 Problem Statement and Objective	3
	1.4 Scope Of the Project	4
	1.5 Team Organization	4
	1.6 Report Structure	5
Chapter 2	Review Of Literature	6
	2.1 Preliminary Investigation	6
	2.1.1 current System	6
	2.2 Limitation of Current System	6
	2.3 Requirement Identification and analysis for Project	7
Chapter 3	Proposed system	11
	3.1 The proposal	11
	3.2 Benefits of the proposed system	11
	3.3 Feasibility study	12
	3.4 Entity relationship diagram	13
	3.5 Use Case diagram	14

	3.6 Data flow diagram	15
Chapter 4	Implementation	16
	4.1 Technology Used	16
	4.1.1 PHP	16
	4.1.2 Mysql	17
	4.2 Tools used	17
	4.2.1 PhpMy Admin.	17
	4.2.2 IIS server	17
	4.3 Language Used	18
	4.4 Database Design	19
	4.5 Screenshots	23
	4.6 Testing	28
Chapter 5	Conclusion	29
	5.1 Conclusion	29
	5.2 Suggestion and Recommendations for Future Work	29
Bibliography		30
Source Code		31

Chapter 1. Introduction

Introduction

Tourism has now become the fastest and largest-growing industry across the world. It is a source of revenue and employment. It also gives the opportunity for people to understand the culture, civilization, and religious aspects of a country. There are many countries whose main source of revenue is tourism. It is an export that is not visible but earns valuable foreign exchange without any substantial or actual loss of internal resources.

Uttarakhand is one of the most popular destinations in India and has been successful in attracting domestic and international tourists with its beauty and culture. The scenic landscape, hill stations, historical sites, architecture and monuments, and places of religious interest make Uttarakhand a preferred destination for tourists from all over the world. Tourism in Uttarakhand has enormous potential for generating high revenue, improving hospitality services, improving transportation and communication connectivity, and raising living standards.

This project aims to create a web application that will help users learn about the best places to visit in Uttarakhand, recognize users about the rich culture, provide information about popular fairs and festivals celebrated in Uttarakhand, and provide information about famous delicacies to eat in Uttarakhand, among other things.

Abstract

The purpose of Travel Website is to automate the existing manual system by the help of computerized equipment and full-fledged computer software, fulfilling their requirements, so that their valuable data/information can be stored for a longer period with easy accessing and manipulation of the same. The required software and hardware are easily available and easy to work with

Travel Website, as described above, can lead to error free, secure, reliable and fast management system. It can assist the user to concentrate on their other activities rather to concentrate on the record keeping. Thus it will help organization in better utilization of resources. The organization can maintain computerized records without redundant entries. That means that one need not be distracted by information that is not relevant, while being able to reach the information.

The aim is to automate its existing manual system by the help of computerized equipment and full-fledged computer software, fulfilling their requirements, so that their valuable data/information can be stored for a longer period with easy accessing and manipulation of the same. Basically the project describes how to manage for good performance and better services for the clients

1.1 Overview

Uttarakhand offers limitless opportunities for tourism and adventure. There is something for everyone: pilgrimage, temples, wildlife tours, bird watching, rafting, mountaineering, skiing, trekking, camping, yoga meditation, and much more. Apart from these, the state has a rich culture and tradition accompanied by various local festivals and events, and its handicrafts like Pashmina shawls, Kumauni folk art, copperware, etc. are always in high demand. Our project aims to bring all this information onto one platform, including famous places, famous activities, famous local foods, and famous handicrafts.

This project provides travelers with every bit of information about every region in Uttarakhand, allowing them to explore every inch. This project promotes tourism, provides employment to the locals, develops the infrastructure, and will boost the economy of Uttarakhand.

1.2 Background and Motivation

Tourism is vital for the success of many economies around the world. Tourism has a number of advantages for host cities. Tourism boosts the revenue of the economy, creates thousands of jobs, develops the infrastructure of a country, and plants a sense of cultural exchange between foreigners and citizens.

The number of jobs created by tourism in many different areas is significant. These jobs are not only a part of the tourism sector but may also include the agricultural sector, communication sector, health sector, and educational sector. Many tourists travel to experience the host country's culture, different traditions, and gastronomy.

Tourism plays a prominent role in Uttarakhand economy. The draw of the Himalayas, the beauty and cool relief of hill stations, and the wealth of Hindu religious pilgrimage sites are part of the attraction. Corbett Tiger Reserve and the hill stations of Nainital, Mussoorie, Almora, Kausani, Bhimtal, and Ranikhet are among the most frequented destinations in India.

1.3 Problem Statement and Objectives

planning a trip to Uttarakhand is not easy. For a trip to be successful it requires lot of good planning. One should have the correct and complete information about any place they want to visit and to explore more one should know about the famous things of a place Thus, the system implemented has the following objectives:

1. **Objective 1:** To provide complete and correct information about a place-It is very important that every information provided should be correct because users completely rely on that.
2. **Objective 2:** Every place is recognized by its famous things and the main objective of this project is to provide information about the famous things of a particular place like famous handicrafts etc.

1.4 Scope of the Project

A mystical land of mountains and mythologies, exquisite landscapes and exhilarating adventure, wellness and yoga, Uttarakhand has something to offer every traveller. Uttarakhand offers limitless opportunities for tourism and adventure. There is something for

everyone - Pilgrimage, Temples, Wildlife tours, Bird Watching, Rafting, Mountaineering, Skiing, Trekking, Camping, Yoga Meditation, and much more. Apart from these, the state has a rich culture and tradition accompanied by various local festivals and events, and its handicrafts like Pashmina Shawls, Kumauni Folk Art, Copperware, etc. are always high in demand. Our project aims to bring all this information on one platform like famous places, famous activities, famous local food, famous crop, handicraft, and weather condition of

every region. With the help of this project, we will be able to supply every little information about every region in Uttarakhand to the people in their local language so that they can explore every inch. This project promotes tourism and supplies employment to the locals, develops the infrastructure and will boost the economy of Uttarakhand.

1.5 Team Organization

Atharv Sharma

I investigated and found the right technology and studied in deep about it. I did with the backend part of the project which includes creating databases and storing results in it.

Archika Kasliwal

I studied about the topic and its scope and surveyed various research papers of the current system I also worked on the frontend of the website. Documentation part is also done by me in this project.

Apoorva Shrivastava

I made the website more attractive and eye-catching with the help of advance CSS and also helped in the documentation part of the project.

Devendra Singh Pawar

For every information to be correct it is necessary to perform deep research about every place mentioned on the website, so I gathered information about a place and worked on the backend of the website.

1.6 Report Structure

The project *TravelBug* is primarily concerned with the **Promoting tourism in Uttarakhand** the whole project report is categorized into five chapters.

Chapter 1: Introduction- Introduces the background of the problem followed by rationale for the project undertaken. The chapter describes the objectives, scope and applications of the project. Further, the chapter gives the details of team members and their contribution in development of the project which is then subsequently ended with a report outline.

Chapter 2: Review of Literature- Explores the work done in the area of Project undertaken and discusses the limitations of the existing system and highlights the issues and challenges of the project area. The chapter finally ends up with the requirement identification for present project work based on findings drawn from reviewed literature and end user interactions.

Chapter 3: Proposed System - Starts with the project proposal based on requirement identified, followed by benefits of the project. The chapter also illustrates the software engineering paradigm used along with different design representations. The chapter also includes a block diagram and details of major modules of the project. Chapter also gives insights of different types of feasibility study carried out for the project undertaken. Later it gives details of the different deployment requirements for the developed project.

Chapter 4: Implementation - Includes the details of different Technology/ Techniques/ Tools/ Programming Languages used in developing the Project. The chapter also includes the different user interfaces designed in the project along with their functionality. Further it discusses the experiment results along with testing of the project. The chapter ends with evaluation of the project on different parameters like accuracy and efficiency.

Chapter 5: Conclusion - Concludes with objective wise analysis of results and limitation of present work which is then followed by suggestions and recommendations for further improvement

Chapter 2. Review of Literature

Review of Literature

Traveling is important for humans. We are communal creatures that are all of the same species, yet our location determines societal actions based off cultured and governmental laws. We are so similar, yet our little worlds are so entirely different. Traveling to see places beyond our hometown is crucial to gain exposure to the world. Whether someone travels domestically or to a foreign country, it can be an experience that is reminisced for a lifetime.

One country can be vastly different from one side to the other. The dialects differ, food, local music, and the terrain can all be different from one place to another. There are different languages and ways of communicating all over the world. Exposure to these things allows us to become open-minded and understand that though we are different, it is our similarities as humans that brings us together. Traveling is great for global humanity.

2.1 Preliminary Investigation

2.1.1 Current System

There are different websites which are working to boost tourism by showing information about best places to travel in a particular place and also making travel planning easier by adding travel itineraries, which makes planning a trip more easier. These websites have a good user interface. And are working forward to make the website personalized according to user's choices.

2.2 Limitations of Current System

- Time consuming
- Not responsive
- weak user interface
- complex form
- Not correct and relevant information
- Does not provide complete information about the particular place

2.3 Requirement Identification and Analysis for Project

Websites are an important source of information that serve as a niche in helping the tourist to make decisions on destinations. In current times, websites serve as a store house of information on tourism products and services. A well-designed and comprehensive website is a core need for marketing, exploring and gathering information for tourist and tourism agencies. Therefore, it is important that tourism websites are developed based on user requirements and have user-centric approach. This work explores user perspective and users' requirements through survey and literature study to come up with design solutions, recommendations, and suggestions for effective tourism websites.

A well-designed website is mandatory for good marketing and proper tourism business. The work is based on the study of the existing literature, user-survey, and technical testing of the website using open-source testing tools to identify user perspective, design issues, website architecture and design quality of the tourism website. The software-based test results serve as another important parameter for the evaluation of the current official website. This study brings out core needs of the tourist in terms of expectations from a tourism website and access technical quality of the current portal to provide necessary feedback and suggestions. The government officials, business houses, and web designers can utilize this work as a knowledge base to build tourism websites, which are user-centric. Further, the work is specifically important for government and tourism officials to identify shortcomings in their current website and make improvements for better design and user adaptability in future.

MODULES

Modules of Travel Website:

1. Admin module
2. User module

Admin module

Functionalities:

- Add details of home-stays.
- Add details of travel-trades.

User module

Functionalities:

- Signup on the website
- Set the username and password to Student.
- Update Profile.
- Reset password
- View homestays
- View Travel trades
- View famous attraction
- Hidden gems
- Regional and cultural famous things

Software Requirement

Operating System: Windows

Environment: Visual Studio

Language: Html,Css

Libraries: Bootstrap

Backend: Sql ,Php

Hardware Requirement

Processor: Intel Pentium

Ram: 1 Gb or More

Monitor: Colour 720p

Hard Disk: 128gb

Keyboard: Standard 102

Keys Mouse: 3 Button

FUNCTIONAL REQUIREMENTS

Functional Requirements:

Admin Requirements:

- The admin can add new packages.
- The admin can update any package.
- The admin can delete any package.
- The admin can search any package
- The admin can also change his name or password from the dashboard settings

End User Requirements:

- The end users book tour plan according to their choice.
- The user can sign up after filling all the fields mentioned in the sign up form.
- The user can login after validation of his/her details from the database.
- The end users can reserve their seats for tour plan which they choose or like.
- User share their feedback with comments.

System Requirements:

- Website offer logout functionality to end users.
- Website will only accept a valid login detail to enroll on website in PHP.
- Website will provide password recovery facility.
- Website will redirect the user to whatsapp whenever the whats-app icon is pressed for online payment purposes.

NON-FUNCTIONAL REQUIREMENTS

Database Security:

An unauthorized person can access the panel and database, do not write the information. It should maintain the security of the client's payment method.

Reliability Requirement:

- Travel management system should provide a reliable environment to both customers and owner.
- Admin should be able to upload delete update new packages without any error.

Usability Requirement:

- The travel Management System in PHP is designed for user friendly environment and ease of use.

Availability:

- The travel Management System in PHP should be available for 24 hours because it offers international tourists reserved packages from different countries so it should be available for 24 hours.

Efficiency Requirement:

- When an online package of travel implemented customer can have reserved packages in an efficient manner.

Chapter 3. Proposed System

Proposed System

3.1 The Proposal

The proposal is to promote Uttarakhand tourism which helps in increasing the period of stay, repeated visit by giving new tourist products which attracts the visitor of same state well as other state.

It gives all the information about the best places to visit in Uttarakhand, popular fair and festivals, places to stay according to their budgets and time and can enjoy the delicious food of the state.

3.2 Benefits of the Proposed System

1. The system avoids redundancy by the use of several type of validation that is the system is enhanced
2. Quick access and processing is the main advantage that forces as to implement the proposed system.
3. The main alteration between the existing system and the new automated system lies in the specialty which reduces the time consumption in an appropriate manner.
4. The system will reduce the amount of paper work require.

3.3 Feasibility Study

A feasibility study is an analysis of how successfully a system can be implemented, accounting for factors that affect it such as economic, technical and operational factors to determine its potential positive and negative outcomes before investing a considerable amount of time and money into it.

Economic Feasibility

Since the existing system is manual on the feasibility for wrong data entry is higher and consumes a lot of time and can occur errors. But the proposed system aims at processing of information's efficiently, thus saving the time. The new system need only a system therefore the cost is negligible. Proposed system uses validation check so there is no errors. Even though an initial investment has to be made on the software and the hardware aspects, the proposed system aims at processing of information's efficiently. Thus, the benefits acquired out of the system are sufficient enough for the project to be undertaken.


Technical Feasibility

Technical feasibility deals with hardware as well as software requirements and to what extend it can support the proposed system. The hardware required is a printer and software is Visual Basic 6.0 and Microsoft SQL server. If the necessary requirements are made available with the system that is a system, then the proposed system is said to be technically feasible.


Operational Feasibility

The proposed system offers greater of user friendliness combined with greater processing speed. Since the processing speed is very high compared with manual system on that management can take timely actions depending on information's obtained. Since the workload is also reduced the college authority convenience that the project is operationally feasible.

3.4 Entity Relationship Diagram




3.5 Use Case Diagram




3.8 Data flow Diagrams

Level-0 DFD:



Level-1 DFD:



Chapter 4. Implementation

Implementation

For the problem that planning a trip to Uttrakhand is not easy for a trip to be successful it requires lot of good planning. One should have the correct and complete information about any place they want to visit and to explore more one should know about the famous things of a place, the system is designed in such a way to provide complete and correct information about a place-It is very important that every information provided should be correct so that the users can completely rely on it.

4.1 Technique used

4.1.1. PHP

- PHP is a recursive acronym for "PHP: Hypertext Preprocessor".
- PHP is a server-side scripting language that is embedded in HTML. It is used to manage dynamic content, databases, session tracking, even build entire e-commerce sites.
- It is integrated with a number of popular databases, including MySQL, PostgreSQL, Oracle, Sybase, Informix, and Microsoft SQL Server.
- PHP is pleasingly zippy in its execution, especially when compiled as an Apache module on the Unix side. The MySQL server, once started, executes even very complex queries with huge result sets in record-setting time.
- PHP supports a large number of major protocols such as POP3, IMAP, and LDAP. PHP4 added support for Java and distributed object architectures (COM and CORBA), making n-tier development a possibility for the first time.
- PHP is forgiving PHP language tries to be as forgiving as possible.

4.1.2 My SQL

MySQL is a relational database management system (RDBMS) developed by Oracle that is based on structured query language (SQL).

A database is a structured collection of data. It may be anything from a simple shopping list to a picture gallery or a place to hold vast amounts of information in a corporate network. In particular, a relational database is a digital store collecting data and organizing it according to the relational model. In this model, tables consist of rows and columns, and relationships between data elements all follow a strict logical structure.

MySQL is integral to many of the most popular software stacks for building and maintaining everything from customer-facing web applications to powerful. Its open-source nature, stability, and rich feature set, paired with ongoing development and support from Oracle, have meant that internet-critical organizations such as Facebook, Flickr, Twitter, Wikipedia, and YouTube.

Its open-source nature, stability, and rich feature set, paired with ongoing development and support from Oracle, have meant that internet-critical organizations such as Facebook, Flickr, Twitter, Wikipedia, and YouTube.

4.2 Tool used

4.2.1 PhpMyAdmin

PhpMyAdmin is a free software tool written in PHP, intended to handle the administration of MySQL over the Web. phpMyAdmin supports a wide range of operations on MySQL and MariaDB. Frequently used operations (managing databases, tables, columns, relations, indexes, users, permissions, etc) can be performed via the user interface, while you still have the ability to directly execute any SQL statement.

4.2.2 IIS server

Internet Information Services server (IIS server) is a Windows Server-based web application used to deliver website content over the internet to an end user. Internet Information Services is an installable server role, and it is bundled with all Microsoft windows server products. More recently, Microsoft has bundled IIS components with the professional versions of their desktop operating system products, such as Windows 10 Pro; however, IIS is typically deployed and centrally managed on one or more Microsoft Windows Servers.

There are two commonly used web server applications available: Apache and Internet Information Services. Apache is an open-source installable application commonly used on open system

platforms such as Linux, whereas IIS is a server role configured on top of a licensed copy of Windows Server. As IIS is a Microsoft product, IIS offers several advantages over Apache; arguably the biggest advantage is that the user base, in most circumstances, will already be familiar with the product layout, design and terminology, simply because most are existing Windows operators. This makes the product extremely easy to learn and navigate and allows for other Microsoft products to be directly integrated into IIS, such as SharePoint, PowerShell and Microsoft Office.

4.3 Language used

Html

HyperText Markup Language (HTML) is the set of markup symbols or codes inserted into a file intended for display on the Internet. The markup tells web browsers how to display a web page's words and images.

HyperText Markup Language is the computer language that facilitates website creation. The language, which has code words and syntax just like any other language, is relatively easy to comprehend and, as time goes on, increasingly powerful in what it allows someone to create.

CSS

CSS stands for Cascading Style Sheets. It is a style sheet language which is used to describe the look and formatting of a document written in markup language. It provides an additional feature to HTML. It is generally used with HTML to change the style of web pages and user interfaces. It can also be used with any kind of XML documents including plain XML, SVG and XUL.

CSS is used along with HTML and JavaScript in most websites to create user interfaces for web applications and user interfaces for many mobile applications.

SQL

Basically, SQL stands for **Structured Query Language** which is basically a language used by databases. This language allows to handle the information using tables and shows a language to query these tables and other objects related (views, functions, procedures, etc.). Most of the databases like SQL Server, Oracle, PostgreSQL, MySQL, MariaDB handle this language (with some extensions and variations) to handle the data.

With SQL you can insert, delete, and update data. You can also create, delete, or alter database objects.

4.4 DATABASE DESIGN


The details about the relevant data that came into lay in the system are identified according to the relationship the tables are designed by following the standard database design methods. The dative for each data in the table is defined. For optimum design of database to have better response time, to have data integrity, to avoid the redundancy and for security of the database tables created and analyzed.

A database system can be defined as a representation of an information system in a computer. The general theme behind a database is to handle information as an integrated whole. A database is a collection of interrelated data stored with minimum redundancy to serve many users quickly and efficiently. The general objective is to make information access easy, quick, inexpensive and flexible for the user. In database design, several specific objectives are considered:

- Controlled redundancy
- Ease of learning and use
- Data independence
- More information at low cost
- Accuracy and integrity
- Recovery from failure
- Privacy and security • Performance

The scheme is the view that helps us the DBMS decide what data in storage it should act upon as requested by the application program. The subschema is concerned with a relatively small part of scheme. In database design, several views of data must be considered along with the persons who use them. The logical view is what the data look like, regardless of how they stored. The physical view is the way data exists in physical storage. It deals with how data are stored, accessed or related to other data in storage. The logical view are the users view the programmer's view and the overall logical view, called a schema. This project has used a main database having different tables, based on which the operations can perform well.

We have created a database named travelbug which contains users table in which all the data which users enters in the signup form will be stored here.



Users table contains following columns:

- Id
- Name
- Email
- City
- Phno
- Password_1
- Password_2

Server: localhost » Database: travelbug » Table: users										
Browse Structure SQL Search Insert Export Import Privileges Operations Triggers										
Table structure Relation view										
	#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/>	1	id	int(255)			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/>	2	username	varchar(255)	utf8_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	3	email	varchar(255)	utf8_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	4	city	varchar(255)	utf8_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	5	phno	varchar(255)	utf8_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	6	password_1	varchar(255)	utf8_general_ci		Yes	NULL			Change Drop More
<input type="checkbox"/>	7	password_2	varchar(255)	utf8_general_ci		Yes	NULL			Change Drop More


Registered Users

Id	Username	Email	City	Phone No	Password	Update	Delete
1	atharv	atharv@gmail.com	Indore	9179637355	\$2y\$10\$QgB96aPkTzaW5eWTOFieOc80c2YQ686.ct3.YD240Zsjr2.aTWm	Update	Delete
2	atharv	atharvsharma@gmail.com	Indore	9179637355	\$2y\$10\$y6lPh17Fd7/ONApv7U.phpUjHMDh1KLf9O5S.N.eCRtaRqVBIS	Update	Delete

Other than this table homestay and traveltrade table is also created to store the details about various homestays and travel trade options.

Homestay table contains following columns:

- Id
- Name
- Address
- Phone
- Email
- Phoneno




Server: localhost » Database: travelbug » Table: homestay

Table structure

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
1	id	int(255)			No	None		AUTO_INCREMENT	Change Drop More
2	name	varchar(255)	utf8_general_ci		No	None			Change Drop More
3	address	varchar(255)	utf8_general_ci		No	None			Change Drop More
4	email	varchar(255)	utf8_general_ci		No	None			Change Drop More
5	phone	varchar(255)	utf8_general_ci		No	None			Change Drop More

Check all With selected: Browse Change Drop Primary Unique Index Spatial Fulltext



phpMyAdmin

Server: localhost » Database: travelbug » Table: homestay

Showing rows 0 - 6 (7 total, Query took 0.0003 seconds)

SELECT * FROM `homestay`

Profiling [Edit inline] [Edit] [Explain SQL] [Create PHP code] [Refresh]

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Extra options

	id	name	address	email	phone
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	1	(Tara Homestay)Krishnanand Bhatt	n/a, Jageshwar, Almora	krishanabhatt141@gmail.com	Mobile: 9411544736 Ph: 05962-9410521471
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	2	(Tara S Home Stay)Deep Chandra Bhatt	n/a, Jageshwar, Almora	deepbhatt062@gmail.com	Mobile: 8475031984 Ph: 05962-9410521471
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	3	1997 Homestay	1997 Homestay, Rishkesh, Tehri Garhwal	snehakathali373@gmail.com	Mobile: 9457891917 Ph: 05962-9410521471
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	4	A V Home Stay	VILLAGE TAPOVAN LAXMAN JHULA , POST OFFICE TAPOVAN	avhomestay02@gmail.com	Mobile: 7078120788 Ph: 01736-9310564724
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	5	Aadesh Homestay	Village gangad, Mori, Uttarkashi	9410108107@gmail.com	Mobile: 9410108107 Ph: 05966-9410366660
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	6	Aadi Kallash Home Stay	VILL - KUTI , P.O- DHARCHULA GUNJI, Dharchula, plth...	mahimansinghomestay@gmail.com	Mobile: 9410182510 Ph: 05946-7455997993
<input type="checkbox"/> Edit <input type="checkbox"/> Copy <input type="checkbox"/> Delete	7	Aadi Homestay)Manoj Singh	36, Almora, Almora	homestayaadi@gmail.com	Mobile: 9456702126 Ph: 05942-8171190140

Check all With selected: Edit Copy Delete Export

Show all Number of rows: 25 Filter rows: Search this table Sort by key: None

Traveltrade table contains following columns:

- Id
- Name
- Address
- Email
- Phone

Server: localhost » Database: travelbug » Table: traveltrade

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)
[Privileges](#)
[Operations](#)
[Triggers](#)

[Table structure](#)
[Relation view](#)

#	Name	Type	Collation	Attributes	Null	Default	Comments	Extra	Action
<input type="checkbox"/> 1	id	int(255)			No	None		AUTO_INCREMENT	Change Drop More
<input type="checkbox"/> 2	name	varchar(255)	utf8_general_ci		No	None			Change Drop More
<input type="checkbox"/> 3	address	varchar(255)	utf8_general_ci		No	None			Change Drop More
<input type="checkbox"/> 4	email	varchar(255)	utf8_general_ci		No	None			Change Drop More
<input type="checkbox"/> 5	phone	varchar(255)	utf8_general_ci		No	None			Change Drop More

☐ Check all
 With selected:
 [Browse](#)
[Change](#)
[Drop](#)
[Primary](#)
[Unique](#)
[Index](#)
[Spatial](#)
[Fulltext](#)

phpMyAdmin

Server: localhost » Database: travelbug » Table: traveltrade

[Browse](#)
[Structure](#)
[SQL](#)
[Search](#)
[Insert](#)
[Export](#)
[Import](#)
[Privileges](#)
[Operations](#)
[Triggers](#)

Showing rows 0 - 6 (7 total. Query took 0.0002 seconds)

[SELECT * FROM `traveltrade`](#)
[Profiling](#) [Edit inline](#) [Edit](#) [Explain SQL](#) [Create PHP code](#) [Refresh](#)

☐ Show all
 Number of rows: 25
 Filter rows: Search this table
 Sort by key: None

Extra options

		Id	name	address	email	phone
<input type="checkbox"/>	Edit Copy Delete	1	12 22 The Stay	JAMRI KATAL NEAR DHAMANDA GUEST HOUSE , TAPOVAN ...	1222thestay@gmail.com	Mobile: 7895407533 Ph: 05963-9627119733
<input type="checkbox"/>	Edit Copy Delete	2	180 Degree Kanatal Resort	7 km stone, chamba-mussorie road, chopriyal gaon,...	info@180resorts.com	Mobile: 9897500532 Ph: 0135-2627059
<input type="checkbox"/>	Edit Copy Delete	3	A S Residency	Shivalic inclave Lane no 1 kargi chowk dehradun, D...	a.sresidency777@gmail.com	Mobile: 8668861996 Ph: 248001-88968861996
<input type="checkbox"/>	Edit Copy Delete	4	A R Resort	NA, GOUCHAR, CHAMOLI	arresortkameda@gmail.com	Mobile: 8750713298 Ph: 05942-235026
<input type="checkbox"/>	Edit Copy Delete	5	A S. Motels & Resorts Pvt. Ltd	Haridwar-Rishikesh Road, near Dudhadhari Chowk, bh...	kumartover@yahoo.com	Mobile: 9837044993 Ph: 248001-8958191697
<input type="checkbox"/>	Edit Copy Delete	6	Aadhira Guest House	TEHSIL ROAD BAGESHWAR, BAGESHWAR, BAGESHWAR	ADVOCATEANILBHAKUNI4@gmail.com	Mobile: 8393031422 Ph: 01334-224328
<input type="checkbox"/>	Edit Copy Delete	7	Aadi Badri Guest House	5. laxman jhula street , rishikesh, pauri garhwal	aadi.badri@gmail.com	Mobile: 9997028057 Ph: 0135-9917076735



☐ Check all
 With selected:
 [Edit](#)
[Copy](#)
[Delete](#)
[Export](#)

☐ Show all
 Number of rows: 25
 Filter rows: Search this table
 Sort by key: None

All this data is fetched to a html page via php code and displayed on specific place

4.5 Screenshot

The Following are the screenshots of the result of the project:



JUNGLE SAFARI

Driving off into a dense forest in an open jeep and getting up close and almost personal with the wild is exciting. Uttarakhand, with a large forest cover, offers several safari options, including at Corbett National Park and Rajaji National Park.

For Safaris : [Click here](#)

EXPLORE MORE



CORBETT NATIONAL PARK



RAJAJI NATIONAL PARK

RISHIKESH – KEDARNATH – BADRINATH - RISHIKESH

Tour No: 1

No. of Persons Allowed per Ticket: 1

Reporting Time: One day before departure (Pre Night Sunday accommodation included)

Reporting Location: Bharat Bhoomi Tourist Complex, Shail Vihar, Rishikesh Tel: 0135-2433002

Duration: 6 Days

Frequency: Monday

Mode of Transport: Non AC 2x2 (27 Seater) Non AC Bus

Book Now

Period	Adult	Child	Sr.Citizen
May to Jun	Rs.18200	Rs.17450	Rs.17100
Jul to Aug	Rs.14550	Rs.13950	Rs.13650
Sep to Oct	Rs.18200	Rs.17450	Rs.17100

Google Map
Travel Agents

ITENARY

Day 1



RISHIKESH
06:30 AM - 01:00 PM
(After morning tea, breakfast at Kaudiyala, see the famous Raghunath temple & confluence view of Alaknanda and Bhagirathi at Devprayag)
Location Name: Rishikesh
Rishikesh is a city in India's northern state of Uttarakhand, in the Himalayan foothills beside the Ganges River. The river is considered holy, and the city is renowned as a center for studying yoga and meditation.

DAY 2



RUDRAPRAYAG
06:00 AM - 07:00 AM (Morning tea at Rudraprayag)
Location Name: Rudraprayag
After your morning tea, head to the next destination from Rudraprayag.
07:00 AM - 08:00 AM (Brief halt for breakfast & arrangement of pony / doli)
Location Name: Gaurikund

[Google Map](#)

[Travel Agents](#)

ATTRACTIONS



Hemkunt sahib



Vasundhara Falls



Satopanth Tal

PACKAGES

TOUR NO. 01

RISHIKESH – KEDARNATH – BADRINATH - RISHIKESH

TOUR NO. 02

HARIDWAR – KEDARNATH – BADRINATH - HARIDWAR

TOUR NO. 03

HARIDWAR – YAMUNOTRI – GANGOTRI – KEDARNATH -
BADRINATH-HARIDWAR

TOUR NO. 04

RISHIKESH – YAMUNOTRI – GANGOTRI – KEDARNATH –
BADRINATH-RISHIKESH

TOUR NO. 05

DEHRADUN-YAMUNOTRI-GANGOTRI-KEDARNATH-BADRINATH-
HARIDWAR

TOUR NO. 06

DELHI – YAMUNOTRI – GANGOTRI – KEDARNATH - BADRINATH-
HARIDWAR

TOUR NO. 07

DEHRADUN – YAMUNOTRI-GANGOTRI-GAUMUKH- HARIDWAR

TOUR NO. 08

RISHIKESH – KEDARNATH – BADRINATH-RISHIKESH

TOUR NO. 09

HARIDWAR – KEDARNATH – BADRINATH - HARIDWAR

TOUR NO. 010

RISHIKESH – YAMUNOTRI – GANGOTRI – KEDARNATH –
BADRINATH-RISHIKESH

HOMESTAY LISTING				
No.	NAME	ADDRESS	EMAIL	PHONE
1	(Tara Homestay)Krishnanand Bhatt	n/a, Jageshwar, Almora	krishanabhatt41@gmail.com	Mobile: 9411544736 Ph: 05962-9410521471
2	(Tara.S Home Stay)Deep Chandra Bhatt	n/a, Jageshwar, Almora	deepbhatt062@gmail.com	Mobile: 8475031984 Ph: 05962-9410521471
3	1997 Homestay	1997 Homestay, Rishikesh, Tehri Garhwal	snehakathait373@gmail.com	Mobile: 9457891917 Ph: 05962-9410521471
4	A V Home Stay	VILLAGE TAPOVAN LAXMAN JHULA , POST OFFICE TAPOVAN, TEHRI GARHWAL	avhomestay02@gmail.com	Mobile: 7078120788 Ph: 01736-9310564724
5	Aadesh Homestay	Village gangad, Mori, Uttarkashi	9410108107@gmail.com	Mobile: 9410108107 Ph: 05966-9410366660
6	Aadi Kailash Home Stay	VILL- KUTI, PO- DHARCHULA GUNJI, Dharchula, pithoragarh	mahimansinghomestay@gmail.com	Mobile: 9410182510 Ph: 05946-7455997993
7	Aadi Homestay/Manoj Singh	36, Almora, Almora	homestayaadi@gmail.com	Mobile: 9456702126 Ph: 05942-8171190140

About UTD
About Us
Awards & Honours
CEO's Message
Contact Us

Departmental Info
Citizen Charter
Annual Transfer
Important Links
Policy and Guidelines


Trade
Invest In Uttarakhand Tourism
Apply for Veer Chandra Singh Garhwali & Pt. Deen Dayal Homestay Scheme
Market Research and Statistics

TRAVEL TRADE LISTING				
No.	NAME	ADDRESS	EMAIL	PHONE
1	12:22 The Stay	JAMRI KATAL NEAR DHAMANDA GUEST HOUSE , TAPOVAN, TEHRI GARHWAL	1222thestay@gmail.com	Mobile: 7895407533 Ph: 05963-9627119733
2	180 Degree Kanatal Resort	7 km stone, chamba-mussorie road, chopriyal gaon, chamba, TEHRI GARHWAL	info@180resorts.com	Mobile: 9897500532 Ph: 0135-2627059
3	A S Residency	Shivalic inclave Lane no 1 kargi chowk dehradun, Dehradun, Dehradun	a.sresidency777@gmail.com	Mobile: 8868861996 Ph: 248001-08868861996
4	A.R.Resort	NA, GOUCHAR, CHAMOLI	arresortkameda@gmail.com	Mobile: 8750713298 Ph: 05942-235026
5	A.S. Motels & Resorts Pvt. Ltd	Haridwar-Rishikesh Road, near Dudhadhari Chowk, bhupatwala, Haridwar, Haridwar	kumartower@yahoo.com	Mobile: 9837044993 Ph: 248001-8958191697
6	Aadhira Guest House	TEHSIL ROAD BAGESHWAR, BAGESHWAR, BAGESHWAR	ADVOCATEANILBHAKUN4@gmail.com	Mobile: 8393031422 Ph: 01334-224328
7	Aadi Badri Guest House	5, laxman jhula street , rishikesh, pauni garhwal	aadi.badri@gmail.com	Mobile: 9997028057 Ph: 0135-9917076735

About UTD
About Us
Awards & Honours
CEO's Message
Contact Us
Uttarakhand Tourist Map

Departmental Info
Citizen Charter
Annual Transfer
Important Links
Policy and Guidelines
RTI

Trade
Invest In Uttarakhand Tourism
Apply for Veer Chandra Singh Garhwali & Pt. Deen Dayal Homestay Scheme
Market Research and Statistics
CBSP Training Prog. - Empanelment of Institute




LOGIN


Enter email

Password

[Forgot Password?](#)

[Create an account?](#)





SIGNUP

Enter Username

Enter Email

Enter City

Enter Number

Password

Confirm Password

[SignUp](#)

[Already a member? Login](#)

4.6 Testing

Testing is the process of evaluation of a system to detect differences between given input and expected output and also to assess the feature of the system. Testing assesses the quality of the product. It is a process that is done during the development process.

tested 'ok', and problematic otherwise.

Strategy Used

Tests can be conducted based on two approaches –

- Functionality testing
- Implementation testing

The testing method used here is Black Box Testing. It is carried out to test functionality of the program. It is also called 'Behavioral' testing. The tester in this case, has a set of input values and respective desired results. On providing input, if the output matches with the desired results, the program is tested 'ok', and problematic otherwise.

Chapter 5. Conclusion

Conclusion

5.1 Conclusion

This application aims to eliminate the problems arising during an Uttarakhand trip due to lack of knowledge about the state. The application enlightens user about the famous and interesting tourist spots based on reviews and number of visits. User can search by any place (city/town/location) in multiple languages, application will recommend user with a list of best tourist spots, adventure activities, hotels, restaurants, and the regional cuisine to try. User can use this application to plan the entire trip as the estimate cost of each and every activity/stay is briefed and make booking using application. A trip can be planned depending on budget of traveler. This application will reduce the efforts of user while planning a trip, eliminating the questions where to go? Where to eat? what to eat? It will also show user the real-time rush of the place to avoid crowding. This application will help left-out tourist spots to popularize and new businesses and state tourist to grow. Local businesses can put-up their ads to expand. It will encourage new user to visit to Uttarakhand, giving them best deals on hotels and restaurants to plan their trip with a low budget, this will add a large chunk to state tourist revenue.

5.2 Suggestion and Recommendations for Future Work

Every application has its own merits and demerits. The project has covered almost all the requirements. Further requirements and improvements can easily be done since the coding is mainly structured or modular in nature. Changing the existing modules or adding new modules can append improvements. Further enhancements can be made to the application, so that the web site functions very attractive and useful manner than the present one.

Bibliography

Textbook References:

XML - XML complete reference by Aaron Skonnard & Martin Gudgin

HTML - Steven Holzner AJAX - JavaScript and Ajax for the web, Sixth Edition (Visual Quick Start Guide)

Modern Web Design Using JavaScript and DOM by Stuart Landgridge

Websites:

www.google.com

www.asp.net

www.ajaxprojects.com

www.w3schools.com

www.programmingtutorials.com

www.youtube.com

Source Code

Index.php

```
<?php
session_start();
?>

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>TravelBug</title>
  <link rel="stylesheet" href="assets/travelbug.css">
  <link rel="stylesheet" href="assets/bootstrap.min.css">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/4.7.0/css/font-awesome.min.css">

  <!-- <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous"> -->
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmY1"
crossorigin="anonymous"></script>
  <script src="assets/travelbug.js"></script>
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top"
style="background-color: rgba(255, 0, 0, 0)!important; padding-top: 10px;
padding-bottom: 10px">
    <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarTogglerDemo03" aria-controls="navbarTogglerDemo03" aria-
expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
```

```

</button>
<a class="navbar-brand font-weight-bold" href="#">TravelBug</a>

<div class="collapse navbar-collapse" id="navbarTogglerDemo03">
  <ul class="navbar-nav mr-auto mt-2 mt-lg-0">
    <li class="nav-item active">
      <a class="nav-link font-weight-normal" href="#">HOME <span
class="sr-only">(current)</span></a>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">EXPLORE</a>
      <div class="dropdown-menu" aria-labelledby="navbarDropdown">
        <a class="dropdown-item" href="chardham.php">CharDham</a>
        <a class="dropdown-item" href="panchkedar.php">PanchKedar</a>
        <a class="dropdown-item" href="panchbadri.php">PanchBadri</a>
        <a class="dropdown-item" href="panchprayag.php">PanchPrayag</a>
      </div>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">EXPERIENCE</a>
      <div class="dropdown-menu" aria-labelledby="navbarDropdown">
        <a class="dropdown-item" href="adventures.php">Adventures</a>
        <a class="dropdown-item" href="destinations.php">Destinations</a>
        <a class="dropdown-item" href="events.php">Events</a>
        <a class="dropdown-item" href="festivals.php">Festivals &
Fairs</a>
      </div>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">PLANS</a>
      <div class="dropdown-menu" aria-labelledby="navbarDropdown">
        <a class="dropdown-item"
href="accomodations.php">Accomodations</a>
        <a class="dropdown-item" href="iteneries.php">Itineraries</a>
        <a class="dropdown-item" href="trecks.php">Trecks</a>
        <a class="dropdown-item" href="tourism.php">Tourism Circuits</a>
      </div>
    </li>
    <li class="nav-item dropdown">
      <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">Trade</a>
      <div class="dropdown-menu" aria-labelledby="navbarDropdown">
        <a class="dropdown-item" href="homestay.php">Homestay Listing</a>
        <a class="dropdown-item" href="traveltrade.php">Travel Trade
Listing</a>
        <a class="dropdown-item" href="homestayregistration.php">Homestay
Registration</a>

```

```

        <a class="dropdown-item" href="investinuttarakhand.php">Invest In
Uttarakhand Tourism</a>
    </div>
</li>
<li class="nav-item">
    <a class="nav-link font-weight-normal" href="faq.html">FAQ</a>
</li>
<li class="nav-item">
    <a class="nav-link font-weight-normal" href="media.html">MEDIA</a>
</li>
</ul>
<a class="btn btn-primary" href="/loginsignup/login.php"
role="button">Login</a>
<!-- <form class="form-inline my-2 my-lg-0">
    <input class="form-control mr-sm-2" type="search" placeholder="Search"
aria-label="Search">
    <button class="btn btn-outline-success my-2 my-sm-0"
type="submit">Search</button>
</form> -->
</div>
</nav>
<div class="w-100">
    
</div>
<div class="container-fluid section2">
    <h1 class="h1 text-center" style="color: white;"><strong>D I S C O V E R
&nbsp; U T T A R A K H A N D</strong></h2>
    <div class="container row" style="padding-top: 30px; justify-content:
space-between;" id="posts">
        <div class="col-4">
            <a href="naturesbounty.php"></a>
        </div>
        <div class="col-4">
            <a href="adventures.php"></a>
        </div>
        <div class="col-4">
            <a href=""></a>
        </div>
    </div>
    <div class="container row" style="padding-top: 20px; padding-bottom:
50px;" id="posts" >
        <div class="col-4">
            <a href=""></a>
        </div>
        <div class="col-4">
            <a href=""></a>
        </div>
        <div class="col-4">

```

```

        <a href=""></a>
    </div>
</div>
</div>
<div class="container-fluid section3" id="demo1">
    <h1 class="h1 text-center" style="padding-top: 30px; color:
white;"><strong>W H Y &nbsp; V I S I T &nbsp; U T T A R A K H A N
D</strong></h1>

    <!-- image crousal -->
    <div id="demo" class="container-fluid carousel slide" data-ride="carousel"
style="padding: 40px;">

        <!-- Indicators -->
        <ul class="carousel-indicators">
            <li data-target="#demo" data-slide-to="0" class="active"></li>
            <li data-target="#demo" data-slide-to="1"></li>
            <li data-target="#demo" data-slide-to="2"></li>
            <li data-target="#demo" data-slide-to="3"></li>
            <li data-target="#demo" data-slide-to="4"></li>
            <li data-target="#demo" data-slide-to="5"></li>
            <li data-target="#demo" data-slide-to="6"></li>
        </ul>

        <!-- The slideshow -->
        <div class="carousel-inner" id="carcon">
            <div class="carousel-item active">
                <a href=""></a>
            </div>
            <div class="carousel-item">
                
            </div>
            <div class="carousel-item">
                
            </div>
            <div class="carousel-item">
                
            </div>
            <div class="carousel-item">
                
            </div>
            <div class="carousel-item">
                
            </div>
            <div class="carousel-item">
                
            </div>
        </div>

        <!-- Left and right controls -->
        <a class="carousel-control-prev" href="#demo" data-slide="prev" >

```

```

        <span class="carousel-control-prev-icon"></span>
    </a>
    <a class="carousel-control-next" href="#demo" data-slide="next">
        <span class="carousel-control-next-icon"></span>
    </a>

</div>
</div>
<!-- image crousal -->

<!-- social media feeds -->
<div class="container-fluid section4">
    <h1 class="h1 text-center"><strong>S O C I A L &nbsp; M E D I A &nbsp; F
E E D S</strong></h1>
    <div class="container row" id="posts">
        <div class="col-4">
            <a href=""></a>
        </div>
        <div class="col-4">
            <a href=""></a>
        </div>
        <div class="col-4">
            <a href=""></a>
        </div>
    </div>
    <div class="container row" id="posts" style="padding-bottom: 50px;">
        <div class="col-4">
            <a href=""></a>
        </div>
        <div class="col-4">
            <a href=""></a>
        </div>
        <div class="col-4">
            <a href=""></a>
        </div>
    </div>
</div>

<!-- social media feeds -->

<!-- recommended video -->
<div class="container-fluid section5">
    <h1 class="h1 text-center" style="padding-top: 30px; color:
white;"><strong>R E C O M M E N D E D &nbsp; V I D E O</strong></h1>
    <div class="container embed-responsive embed-responsive-16by9 mt-5" >
        <iframe width="560" height="315" class="embed-responsive-item"
src="video/rv.mp4" allowfullscreen style="padding-bottom: 70px;"></iframe>

```

```

        </div>
    </div>
    <!-- recommended video -->

    <!-- check this out -->
    <div class="container-fluid section6" >
        <h1 class="h1 text-center" style="padding-top: 40px; color: white;
padding-bottom: 20px;"><strong>C H E C K &nbsp; T H I S &nbsp; O U
T</strong></h1>
        <div class="row" style="justify-content: center; padding-bottom: 40px;">
            <div class="col-lg-3 col-12 p-4">
                <div class="card h-100">
                    <div class="slide-item">
                        
                    </div>
                    <div class="card-body text-center">
                        <h3 class="card-title title-boton font-150">Best adventures to
try in Uttarakhand</h3>
                        <p class="card-text"><p><strong>By- Sashi Kumari
Bisht</strong></p>
                        <p><strong>Uttarakhand offers several activities to keep the
adventure enthusiasts busy.</strong></p></p>
                        <p class="card-text text-right"><a
href="https://uttarakhandtourism.gov.in/blog/best-adventures-try-
uttarakhand">Read More</a></p>
                    </div>
                </div>
            </div>
            <div class="col-lg-3 col-12 p-4">
                <div class="card h-100">
                    <div class="slide-item">
                        
                    </div>
                    <div class="card-body text-center">
                        <h3 class="card-title title-boton font-150">Kumbh Mela: Leap of
Faith</h3>
                        <p class="card-text"><p><strong>By- Sashi Kumari
Bisht</strong></p>
                        <p><strong>What makes attending a Kumbh Mela a once-in-a-
lifetime opportunity</strong></p></p>
                        <p class="card-text text-right"><a
href="https://uttarakhandtourism.gov.in/blog/kumbh-mela-leap-faith">Read
More</a></p>
                    </div>
                </div>
            </div>
            <div class="col-lg-3 col-12 p-4">
                <div class="card h-100">
                    <div class="slide-item">
                        
                    </div>

```

```

        <div class="card-body text-center">
            <h3 class="card-title title-boton font-150">Beatles magical tour
of India </h3>
            <p class="card-text"><p><strong>By- Ishita Goel</strong></p>
            <p><strong>Some facts that made headlines during and after the
visit Beatles to India.</strong></p></p>
            <p class="card-text text-right"><a
href="https://uttarakhandtourism.gov.in/blog/beatles-magical-tour-india">Read
More</a></p>
        </div>
    </div>
</div>
</div>
<!-- check this out -->

<!-- footer -->
<div class="container-fluid" style="background-color: #464646;">
    <div class="row section7" style="padding-left: 100px; padding-right:
100px;">
        <div class="col-sm" style="padding: 30px;">
            <h4 style="color: white;">About UTD</h4>
            <a href="">About Us</a>
            <a href="">Awards & Honours</a>
            <a href="">CEO's Message</a>
            <a href="">Contact Us</a>
            <a href="">Uttarakhand Tourist Map</a>
            <a href="">Sitemap</a>
        </div>
        <div class="col-sm" style="padding: 30px;">
            <h4 style="color: white;">Departmental Info</h4>
            <a href="">Citizen Charter</a>
            <a href="">Annual Transfer</a>
            <a href="">Important Links</a>
            <a href="">Policy and Guidelines</a>
            <a href="">RTI</a>
            <a href="">Right to Service</a>
            <a href="">Tenders/EOI</a>
            <a href="">Vacancies</a>
        </div>
        <div class="col-sm" style="padding: 30px;">
            <h4 style="color: white;">Trade</h4>
            <a href="">Invest In Uttarakhand Tourism</a>
            <a href="">Apply for Veer Chandra Singh Garhwali & Pt. Deen Dayal
Homestay Scheme</a>
            <a href="">Market Research and Statistics</a>
            <a href="">CBSP Training Prog. - Empanelment of Institute</a>
            <a href="">Upload Advertisement of Hunar Se Rozgar Tak (HSRT)</a>
            <a href="">Tourist Guide Training Form</a>
            <a href="">Treks of the year</a>
            <a href="">Photography & Videography Contest and Influencer
Registration</a>
        </div>
    </div>
</div>

```

```

</div>
<div class="container" style="display: flex; justify-content: center;">
  <!-- Button trigger modal -->
  <a></a>
  <a></a>
  <a></a>

  <!-- Modal0 -->
  <div class="modal fade" id="exampleModal0" tabindex="-1" role="dialog"
aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
      <div class="modal-content">
        <div class="modal-header">
          <h5 class="modal-title" id="exampleModalLabel">Alert!</h5>
          <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
        <div class="modal-body">
          This link shall take you to a page outside the UTDB website. For
any query regarding the contents of the linked page, please contact the
webmaster of the concerned website.
        </div>
        <div class="modal-footer">
          <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
          <a class="btn btn-primary" href="https://gmvnonline.com/"
role="button">Confirm</a>
        </div>
      </div>
    </div>
  </div>
  <!-- Modal0 -->

  <!-- Modal1 -->
  <div class="modal fade" id="exampleModal1" tabindex="-1" role="dialog"
aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
      <div class="modal-content">
        <div class="modal-header">
          <h5 class="modal-title" id="exampleModalLabel">Alert!</h5>
          <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
        <div class="modal-body">

```

This link shall take you to a page outside the UTDB website. For any query regarding the contents of the linked page, please contact the webmaster of the concerned website.

```
</div>
<div class="modal-footer">
  <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
  <a class="btn btn-primary" href="http://www.kmvn.in/"
role="button">Confirm</a>
</div>
</div>
</div>
</div>
<!-- Modal1 -->
```

```
<!-- Modal2 -->
<div class="modal fade" id="exampleModal2" tabindex="-1" role="dialog"
aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">Alert!</h5>
        <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
```

```
      <span aria-hidden="true">&times;</span>
    </button>
  </div>
  <div class="modal-body">
```

This link shall take you to a page outside the UTDB website. For any query regarding the contents of the linked page, please contact the webmaster of the concerned website.

```
</div>
<div class="modal-footer">
  <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
  <a class="btn btn-primary" href="https://tourism.gov.in/"
role="button">Confirm</a>
</div>
</div>
</div>
</div>
<!-- Modal2 -->
```

```
</div>
<div class="col-12 d-flex justify-content-center text-white p-2 text-
center" style="background-color: #464646;">
```

Nodal Officer

Mr. V.S. Chauhan (Additional Director)

For suggestions & feedback related to the website, please write to infoutdb-uk@nic.in

For any general queries or details, please mail us at publicityutdb@gmail.com, info.utdb@gmail.com or call 91- 135- 2559898, 2559987

```

        <br/>
    </div>
    <div class="container-fluid">
        <div class="row" style="background-color: #464646;">
            <div class="col-sm d-flex justify-content-center text-white p-2 text-
center">
                <p class="text-white m-0">Copyright © 2022 <span>Uttarakhand Tourism
Development Board.</span> - All rights reserved.</p>
            </div>
            <div class="col-sm d-flex justify-content-center text-white p-2 text-
center">
                <a href="#" style="color: white; align-items: center;">Sitemap</a>
                <a href="#" style="color: white; align-items: center;">Policy</a>
                <a href="#" style="color: white; align-items: center;">Accesiblity
Statement</a>
            </div>
        </div>
    </div>
    <!-- footer -->

</body>
</html>

```

Login.php

```
<?php
session_start();

?>

<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">

    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aowXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

    <title>Hello, world!</title>
  </head>
  <body style="background: linear-gradient(to right, #00467f, #a5cc82);">

    <!-- Optional JavaScript -->
    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>

  <?php

  include 'connection.php';
  if(isset($_POST['submit']))
  {
    $email = $_POST['email'];
    $password = $_POST['password'];
```

```

$email_search = " select * from users where email='$email' ";
$query = mysqli_query($con, $email_search);

$email_count = mysqli_num_rows($query);
if($email_count)
{
    $email_pass = mysqli_fetch_assoc($query);
    $db_pass = $email_pass['password_1'];
    $_SESSION['username'] = $email_pass['username'];

    $pass_decode = password_verify($password, $db_pass);
    if($pass_decode)
    {
        echo "login succesfull";
        ?>
        <script>
            location.replace("../index.php");
        </script>
        <?php
    }
    else
    {
        echo "password incorrect";
    }
}
else{
    echo "invalid email";
}
}

?>

<!-- -->
<div class="container mt-2">
    <div class="row justify-content-center align-items-center text-center"
style="padding-top: 150px;">
        <div class="m-1 col-sm-8 col-md-6 col-lg-4 p-3 mb-5 bg-white rounded"
style="background: linear-gradient(to right, #e96443, #904e95);box-shadow:
50px 4px 100px rgb(0 0 0 / 0.2);">
            <div class="pt-5 pb-5">
                
                <p class="text-center text-uppercase mt-3 text-white">Login</p>
                <form class="form text-center" action="<?php echo
$_SERVER['PHP_SELF']; ?>" method="POST">
                    <div class="form-group input-group-md">
                        <input type="email" class="form-control" name="email"
placeholder="Enter email">
                        <!--<div class="invalid-feedback">
                            Errors in email during form validation, also add .is-
invalid class to the input fields
                        </div> -->

```

```

        </div>
        <div class="form-group input-group-md">
            <input type="password" class="form-control" name="password"
placeholder="Password">
            <!--<div class="invalid-feedback">
                Errors in password during form validation, also add .is-
invalid class to the input fields
            </div> -->
        </div>
        <button class="btn btn-lg btn-block btn-primary mt-4"
type="submit" name="submit">
            Login
        </button>
        <a href="recover_email.php" class="float-right mt-2 text-white"
>Forgot Password? </a>
    </form>
</div>
    <a href="register.php" class="text-center d-block mt-2 text-
white">Create an account? </a>
</div>
</div>
</div>
<!-- -->

```

```

</body>
</html>

```

```

<?php
session_start();

```

```

?>

```

```

<!doctype html>
<html lang="en">
    <head>
        <!-- Required meta tags -->
        <meta charset="utf-8">
        <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">

        <!-- Bootstrap CSS -->
        <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aowXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">

```

```

        <title>Hello, world!</title>
    </head>
    <body style="background: linear-gradient(to right, #00467f, #a5cc82);">

```

```

    <!-- Optional JavaScript -->
    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkvYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtV3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8jOt6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>

```

```
<?php
```

```

include 'connection.php';
if(isset($_POST['submit']))
{
    $email = $_POST['email'];
    $password = $_POST['password'];

    $email_search = " select * from users where email='$email' ";
    $query = mysqli_query($con, $email_search);

    $email_count = mysqli_num_rows($query);
    if($email_count)
    {
        $email_pass = mysqli_fetch_assoc($query);
        $db_pass = $email_pass['password_1'];
        $_SESSION['username'] = $email_pass['username'];

        $pass_decode = password_verify($password, $db_pass);
        if($pass_decode)
        {
            echo "login succesfull";
            ?>
            <script>
                location.replace("../index.php");
            </script>
            <?php
        }
        else
        {
            echo "password incorrect";
        }
    }else{
        echo "invalid email";
    }
}

```

```

    }
}

?>
<!-- -->
<div class="container mt-2">
    <div class="row justify-content-center align-items-center text-center"
style="padding-top: 150px;">
        <div class="m-1 col-sm-8 col-md-6 col-lg-4 p-3 mb-5 bg-white rounded"
style="background: linear-gradient(to right, #e96443, #904e95);box-shadow:
50px 4px 100px rgb(0 0 0 / 0.2);">
            <div class="pt-5 pb-5">
                
                <p class="text-center text-uppercase mt-3 text-white">Login</p>
                <form class="form text-center" action="<?php echo
$_SERVER['PHP_SELF']; ?>" method="POST">
                    <div class="form-group input-group-md">
                        <input type="email" class="form-control" name="email"
placeholder="Enter email">
                        <!--<div class="invalid-feedback">
                            Errors in email during form validation, also add .is-
invalid class to the input fields
                        </div> -->
                    </div>
                    <div class="form-group input-group-md">
                        <input type="password" class="form-control" name="password"
placeholder="Password">
                        <!--<div class="invalid-feedback">
                            Errors in password during form validation, also add .is-
invalid class to the input fields
                        </div> -->
                    </div>
                    <button class="btn btn-lg btn-block btn-primary mt-4"
type="submit" name="submit">
                        Login
                    </button>
                    <a href="recover_email.php" class="float-right mt-2 text-white"
>Forgot Password? </a>
                </form>
            </div>
            <div>
                <a href="register.php" class="text-center d-block mt-2 text-
white">Create an account? </a>
            </div>
        </div>
    </div>
<!-- -->

</body>
</html>

```

Register.php

```
<?php
session_start();
?>
<!doctype html>
<html lang="en">
  <head>
    <!-- Required meta tags -->
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1,
shrink-to-fit=no">
    <!-- Bootstrap CSS -->
    <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aoWXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous">
    <title>Sign Up Travelbug</title>
  </head>
  <body style="background: linear-gradient(to right, #00467f, #a5cc82);">
    <!-- Optional JavaScript -->
    <!-- jQuery first, then Popper.js, then Bootstrap JS -->
    <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
    <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
  <?php
    include 'connection.php';
    if(isset($_POST['submit']))
    {
      $username = mysqli_real_escape_string($con, $_POST['username']);
      $email = mysqli_real_escape_string($con, $_POST['email']);
      $city = mysqli_real_escape_string($con, $_POST['city']);
      $phno = mysqli_real_escape_string($con, $_POST['phno']);
      $password_1 = mysqli_real_escape_string($con, $_POST['password_1']);
      $password_2 = mysqli_real_escape_string($con, $_POST['password_2']);

      $pass1 = password_hash($password_1, PASSWORD_BCRYPT);
      $pass2 = password_hash($password_2, PASSWORD_BCRYPT);

      if($password_1 === $password_2)
      {
```

```

        $insertquery = "insert into users(username, email, city, phno,
password_1, password_2)
values('$username','$email','$city','$phno','$pass1','$pass2')";

        $iquery = mysqli_query($con, $insertquery);
        if($iquery)
        {
            ?>
            <script>
                alert("Registered succesfully");
                location.replace("login.php");
            </script>
            <?php
        }
        else
        {
            ?>
            <script>
                alert("Not Registered");
            </script>>
            <?php
        }
    }
    else
    {
        echo "password are not matching";
    }
}

?>
<!-- -->
<div class="container mt-2">
    <div class="row justify-content-center align-items-center text-center"
style="padding-top: 120px;">
        <div class="m-1 col-sm-8 col-md-6 col-lg-4 p-3 mb-5 bg-white rounded"
style="background: linear-gradient(to right, #e96443, #904e95);box-shadow:
50px 4px 100px rgb(0 0 0 / 0.2);">
            <div class="pt-5 pb-5">
                
                <p class="text-center text-uppercase mt-3 text-white">SignUp</p>
                <form class="form text-center" action="<?php echo
$_SERVER['PHP_SELF']; ?>" method="POST" >
                    <div class="form-group input-group-md">
                        <input type="text" class="form-control" name="username"
placeholder="Enter Username" required>
                        <!--<div class="invalid-feedback">
                            Errors in email during form validation, also add .is-
invalid class to the input fields
                        </div> -->
                    </div>
                    <div class="form-group input-group-md">

```



```

        <input type="email" class="form-control" aria-
describedby="emailHelp" name="email" placeholder="Enter Email" required>
        <!--<div class="invalid-feedback">
            Errors in email during form validation, also add .is-
invalid class to the input fields
        </div> -->
    </div>
    <div class="form-group input-group-md">
        <input type="text" class="form-control" name="city"
placeholder="Enter City" required>
        <!--<div class="invalid-feedback">
            Errors in email during form validation, also add .is-
invalid class to the input fields
        </div> -->
    </div>
    <div class="form-group input-group-md">
        <input type="tel" class="form-control" name="phno"
placeholder="Enter Number" required>
        <!--<div class="invalid-feedback">
            Errors in email during form validation, also add .is-
invalid class to the input fields
        </div> -->
    </div>
    <div class="form-group input-group-md">
        <input type="password" class="form-control" name="password_1"
placeholder="Password" required>
        <!--<div class="invalid-feedback">
            Errors in password during form validation, also add .is-
invalid class to the input fields
        </div> -->
    </div>
    <div class="form-group input-group-md">
        <input type="password" class="form-control" name="password_2"
placeholder="Confirm Password" required>
        <!--<div class="invalid-feedback">
            Errors in password during form validation, also add .is-
invalid class to the input fields
        </div> -->
    </div>
    <button class="btn btn-lg btn-block btn-primary mt-4"
type="submit" name="submit">
        SignUp
    </button>
    <a href="login.php" class="float-left mt-2 text-white">Already
a member? Login</a>
</form>
</div>
</div>
</div>
</div>
<!-- -->
</body>
</html>

```

Display.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Admin panel</title>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-scale=1">
  <link rel="stylesheet"
href="https://cdn.jsdelivrivr.net/npm/bootstrap@4.6.1/dist/css/bootstrap.min.css"
>
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <script
src="https://cdn.jsdelivrivr.net/npm/jquery@3.6.0/dist/jquery.slim.min.js"></scri
pt>
  <script
src="https://cdn.jsdelivrivr.net/npm/popper.js@1.16.1/dist/umd/popper.min.js"></s
cript>
  <script
src="https://cdn.jsdelivrivr.net/npm/bootstrap@4.6.1/dist/js/bootstrap.bundle.min
.js"></script>
</head>
<body >
<!-- style="background: linear-gradient(to right, #e96443, #904e95);" -->
<div class="container-fluid ">
  <p class="text-center h1 p-3">Registered Users</p>
  <table class="table table-hover">
    <thead>
      <tr>
        <th >Id</th>
        <th >Username</th>
        <th >Email</th>
        <th >City</th>
        <th>Phone No</th>
        <th >Password</th>
        <th >Update</th>
        <th >Delete</th>
      </tr>
    </thead>
    <tbody>
      <?php

include 'connection.php';

$selectquery = "select * from users";
$query = mysqli_query($con, $selectquery);

$num = mysqli_num_rows($query);

while ($res = mysqli_fetch_array($query)) {

?>
```

```

        <tr>
            <td ><?php echo $res['id']?></td>
            <td ><?php echo $res['username']?></td>
            <td ><?php echo $res['email']?></td>
            <td ><?php echo $res['city']?></td>
            <td ><?php echo $res['phno']?></td>
            <td ><?php echo $res['password_1']?></td>
            <td ><a href="#" data-toggle="tooltip" data-placement="top"
title="Update" ><i class="fa fa-pencil-square-o" aria-
hidden="true"></i></a></td>
            <td ><a href="#" data-toggle="tooltip" data-placement="top"
title="Delete"><i class="fa fa-trash-o" aria-hidden="true"></i></a></td>
        </tr>

    <?php
    }
    ?>

</tbody>
</table>
</div>

</body>
</html>

```

Festivals.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>TravelBug</title>
  <link rel="stylesheet" href="assets/travelbug.css">
  <link rel="stylesheet" href="assets/bootstrap.min.css">
  <link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">

  <!-- <link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/css/bootstrap.min.css"
integrity="sha384-
Gn5384xqQ1aowXA+058RXPxPg6fy4IWvTNh0E263XmFcJlSAwiGgFAW/dAiS6JXm"
crossorigin="anonymous"> -->
  <script src="https://code.jquery.com/jquery-3.2.1.slim.min.js"
integrity="sha384-
KJ3o2DKtIkVYIK3UENzmM7KCKRr/rE9/Qpg6aAZGJwFDMVNA/GpGFF93hXpG5KkN"
crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/popper.js@1.12.9/dist/umd/popper.min.js"
integrity="sha384-
ApNbgh9B+Y1QKtv3Rn7W3mgPxhU9K/ScQsAP7hUibX39j7fakFPskvXusvfa0b4Q"
crossorigin="anonymous"></script>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@4.0.0/dist/js/bootstrap.min.js"
integrity="sha384-
JZR6Spejh4U02d8j0t6vLEHfe/JQGiRRSQQxSfFWpi1MquVdAyjUar5+76PVCmYl"
crossorigin="anonymous"></script>
  <script src="assets/travelbug.js"></script>
</head>
<body>
  <!-- header/navbar -->
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark fixed-top"
style="background-color: rgba(255, 0, 0, 0)!important; padding-top: 10px;
padding-bottom: 10px">
    <button class="navbar-toggler" type="button" data-toggle="collapse"
data-target="#navbarTogglerDemo03" aria-controls="navbarTogglerDemo03" aria-
expanded="false" aria-label="Toggle navigation">
      <span class="navbar-toggler-icon"></span>
    </button>
    <a class="navbar-brand font-weight-bold" href="#">TravelBug</a>

    <div class="collapse navbar-collapse" id="navbarTogglerDemo03">
      <ul class="navbar-nav mr-auto mt-2 mt-lg-0">
        <li class="nav-item active">
          <a class="nav-link font-weight-normal" href="#">HOME <span
class="sr-only">(current)</span></a>
        </li>
        <li class="nav-item dropdown">
```

```

        <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">EXPLORE</a>
        <div class="dropdown-menu" aria-labelledby="navbarDropdown">
            <a class="dropdown-item" href="chardham.php">CharDham</a>
            <a class="dropdown-item" href="panchkedar.php">PanchKedar</a>
            <a class="dropdown-item" href="panchbadri.php">PanchBadri</a>
            <a class="dropdown-item"
href="panchprayag.php">PanchPrayag</a>
        </div>
    </li>
    <li class="nav-item dropdown">
        <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">EXPERIENCE</a>
        <div class="dropdown-menu" aria-labelledby="navbarDropdown">
            <a class="dropdown-item" href="adventures.php">Adventures</a>
            <a class="dropdown-item"
href="destinations.php">Destinations</a>
            <a class="dropdown-item" href="events.php">Events</a>
            <a class="dropdown-item" href="festivals.php">Festivals &
Fairs</a>
        </div>
    </li>
    <li class="nav-item dropdown">
        <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">PLANS</a>
        <div class="dropdown-menu" aria-labelledby="navbarDropdown">
            <a class="dropdown-item"
href="accomodations.php">Accomodations</a>
            <a class="dropdown-item" href="iteneries.php">Itineraries</a>
            <a class="dropdown-item" href="trecks.php">Treks</a>
            <a class="dropdown-item" href="tourism.php">Tourism
Circuits</a>
        </div>
    </li>
    <li class="nav-item dropdown">
        <a class="nav-link font-weight-normal dropdown-toggle" href="#"
id="navbarDropdown" role="button" data-toggle="dropdown" aria-haspopup="true"
aria-expanded="false">Trade</a>
        <div class="dropdown-menu" aria-labelledby="navbarDropdown">
            <a class="dropdown-item" href="homestay.php">Homestay
Listing</a>
            <a class="dropdown-item" href="traveltrade.php">Travel Trade
Listing</a>
            <a class="dropdown-item"
href="homestayregistration.php">Homestay Registration</a>
            <a class="dropdown-item" href="investinuttarakhand.php">Invest
In Uttarakhand Tourism</a>
        </div>
    </li>
    <li class="nav-item">
        <a class="nav-link font-weight-normal" href="faq.html">FAQ</a>

```

```

        </li>
        <li class="nav-item">
            <a class="nav-link font-weight-normal"
href="media.html">MEDIA</a>
        </li>
    </ul>
    <a class="btn btn-primary" href="login.html" role="button">Login</a>
    <!-- <form class="form-inline my-2 my-lg-0">
        <input class="form-control mr-sm-2" type="search"
placeholder="Search" aria-label="Search">
        <button class="btn btn-outline-success my-2 my-sm-0"
type="submit">Search</button>
    </form> -->
</div>
</nav>
<!-- header/navbar -->

<!-- banner image -->
<div class="img-fluid">
    
</div>
<!-- banner image -->

<!-- voices and culture -->
<div class="container">
    <h1 class="h1 text-center" style="padding: 30px;"><strong>V O I C E S
&nbsp; A N D &nbsp; C U L T U R E</strong></h1>
    <P class="text-left font-weight-normal">Uttarakhand's diverse terrain
offers several challenging routes for mountain biking. A very popular sport in
the state, there are trails for beginners and professionals alike. In fact,
the annual Ultimate Mountain Terrain Biking Championship, which is said to be
Asia's longest mountain bike race, is held here and draws participants from
across the world. Read a traveller's cycling experience here</P>
    <h1 class="h1 text-center" style="padding: 30px;"><strong>F E S T I V
A L S</strong></h1>
</div>
<!-- voices and culture -->
<!-- FESTIVALS -->
<div class="container" style="display: flex; justify-content: center;">
    <div class="container row justify-content-between m-auto justify-
content-center " style="padding-bottom: 30px;">
        <div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
            <figure class="figure1" style="overflow: hidden!important;">
                
            </figure></a>
            <!-- modal0 -->
            <div class="modal fade" id="exampleModal" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
                <div class="modal-dialog" role="document">
                    <div class="modal-content">
                        <div class="modal-header">

```

```

        <h5 class="modal-title" id="exampleModallLabel">ANDURI
UTSAV</h5>

        <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
            <span aria-hidden="true">&times;</span>
        </button>
    </div>
    <div class="modal-body">
        <br>

        <p class="text-left p-1 w-auto font-weight-
bold">Anduri Utsav or the butter festival is held in Raithal in Uttarkashi
district every year to thank Lord Krishna for protecting cattle from evil
forces while they were grazing in the open meadows of Dayara Bugyal. Generally
held between August and September, during this festival people smear each
other with butter, milk and buttermilk.<p>
    </div>
</div>
</div>
</div>
<!-- modal0 -->
<h2 class="h4 text-center"><strong>ANDURI UTSAV</strong></h2>
</div>
<div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
    <figure class="figure1" style="overflow: hidden!important;">
        
    </figure></a>
<!-- modal0 -->
    <div class="modal fade" id="exampleModal1" tabindex="-1"
role="dialog" aria-labelledby="exampleModallLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModallLabel">BAT
SAVITRI</h5>

                    <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <br>

                    <p class="text-left p-1 w-auto font-weight-bold">Bat
Savitri or Vat Savitri is a festival observed by married women, who fast
through the day and pray for their husband's well-being. They offer prayers to
Savitri, a legendary figure in Hindu mythology, who is said to have saved her
husband from death. Prayers are also offered to the bat or vat (banyan)
tree.<p>
                </div>
            </div>
        </div>
    </div>

```

```

        </div>
    </div>
    <!-- modal0 -->
    <h2 class="h4 text-center"><strong>BAT SAVITRI</strong></h2>
</div>
<div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
    <figure class="figure1" style="overflow: hidden!important;">
        
    </figure></a>
    <!-- modal0 -->
    <div class="modal fade" id="exampleModal2" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title"
id="exampleModalLabel">BHITAULI</h5>
                    <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <br>

                    <p class="text-left p-1 w-auto">A festival dedicated
to married women of the state, Bhitauli is celebrated in the month of March or
April. During this festival, a married woman's brother, parents or any other
relative visit her and bring with them sweets, fruits and new clothes. A newly
married girl receives her first Bhitauli in the month of Baisakh (April-May),
after which it is given each year in the month of Chaitra.<p>
                </div>
            </div>
        </div>
    </div>
    <!-- modal0 -->
    <h2 class="h4 text-center"><strong>BHITAULI</strong></h2>
</div>
</div>
<div class="container" style="display: flex; justify-content: center;">
    <div class="container row justify-content-between m-auto justify-content-center" style="padding-bottom: 30px;">
        <div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
            <figure class="figure1" style="overflow: hidden!important;">
                
            </figure></a>
            <!-- modal0 -->
            <div class="modal fade" id="exampleModal" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
                <div class="modal-dialog" role="document">

```



```

        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title" id="exampleModalLabel">ANDURI
UTSAV</h5>
                <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>
            <div class="modal-body">
                <br>
                <p class="text-left p-1 w-auto font-weight-
bold">Anduri Utsav or the butter festival is held in Raithal in Uttarkashi
district every year to thank Lord Krishna for protecting cattle from evil
forces while they were grazing in the open meadows of Dayara Bugyal. Generally
held between August and September, during this festival people smear each
other with butter, milk and buttermilk.<p>
            </div>
        </div>
    </div>
<!-- modal0 -->
    <h2 class="h4 text-center"><strong>ANDURI UTSAV</strong></h2>
</div>
<div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
    <figure class="figure1" style="overflow: hidden!important;">
        
    </figure></a>
<!-- modal0 -->
    <div class="modal fade" id="exampleModal1" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">BAT
SAVITRI</h5>
                    <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <br>
                    <p class="text-left p-1 w-auto font-weight-bold">Bat
Savitri or Vat Savitri is a festival observed by married women, who fast
through the day and pray for their husband's well-being. They offer prayers to
Savitri, a legendary figure in Hindu mythology, who is said to have saved her
husband from death. Prayers are also offered to the bat or vat (banyan)
tree.<p>

```

```

        </div>
    </div>
</div>
</div>
<!-- modal0 -->
<h2 class="h4 text-center"><strong>BAT SAVITRI</strong></h2>
</div>
<div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
    <figure class="figure1" style="overflow: hidden!important;">
        
    </figure></a>
<!-- modal0 -->
<div class="modal fade" id="exampleModal2" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
        <div class="modal-content">
            <div class="modal-header">
                <h5 class="modal-title"
id="exampleModalLabel">BHITAULI</h5>
                <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                    <span aria-hidden="true">&times;</span>
                </button>
            </div>
            <div class="modal-body">
                <br>
                <p class="text-left p-1 w-auto">A festival dedicated
to married women of the state, Bhitauli is celebrated in the month of March or
April. During this festival, a married woman's brother, parents or any other
relative visit her and bring with them sweets, fruits and new clothes. A newly
married girl receives her first Bhitauli in the month of Baisakh (April-May),
after which it is given each year in the month of Chaitra.<p>
            </div>
        </div>
    </div>
</div>
<!-- modal0 -->
<h2 class="h4 text-center"><strong>BHITAULI</strong></h2>
</div>
</div>
<div class="container" style="display: flex; justify-content: center;">
    <div class="container row justify-content-between m-auto justify-
content-center " style="padding-bottom: 30px;">
        <div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
            <figure class="figure1" style="overflow: hidden!important;">
                
            </figure></a>
            <!-- modal0 -->

```

```

        <div class="modal fade" id="exampleModal" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">ANDURI
UTSAV</h5>
                    <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <br>
                    <p class="text-left p-1 w-auto font-weight-
bold">Anduri Utsav or the butter festival is held in Raithal in Uttarkashi
district every year to thank Lord Krishna for protecting cattle from evil
forces while they were grazing in the open meadows of Dayara Bugyal. Generally
held between August and September, during this festival people smear each
other with butter, milk and buttermilk.<p>
                </div>
            </div>
        </div>
        </div>
        <!-- modal0 -->
        <h2 class="h4 text-center"><strong>ANDURI UTSAV</strong></h2>
    </div>
    <div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
        <figure class="figure1" style="overflow: hidden!important;">
            
        </figure></a>
        <!-- modal0 -->
        <div class="modal fade" id="exampleModal1" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModalLabel">BAT
SAVITRI</h5>
                    <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <br>
                    <p class="text-left p-1 w-auto font-weight-bold">Bat
Savitri or Vat Savitri is a festival observed by married women, who fast
through the day and pray for their husband's well-being. They offer prayers to

```

Savitri, a legendary figure in Hindu mythology, who is said to have saved her husband from death. Prayers are also offered to the bat or vat (banyan) tree.<p>

```

        </div>
    </div>
</div>
</div>
<!-- modal0 -->
<h2 class="h4 text-center"><strong>BAT SAVITRI</strong></h2>
</div>
<div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
    <figure class="figure1" style="overflow: hidden!important;">
        
    </figure></a>
    <!-- modal0 -->
    <div class="modal fade" id="exampleModal2" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title"
id="exampleModalLabel">BHITAULI</h5>
                    <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <br>
                    <p class="text-left p-1 w-auto">A festival dedicated
to married women of the state, Bhitauli is celebrated in the month of March or
April. During this festival, a married woman's brother, parents or any other
relative visit her and bring with them sweets, fruits and new clothes. A newly
married girl receives her first Bhitauli in the month of Baisakh (April-May),
after which it is given each year in the month of Chaitra.<p>
                </div>
            </div>
        </div>
    </div>
</div>
<div class="container" style="display: flex; justify-content: center;">
    <div class="container row justify-content-between m-auto justify-content-center " style="padding-bottom: 30px;">
        <div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
            <figure class="figure1" style="overflow: hidden!important;">
                

```

```

</figure></a>
<!-- modal0 -->
<div class="modal fade" id="exampleModal" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
  <div class="modal-dialog" role="document">
    <div class="modal-content">
      <div class="modal-header">
        <h5 class="modal-title" id="exampleModalLabel">ANDURI
UTSAV</h5>
        <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
          <span aria-hidden="true">&times;</span>
        </button>
      </div>
      <div class="modal-body">
        <br>
        <p class="text-left p-1 w-auto font-weight-
bold">Anduri Utsav or the butter festival is held in Raithal in Uttarkashi
district every year to thank Lord Krishna for protecting cattle from evil
forces while they were grazing in the open meadows of Dayara Bugyal. Generally
held between August and September, during this festival people smear each
other with butter, milk and buttermilk.<p>
      </div>
    </div>
  </div>
<!-- modal0 -->
<h2 class="h4 text-center"><strong>ANDURI UTSAV</strong></h2>
</div>
<div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
  <figure class="figure1" style="overflow: hidden!important;">
    
  </figure></a>
  <!-- modal0 -->
  <div class="modal fade" id="exampleModal1" tabindex="-1"
role="dialog" aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
      <div class="modal-content">
        <div class="modal-header">
          <h5 class="modal-title" id="exampleModalLabel">BAT
SAVITRI</h5>
          <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
            <span aria-hidden="true">&times;</span>
          </button>
        </div>
        <div class="modal-body">
          <br>

```

```

        <p class="text-left p-1 w-auto font-weight-bold">Bat
Savitri or Vat Savitri is a festival observed by married women, who fast
through the day and pray for their husband's well-being. They offer prayers to
Savitri, a legendary figure in Hindu mythology, who is said to have saved her
husband from death. Prayers are also offered to the bat or vat (banyan)
tree.<p>
        </div>
    </div>
</div>
</div>
<!-- modal0 -->
<h2 class="h4 text-center"><strong>BAT SAVITRI</strong></h2>
</div>
<div class="col-lg-4 col-sm-6 p-3 shadow rounded"><a>
    <figure class="figure1" style="overflow: hidden!important;">
        
    </figure></a>
    <!-- modal0 -->
    <div class="modal fade" id="exampleModal2" tabindex="-1"
role="dialog" aria-labelledby="exampleModallabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title"
id="exampleModallabel">BHITAULI</h5>
                    <button type="button" class="close" data-dismiss="modal"
aria-label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    <br>
                    <p class="text-left p-1 w-auto">A festival dedicated
to married women of the state, Bhitauli is celebrated in the month of March or
April. During this festival, a married woman's brother, parents or any other
relative visit her and bring with them sweets, fruits and new clothes. A newly
married girl receives her first Bhitauli in the month of Baisakh (April-May),
after which it is given each year in the month of Chaitra.<p>
                </div>
            </div>
        </div>
    </div>
<!-- modal0 -->
<h2 class="h4 text-center"><strong>BHITAULI</strong></h2>
</div>
</div>
<!-- FESTIVALS -->

<!-- footer -->

```

```

<div class="container-fluid" style="background-color: #464646;">
  <div class="row section7" style="padding-left: 100px; padding-right:
100px;">
    <div class="col-sm" style="padding: 30px;">
      <h4 style="color: white;">About UTD</h4>
      <a href="">About Us</a>
      <a href="">Awards & Honours</a>
      <a href="">CEO's Message</a>
      <a href="">Contact Us</a>
      <a href="">Uttarakhand Tourist Map</a>
      <a href="">Sitemap</a>
    </div>
    <div class="col-sm" style="padding: 30px;">
      <h4 style="color: white;">Departmental Info</h4>
      <a href="">Citizen Charter</a>
      <a href="">Annual Transfer</a>
      <a href="">Important Links</a>
      <a href="">Policy and Guidelines</a>
      <a href="">RTI</a>
      <a href="">Right to Service</a>
      <a href="">Tenders/EOI</a>
      <a href="">Vacancies</a>
    </div>
    <div class="col-sm" style="padding: 30px;">
      <h4 style="color: white;">Trade</h4>
      <a href="">Invest In Uttarakhand Tourism</a>
      <a href="">Apply for Veer Chandra Singh Garhwali & Pt. Deen Dayal
Homestay Scheme</a>
      <a href="">Market Research and Statistics</a>
      <a href="">CBSP Training Prog. - Empanelment of Institute</a>
      <a href="">Upload Advertisement of Hunar Se Rozgar Tak (HSRT)</a>
      <a href="">Tourist Guide Training Form</a>
      <a href="">Treks of the year</a>
      <a href="">Photography & Videography Contest and Influencer
Registration</a>
    </div>
  </div>
</div>
<div class="container" style="display: flex; justify-content: center;">
  <!-- Button trigger modal -->
  <a></a>
  <a></a>
  <a></a>
  <!-- Modal0 -->
  <div class="modal fade" id="exampleModal0" tabindex="-1" role="dialog"
aria-labelledby="exampleModalLabel" aria-hidden="true">
    <div class="modal-dialog" role="document">
      <div class="modal-content">

```

```

        <div class="modal-header">
            <h5 class="modal-title" id="exampleModallLabel">Alert!</h5>
            <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                <span aria-hidden="true">&times;</span>
            </button>
        </div>
        <div class="modal-body">
            This link shall take you to a page outside the UTDB website. For
any query regarding the contents of the linked page, please contact the
webmaster of the concerned website.
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
            <a class="btn btn-primary" href="https://gmvnonline.com/"
role="button">Confirm</a>
        </div>
    </div>
</div>
<!-- Modal0 -->
<!-- Modal1 -->
    <div class="modal fade" id="exampleModal1" tabindex="-1" role="dialog"
aria-labelledby="exampleModallLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">
                <div class="modal-header">
                    <h5 class="modal-title" id="exampleModallLabel">Alert!</h5>
                    <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                        <span aria-hidden="true">&times;</span>
                    </button>
                </div>
                <div class="modal-body">
                    This link shall take you to a page outside the UTDB website. For
any query regarding the contents of the linked page, please contact the
webmaster of the concerned website.
                </div>
                <div class="modal-footer">
                    <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
                    <a class="btn btn-primary" href="http://www.kmvm.in/"
role="button">Confirm</a>
                </div>
            </div>
        </div>
    </div>
<!-- Modal1 -->
<!-- Modal2 -->
    <div class="modal fade" id="exampleModal2" tabindex="-1" role="dialog"
aria-labelledby="exampleModallLabel" aria-hidden="true">
        <div class="modal-dialog" role="document">
            <div class="modal-content">

```

```

        <div class="modal-header">
            <h5 class="modal-title" id="exampleModallabel">Alert!</h5>
            <button type="button" class="close" data-dismiss="modal" aria-
label="Close">
                <span aria-hidden="true">&times;</span>
            </button>
        </div>
        <div class="modal-body">
            This link shall take you to a page outside the UTDB website. For
any query regarding the contents of the linked page, please contact the
webmaster of the concerned website.
        </div>
        <div class="modal-footer">
            <button type="button" class="btn btn-secondary" data-
dismiss="modal">Close</button>
            <a class="btn btn-primary" href="https://tourism.gov.in/"
role="button">Confirm</a>
        </div>
    </div>
</div>
<!-- Modal2 -->
</div>
<div class="col-12 d-flex justify-content-center text-white p-2 text-
center" style="background-color: #464646;">
    Nodal Officer
    <br/>
    Mr. V.S. Chauhan (Additional Director)
    <br/>
    For suggestions & feedback related to the website, please write to
infoutdb-uk@nic.in
    <br/>
    For any general queries or details, please mail us at
publicityutdb@gmail.com, info.utdb@gmail.com or call 91- 135- 2559898, 2559987
    <br/>
</div>
<div class="container-fluid">
    <div class="row" style="background-color: #464646;">
        <div class="col-sm d-flex justify-content-center text-white p-2 text-
center">
            <p class="text-white m-0">Copyright © 2022 <span>Uttarakhand Tourism
Development Board.</span> - All rights reserved.</p>
        </div>
        <div class="col-sm d-flex justify-content-center text-white p-2 text-
center">
            <a href="#" style="color: white; align-items: center;">Sitemap</a>
            <a href="#" style="color: white; align-items: center;">Policy</a>
            <a href="#" style="color: white; align-items: center;">Accesibility
Statement</a>
        </div>
    </div>
</div>
<!-- footer -->
</body>

```

Connection.php

```
<?php

$username = "root";
$password = "root";
$server = "localhost";
$db = "travelbug";

$con = mysqli_connect($server, $username, $password, $db);

if($con)
{
    //echo connection succces
    ?>
    <script>
        alert('connection succesfull');
    </script>
    <?php
}else{
    //echo no connection
    die("no connection" . mysqli_connect_error());
}
?>
```