Cucumber Report

Start : Jul 22, 8:00:14.524 PM	End : Jul 22, 8:00:45.816 PM	Duration : 31.292 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 2 SKIPPED - 0	PASSED - 12 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	**Duration**	**T**	**P**	**F**	**S**	**T**	**P**	**F**	**S**
FbLogin	*31.292 s*	2	0	2	0	12	12	0	0

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@faceBook	2	0	2	0	1	0	1	0

#	Feature Name	T	P	F	S	Duration
1	FbLogin	2	0	2	0	31.292 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	FbLogin	Login With Valid Credentials	6	6	0	0	15.226 s
2	FbLogin	Login With Valid Credentials	6	6	0	0	16.041 s

FbLogin

FAILED	DURATION - 31.292 s	Scenarios Total - 2 Pass - 0 Fail - 2 Skip - 0		Steps Total - 12 Pass - 12 Fail - 0 Skip - 0	
/ 8:00:14.524 PM // 8:00:45.816 PM /			2		12

Login With Valid Credentials

FAILED	DURATION - 15.226 s		Steps Total - 6 Pass - 6 Fail - 0 Skip - 0	
/ 8:00:14.533 PM // 8:00:29.759 PM /				6
FbLogin				
@faceBook				

#	Step / Hook Details	Status	Duration
1	Given User opens facebook page	PASSED	1.548 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.137 s
	Login With Valid Credentials		
2	When User enters "sathish@gmail.com" username input field	PASSED	0.128 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.143 s
	Login With Valid Credentials		

| #	Step / Hook Details	Status	Duration
3	And User enters "sathish@123" password input field	PASSED	0.086 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials 	PASSED	0.207 s
4	And User click the login button	PASSED	0.067 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials 	PASSED	10.516 s
5	Then User directed to their homepage	PASSED	0.017 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials 	PASSED	0.115 s
6	And User closes the browser	PASSED	0.188 s

	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)
	
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59840}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59840/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true}
	   at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)
	   at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)
		FAILED	0.000 s

| #	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at com.resources.BaseClass.screenShot(BaseClass.java:239) at com.hooks.Hooks.screenshotStep(Hooks.java:32)		
	AFTER - com.hooks.Hooks.screenShotScenario(io.cucumber.java.Scenario)	FAILED	0.015 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59840}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59840/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at com.resources.BaseClass.screenShot(BaseClass.java:239) at com.hooks.Hooks.screenShotScenario(Hooks.java:37)		

Login With Valid Credentials

FAILED	DURATION - 16.041 s		Steps	
/ 8:00:29.775 PM // 8:00:45.816 PM /			Total - 6	
FbLogin			Pass - 6	6
@faceBook			Fail - 0 Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given User opens facebook page	PASSED	1.359 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials 	PASSED	0.146 s
2	When User enters "ram@gmail.com" username input field	PASSED	0.078 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials 	PASSED	0.122 s
3	And User enters "ram@123" password input field	PASSED	0.083 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials 	PASSED	0.212 s
4	And User click the login button	PASSED	0.166 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials 	PASSED	12.611 s
5	Then User directed to their homepage	PASSED	0.015 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials	PASSED	0.133 s

#	Step / Hook Details	Status	Duration
6	And User closes the browser	PASSED	0.177 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59864}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59864/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) 　at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) 　at com.resources.BaseClass.screenShot(BaseClass.java:239) 　at com.hooks.Hooks.screenshotStep(Hooks.java:32)		
	AFTER - com.hooks.Hooks.screenShotScenario(io.cucumber.java.Scenario)	FAILED	0.000 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 114.0.5735.199, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f..., userDataDir: C:\Users\dell\AppData\Local...}, goog:chromeOptions: {debuggerAddress: localhost:59864}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59864/devtoo..., se:cdpVersion: 114.0.5735.199, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} 　at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183) 　at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) 　at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at com.resources.BaseClass.screenShot(BaseClass.java:239) at com.hooks.Hooks.screenShotScenario(Hooks.java:37)		