

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>FbLogin</u>	20.536 s	2	0	2	0	12	12	0	0	

Tag	Scenario				Feature				
Name	T	P	F	S	T	P	F	S	
@faceBook	2	0	2	0	1	0	1	0	

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	<u>FbLogin</u>	2	0	2	0	20.536 s


SCENARIOS SUMMARY -- 5 --




;	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	FbLogin	Login With Valid Credentials	6	6	0	0	14.919 s
	2	FbLogin	Login With Valid Credentials	6	6	0	0	5.561 s

DETAILED SECTION -- 6 --

FbLogin



Login With Valid Credentials




#	Step / Hook Details	Status	Duration
1	Given User opens facebook page	PASSED	1.737 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.226 s
	Login With Valid Credentials		
	Facebook Facebook reproductive and datase with the product in your face and datase with the product in your face. Toward		
2	When User enters "sathish@gmail.com" username input field	PASSED	0.113 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.162 s
	Login With Valid Credentials		
	Facebook Facebook Facebook by your ormet and share with the people is your file In a second to the		

#	Step / Hook Details	Status	Duration
3	And User enters "sathish@123" password input field	PASSED	0.158 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario) Login With Valid Credentials	PASSED	0.194 s
	Facebook Facebook high you connect and share with the people is your file. Leg III Connect and share Connect and share Connect and share Connect and share according to the share		
4	And User click the login button	PASSED	0.121 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	8.984 s
	Login With Valid Credentials	1	
	Facebook Usa to Private Sent of Sent		
5	Then User directed to their homepage	PASSED	0.019 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.137 s
	Login With Valid Credentials		
	Facebook Land Por France water digensia are: Transes: Van yan water are: Transes: Transes:		
6	And User closes the browser	PASSED	0.233 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	FAILED	0.019 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\dell\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:54977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54977/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:183)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158)		

Step / Hook Details	Status	Duration
at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at com.resources.BaseClass.screenShot(BaseClass.java:239) at com.hooks.Hooks.screenshotStep(Hooks.java:32)		
AFTER - com.hooks.Hooks.screenShotScenario(io.cucumber.java.Scenario)	FAILED	0.000 s
org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\dell\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:54977}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54977/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at com.resources.BaseClass.screenShot(BaseClass.java:239) at com.hooks.Hooks.screenShotStep(Hooks.java:32) AFTER - com.hooks.Hooks.screenShotScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDatabir: C:UsersidellAppDatalLocal}, goog:chromeOptions: {debuggerAddress: localhost:549777, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:549777/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:vitualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.BemoteWebDriver.cxecute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:549) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:548)	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at com.resources.BaseClass.screenShot(BaseClass.java:239) at com.hooks.Hooks.screenShotStep(Hooks.java:32) AFTER - com.hooks.Hooks.screenShotScenario(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch. 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: (chromedriverVersion: 114.0.5735.90 (386bc09e814f, userDataDir: C:UsersIdellAppDataLocal), goog:chromeOptions: {debuggerAddress: localhost:54977/}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54977/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000), unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:iminPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:588) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:560) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:560) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318) at org.openqa

Login With Valid Credentials



#	Step / Hook Details	Status	Duration
1	Given User opens facebook page	PASSED	1.368 s

#	Step / Hook Details	Status	Duration
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.188 s
	Login With Valid Credentials		
	Facebook Forestant May you connect and share with the people in your fire. I was mark I		
2	When User enters "ram@gmail.com" username input field	PASSED	0.085 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.175 s
	Login With Valid Credentials		
	Facebook Feature Major per connect and share with the geogle in your file. To make the good of the connect and share To make the good of the connect and share To make the good of the connect and share To make the good of the good of the connect and share To make the good of th		
3	And User enters "ram@123" password input field	PASSED	0.179 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.188 s
	Login With Valid Credentials		
	facebook Facebook Index you connect and share with the people in your file. In the people in your file.		
4	And User click the login button	PASSED	0.123 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	1.671 s
	Login With Valid Credentials		
	facebook Ingritrations Included the Includ		
5	Then User directed to their homepage	PASSED	0.018 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	PASSED	0.184 s
	Login With Valid Credentials		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	facebook Ingritisfaces Implications I Transcoll Implications I Transcoll Implications Implica		
6	And User closes the browser	PASSED	0.172 s
	AFTER_STEP - com.hooks.Hooks.screenshotStep(io.cucumber.java.Scenario)	FAILED	0.004 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptinsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\dell\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:55002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55002/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:188) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:543) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:318) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(Remot		
	AFTER - com.hooks.Hooks.screenShotScenario(io.cucumber.java.Scenario)	FAILED	0.008 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.8.3', revision: 'e5e76298c3' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.6' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 115.0.5790.110, chrome: {chromedriverVersion: 114.0.5735.90 (386bc09e8f4f, userDataDir: C:\Users\dell\AppData\Local}, goog:chromeOptions: {debuggerAddress: localhost:55002}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55002/devtoo, se:cdpVersion: 115.0.5790.110, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:154) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:158) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:598) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)		

DETAILED SECTION -- 11 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:318) at com.resources.BaseClass.screenShot(BaseClass.java:239) at com.hooks.Hooks.screenShotScenario(Hooks.java:37)		