

Wedding Package Management

New PC Setup Guide

Use this guide to set up the project on a brand-new Windows PC, configure MySQL, build the WAR file, deploy it to Tomcat 9, and log in successfully.

Project type	Java web application using JSP, Servlets, JDBC, Maven, and Tomcat 9
Database	MySQL schema: wedding_package_management
WAR file	target\wedding-package-management.war
Default logins	admin/admin, organizer1/organizer1, organizer2/organizer2

1. Software You Need

- Java JDK 11
- Apache Maven
- MySQL Server 8.x
- Apache Tomcat 9.x
- Optional: MySQL Workbench for easier database management

2. Copy the Project

Copy the full project folder to the new PC. Example location: D:\Projects\Wedding Package Management. You can use another folder, but update the commands below to match your actual path.

3. Verify Java and Maven

Open PowerShell and run these commands:

```
java -version
mvn -version
```

4. Start MySQL Server

If MySQL was installed as a Windows service, verify it is running. The common service name is MySQL80, but your PC may show a different service name.

```
sc query MySQL80
net start MySQL80
```

5. Create the Database

Run the schema file included in the project. It creates the wedding_package_management database and inserts sample event and venue data.

```
mysql -u root -p < "D:\Projects\Wedding Package Management\db-schema.sql"
& "C:\Program Files\MySQL\MySQL Server 8.4\bin\mysql.exe" -u root -p < "D:\Projects\Wedding Package
```

6. Update Database Password if Needed

The application reads database credentials from src\main\webapp\WEB-INF\web.xml. The current defaults are root / password. If your MySQL password is different, edit jdbc.username or jdbc.password before building.

7. Build the Project

Go to the project folder and build the WAR file with Maven:

```
cd "D:\Projects\Wedding Package Management"
mvn clean package
```

8. Set Tomcat Variables and Deploy

Update the sample paths below to your real JDK 11 and Tomcat 9 installation folders, then copy the built WAR into Tomcat webapps.

```
$env:JAVA_HOME="C:\Program Files\Microsoft\jdk-11.0.x"
$env:CATALINA_HOME="C:\apache-tomcat-9.0.xxx"
Copy-Item "D:\Projects\Wedding Package Management\target\wedding-package-management.war" "$env:CATA
```

9. Start Tomcat and Open the App

```
cd "$env:CATALINA_HOME\bin"
.\startup.bat
```

Wait 10 to 20 seconds, then open: <http://localhost:8080/wedding-package-management/>

10. Login Credentials

- Admin: admin / admin
- Organizer: organizer1 / organizer1
- Organizer: organizer2 / organizer2

11. Quick Troubleshooting

- 1 If the browser shows a database error, confirm MySQL is running and the password in web.xml matches your real MySQL password.
- 2 If the browser shows 404, confirm wedding-package-management.war was copied into Tomcat webapps and Tomcat started successfully.
- 3 If Tomcat fails to start, make sure you are using Tomcat 9, not Tomcat 10 or 11.
- 4 If mvn is not recognized, add Maven bin to PATH and open a new PowerShell window.
- 5 If java is not recognized, fix JAVA_HOME and PATH, then reopen PowerShell.

12. Final Run Order

- 1 Install Java 11, Maven, MySQL Server, and Tomcat 9.

- 2 Copy the project to the new PC.
- 3 Start MySQL Server.
- 4 Run db-schema.sql.
- 5 Update web.xml if your DB password is different.
- 6 Run mvn clean package.
- 7 Copy the WAR file to Tomcat webapps.
- 8 Start Tomcat.
- 9 Open the application and log in.

Tip: If your actual project path, MySQL path, or Tomcat path is different, replace the sample paths in the commands before running them.