




FRONT ELEVATION
(PROPOSED)



SECTION ON 'AA'
(PROPOSED)

SECTION



KEY PLAN
(N.T.S)

PLAN SHOWING THE PROPOSED CONSTRUCTION OF RESIDENTIAL BUILDING (GROUND FLOOR + FIRST FLOOR + SECOND FLOOR WITH FOUR DWELLING UNITS) AT PLOT NO.11 (SOUTHERN SIDE), "KANTHASWAMY NAGAR LAYOUT" IN PATTA S.NO.125/21B & 125/22B(PATTA NO.13195) OF VANAGARAM VILLAGE, VILLIVAKKAM PANCHAYAT UNION, POONAMALLEE TALUK, THIRUVALLUR DISTRICT.

ALL MEASUREMENT ARE IN METRE
SCALE=1:100

AREA STATEMENT:

PLOT EXTENT :

AS PER DOCUMENT : 111.48 Sqm
AS PER PATTA : 110.00 Sqm
AS PER SITE : 109.80 Sqm

	FSI AREA (SQ.M)	NON-FSI AREA (SQ.M)	BUILDUP AREA (SQ.M)
GROUND FLOOR	68.85		68.85
FIRST FLOOR	68.85		68.85
SECOND FLOOR	68.85		68.85
HEAD ROOM		6.55	6.55
TOTAL	206.55	6.55	213.10


COVERAGE : 62.59% F.S.I : 1.88

JOINERIES:

MD	MAIN DOOR	1.00X2.13
D	DOOR	1.00X2.13
D1	DOOR	0.90X2.13
D2	DOOR	0.76X2.13
O	OPENING	0.90X2.13
W1	WINDOW	1.20X1.20
W2	WINDOW	0.90X1.20
W3	WINDOW	0.90X0.90
V	VENTILATOR	0.60X0.60


COLOUR INDEX:

PROPOSED
BOUNDARY
ROAD




GROUND FLOOR PLAN
PROPOSED)

SITE CUM GROUND_FLOOR_PLAN




FIRST FLOOR PLAN
(PROPOSED)

FIRST_FLOOR_PLAN




SECOND FLOOR PLAN
(PROPOSED)


SECOND_FLOOR_PLAN



TERRACE FLOOR PLAN
(PROPOSED)





6Ø BORE WELL




SECTION ON SUMP


SUMP DETAIL PLAN
(SCALE : 1:50)








SOLAR WATER HEATING SYSTEM



RAIN WATER FILTER PIT




STAIRCASE DETAILS

STAIRCASE WIDTH 3'0" (0.90)
TREAD : 0'10" (0.25)
RISE : 0'6½" (0,17)

SPECIFICATION

1. Foundation - R.C.C Column in M25 Grade
2. Super Structure - Brick work in CM 1:5
3. Plastering - CM 1:4
4. Flooring - Ceramic Tiled Flooring
5. Structure - R.C.C in M25 Grade
6. Roof - R.C.C in M25 Grade



ELEVATION

OWNER

GOUTTAMAN.A, M.ARCH., LEED Green Associate,
Registered Architect Grade - I
Greater Chennai Corporation
REG NO: RA100712024
No.30, 3rd Street, Rajaji Avenue, Valasaravakkam,
Chennai-600087. Mob: 78248 89800

LICENCED SURVEYOR

Signature valid
Signature valid