5.6 Confidence Interval and Sample Size for Discrete Data

MBC 638

Data Analysis and Decision Making

Confidence Interval for Discrete Data

Confidence Interval for Discrete Data

For a population proportion (e.g., cosmetic defect):

Confidence Interval for Discrete Data

For a population proportion (e.g., cosmetic defect):

$$U = p + z^* \sqrt{\frac{p(1-p)}{n}}$$

$$L = p - z^* \sqrt{\frac{p(1-p)}{n}}$$

Confidence Interval for Discrete Data

For a population proportion (e.g., cosmetic defect):

$$U = p + z * \sqrt{\frac{p(1-p)}{n}}$$

$$L = p - z * \sqrt{\frac{p(1-p)}{n}}$$

- Upper and lower confidence limits for *p*

Confidence Interval for Discrete Data

For a population proportion (e.g., cosmetic defect):

$$U = p + z * \sqrt{\frac{p(1-p)}{n}}$$

$$L = p - z * \sqrt{\frac{p(1-p)}{n}}$$

- Upper and lower confidence limits for *p*
- Where:
  - *p* = sample proportion (e.g., percent defective)

Confidence Interval for Discrete Data

For a population proportion (e.g., cosmetic defect):

$$U = p + z^* \sqrt{\frac{p(1-p)}{n}}$$

$$L = p - z^* \sqrt{\frac{p(1-p)}{n}}$$

- Upper and lower confidence limits for p
- Where:
  - p = sample proportion (e.g., percent defective)
  - n = sample size

CI Example: Candidate A Voters

CI Example: Candidate A Voters

- Of a sample of 300 voters, 164 want to vote for Candidate A.

CI Example: Candidate A Voters

- Of a sample of 300 voters, 164 want to vote for Candidate A.
- Find the 99% confidence interval for the proportion of voters planning to vote for Candidate A.

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

- p = 164/300 = 54.7%

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547$$

- p = 164/300 = 54.7%

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576 \sqrt{0.547(1-0.547)}$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576 \sqrt{\frac{0.547(1-0.547)}{}}$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)
- n = 300

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576 \sqrt{\frac{0.547(1-0.547)}{300}}$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)
- n = 300

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576 \sqrt{\frac{0.547(1-0.547)}{300}}$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)
- n = 300

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576 \sqrt{\frac{0.547(1-0.547)}{300}}$$

$$= 0.547 \pm 0.077$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)
- n = 300

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576 \sqrt{\frac{0.547(1-0.547)}{300}}$$

$$= 0.547 \pm 0.077$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)
- n = 300

We are 99% confident that the true percentage of voters for Candidate A is between 47.0% and 62.4% (i.e., $0.47 \leq \pi \leq 0.624$).

CI Example: Candidate A Voters (cont.)

$$U \& L = p \pm z^* \sqrt{\frac{p(1-p)}{n}}$$

$$= 0.547 \pm 2.576 \sqrt{\frac{0.547(1-0.547)}{300}}$$

$$= 0.547 \pm 0.077$$

- p = 164/300 = 54.7%
- z^* at 99% = 2.576 (at the bottom of p. T-11)
- n = 300

We are 99% confident that the true percentage of voters for Candidate A is between 47.0% and 62.4% (i.e., $0.47 \leq \pi \leq 0.624$).

Sample Size for Discrete Data

Sample Size for Discrete Data

$$n = \frac{(z^*)^2 p(1-p)}{E^2}$$

- Where p = sample proportion

Sample Size for Discrete Data

$$n = \frac{(z^*)^2 p(1-p)}{E^2}$$

- Where p = sample proportion

Sample Size for Discrete Data

$$n = \frac{(z^*)^2 p(1-p)}{E^2}$$

- Where p = sample proportion

Sample Size for Discrete Data

$$n = \frac{(z^*)^2 p(1-p)}{E^2}$$

- Where p = sample proportion

Sample Size for Discrete Data

$$n = \frac{(z^*)^2 p(1-p)}{E^2}$$

- Where p = sample proportion