3.7 Writing Hypothesis Statements

MBC 638

Data Analysis and Decision Making




Types of Statistics
Probability
Descriptive Statistics
Inferential Statistics
Organize
Summarize
Present
bridge
Draw a conclusion about a population based on a sample


Types of Statistics
Probability
Descriptive Statistics
Inferential Statistics
Organize
Summarize
Present
bridge
Draw a conclusion about a population based on a sample

5 of 31



6 of 31

Uses of Hypothesis Testing

7 of 31

Uses of Hypothesis Testing

- Hypothesis testing can tell us:
  - If two sets of data are really different

Uses of Hypothesis Testing

- Hypothesis testing can tell us:
  - If two sets of data are really different
  - If population parameter varies from a standard

Uses of Hypothesis Testing

- Hypothesis testing can tell us:
  - If two sets of data are really different
  - If population parameter varies from a standard
  - Probability of being right or wrong

Uses of Hypothesis Testing

- Hypothesis testing can tell us:
  - If two sets of data are really different
  - If population parameter varies from a standard
  - Probability of being right or wrong
  - Risk of making an incorrect decision

Writing Hypothesis Statements

Writing Hypothesis Statements

Null hypothesis

Writing Hypothesis Statements

Null hypothesis **Alternative hypothesis**

Writing Hypothesis Statements

Null hypothesis **Alternative hypothesis**

H_0: μ or σ = (or ≤, or ≥) a number

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
	Captures results of interest

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
Captures "other" results	Captures results of interest

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
Captures "other" results	Captures results of interest
Locus of equality condition	

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
Captures "other" results	Captures results of interest
Locus of equality condition	
H_0: $\mu = 10$	

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
Captures "other" results	Captures results of interest
Locus of equality condition	H_a: $\mu \neq 10$
H_0: $\mu = 10$	

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
Captures "other" results	Captures results of interest
Locus of equality condition	H_a: $\mu \neq 10$
H_0: $\mu = 10$	H_a: $\mu > 10$

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
Captures "other" results	Captures results of interest
Locus of equality condition	H_a: $\mu \neq 10$
H_0: $\mu = 10$	H_a: $\mu > 10$
	There *is* a difference!

Writing Hypothesis Statements

Null hypothesis	Alternative hypothesis
H_0: μ or σ = (or ≤, or ≥) a number	H_a: μ or $\sigma \neq$ (or <, or >) a number
Captures "other" results	Captures results of interest
Locus of equality condition	H_a: $\mu \neq 10$
H_0: $\mu = 10$	H_a: $\mu > 10$
There is *no* difference!	There *is* a difference!

Example:
Hank the Handyman's Process

Example:
Hank the Handyman's Process

Did we really improve Hank's job ticket process?

Example:
Hank the Handyman's Process

Did we really improve Hank's job ticket process?

- H_a: $\mu_1 > \mu_2$

The CLT gives us permission to use the normal distribution when we use population parameters.

The CLT gives us permission to use the normal distribution when we use population parameters.

In this case, we compare mean time for job tickets moving through Hank's system.

Example:
Hank the Handyman's Process (cont.)

Did we really improve Hank's job ticket process?

- H_0: $\mu_1 \leq \mu_2$
- H_a: $\mu_1 > \mu_2$

Example:
Hank the Handyman's Process (cont.)

Did we really improve Hank's job ticket process?

- H_0: $\mu_1 \leq \mu_2$
- H_a: $\mu_1 > \mu_2$