

[Home](#)
[Community](#)
[Blogs](#)
[Ask a Question](#)
[Write a Blog Post](#)
[Login / Sign-up](#)
[Send a Message](#)
[Manage My Blog Posts](#)
[Quick Start Guide](#)



Former Member

July 6, 2015 | 6 minute read

Collective reject from ME28 (Approve Purchase Documents)

□ 2 □ 1 □ 2,240

Follow

□ Like

□ RSS Feed

Requirement :

ME28 {Release (Approve) Purchasing Documents} is the Transaction Code for Collect Approval where the requirement is to have Collective Rejection with Status of 08.

Procedure :

This requirement can be achieved by enhancing (Implicit Enhancement) Standard Program RM06EF00.

A>>> Identify the *Implicit Enhancement places* for incorporating the REJECTION functionality.

B>>> Enhance the Report RM06EF00 Output displayed in ALV , providing the REJECTION icon as similar as the APPROVE icon.

C>>> Handle the REJECTION icon functionality and Set the Document Number with Status-08.

Spot-1 : Enhancement in Data Declaration for defining the REJECTION Method and to add the functionality in

lcl_datablade_purchdoc_rel DEFINITION as below

```

ENHANCEMENT 1 ZMM_ME28. "active version
  CLASS-DATA: my_icon_reject TYPE icon_release,
              my_icon_undo TYPE icon_release.
  DATA      : MY_PROSTAT TYPE EKKO-PROSTAT.
ENDENHANCEMENT.

*$$$-End: (1)-----$$$

```

```
ENDCLASS.
```

```
"lcl_datablade_purchdoc_rel DEFINITION
```

Spot-2 : Add REJECT ICON to be displayed in the Output of the ALV Report .

```
ENHANCEMENT 2 ZMM_ME28. "active version
```

```
l_info = 'Reject'(134).
```

```
CALL FUNCTION 'ICON_CREATE'
```

```
EXPORTING
```

```
name = icon_reject
```

```
info = l_info
```

```
IMPORTING
```

```
result = my_icon_reject
```

```
EXCEPTIONS
```

```
OTHERS = 0.
```

```
l_info = 'Reject'(134).
```

```
CALL FUNCTION 'ICON_CREATE'
```

```
EXPORTING
```

```
name = ICON_SYSTEM_UNDO
```

```
info = l_info
```

```
IMPORTING
```

```
result = my_icon_undo
```

```
EXCEPTIONS
```

```
OTHERS = 0.
```

```
ENDENHANCEMENT.
```

```

*$$$-End: (1)-----$$$
ENDMETHOD.          "class_constructor

```

Spot-3 : Handling the action made on the REJECTION ICON enhancement made at double click event.

```

ENHANCEMENT 03 ZMM_ME28.  "active version
    METHODS : REJECTION IMPORTING IM_WA TYPE ANY.
ENDENHANCEMENT.

*$$$-End: (2)-----$$$
ENDCLASS.            "lcl_reporting_cnt_purchdoc_rel DEFINITION

```

Spot-4 : To make the REJECTION icon HOTSPOT in Fieldcatalog

```

ENHANCEMENT 04 ZMM_ME28.  "active version
    LOOP AT my_fcat ASSIGNING <fcat>.
        CASE <fcat>-fieldname.
            WHEN 'ICON_REJECT'.
                <fcat>-icon = cl_mmpur_constants=>yes.
                <fcat>-hotspot = cl_mmpur_constants=>yes.
            ENDCASE.
        ENDLOOP.
        re_fcat = my_fcat.
    ENDENHANCEMENT.

```

```
*$$$-End: (1)-----$$$
```

```
ENDMETHOD.          "get_fcat
```

Spot-5 : Implementation of the Method REJECTION

METHOD rejection.

" Method for Collective Rejection for ME28.

```
DATA: ls_outtab    TYPE merep_outtab_purchdoc_rel,
```

```
l_model    TYPE REF TO lcl_reporting_model,
```

```
l_datablade TYPE REF TO lcl_datablade_general,
```

```
l_frgab    TYPE rm06b-frgab,
```

```
l_frgzu    TYPE ekko-frgzu,
```

```
l_frgke    TYPE ekko-frgke,
```

```
l_ebeln    TYPE ekko-ebeln,
```

```
lv_ebeln    TYPE ekko-ebeln.
```

```
data: lc_po    type ref to cl_po_header_handle_mm,
```

```
ls_document type mepo_document,
```

```
IM_DATA TYPE MEPOHEADER.
```

```
DATA : IM_header TYPE BAPIMEPOHEADER,
```

```
EX_header TYPE BAPIMEPOHEADER,
```

```
IM_headerx TYPE BAPIMEPOHEADERX ,
```

```
T_RETURN TYPE STANDARD TABLE OF BAPIRET2,
```

```
S_RETURN LIKE LINE OF T_RETURN,
```

```
CL_PO TYPE REF TO CL_PO_HEADER_HANDLE_MM,
```

```
VAR TYPE C.
```

FIELD-SYMBOLS: <line> LIKE LINE OF gt_outtab_purchdoc_rel.

```
l_model = my_view->get_model( ).  
l_datablade ?= l_model->get_current_datablade( ).  
MOVE-CORRESPONDING im_wa TO ls_outtab.  
  
* prepare creation of PO instance  
ls_document-doc_type   = 'F'.  
ls_document-process    = mmpur_po_process.  
ls_document-trtyp      = 'V'.  
ls_document-doc_key(10) = ls_outtab-ebeln.  
ls_document-initiator-initiator = mmpur_initiator_rel.  
  
* object creation and initialization  
* lv_ebeln = ls_outtab-ebeln.  
create object lc_po.  
lc_po->for_bapi = mmpur_yes.  
call method lc_po->po_initialize( im_document = ls_document ).  
call method lc_po->set_po_number( im_po_number = ls_outtab-ebeln ).  
call method lc_po->set_state( cl_po_header_handle_mm=>c_available ).  
CASE ls_outtab-icon_reject.  
WHEN lcl_datablade_purchdoc_rel=>my_icon_reject.  
  
* read purchase order from database  
call method lc_po->po_read  
exporting  
    im_tcode   = 'ME29N'  
    im_trtyp   = ls_document-trtyp  
    im_akttyp  = ls_document-trtyp  
    im_po_number = ls_outtab-ebeln
```

```
im_document = ls_document.

if lc_po->if_releasable_mm-is_rejection_allowed( ) = mmpur_yes.
    call method lc_po->if_releasable_mm~reject
        exporting
            im_reset = space
        exceptions
            failed = 1
            others = 2.
endif.

CALL METHOD lc_po->po_post

EXCEPTIONS
    failure      = 1
    others       = 2
    .

if sy-subrc = 0.
    LOOP AT gt_outtab_purchdoc_rel ASSIGNING <line> WHERE
        ebeln = ls_outtab-ebeln.

        IF l_ebeln NE ls_outtab-ebeln.
            <line>-icon_reject = lcl_datablade_purchdoc_rel=>my_icon_undo.
            l_ebeln = ls_outtab-ebeln.
        ELSE.
            CLEAR <line>-icon_reject.
        ENDIF.
    ENDLOOP.
ENDIF.
```

```

endcase.

ENDMETHOD.

ENDENHANCEMENT.

*$$$-End: (5)-----$$$*

ENDCLASS.          "lcl_reporting_cnt_purchdoc_rel IMPLEMENTATION

```

Spot-6 : Enhancement for handling the action for double click on REJECTION icon.

```

IF ch_selffield-fieldname EQ 'ICON_REJECT'.

    CHECK NOT ch_selffield-tabindex IS INITIAL.

    CHECK ch_selffield-sumindex IS INITIAL.

    CHECK NOT ch_ucomm EQ 'MEDETAIL'.

    CALL METHOD rejection( im_wa = im_wa ).

    ch_selffield-refresh = 'X'.

    ch_selffield-col_stable = 'X'.

    ch_selffield-row_stable = 'X'.

ENDIF.

ENDENHANCEMENT.

*$$$-End: (3)-----$$$*

ENDMETHOD.          "double_click

```

Sample Output :

Alert Moderator

Thanks & Regards,

Assigned Tags

ABAP Extensibility

integration option for Microsoft Office SharePoint software

cancel

cl po header handle mm

collective

enhanced

enhancement

[View more...](#)

Similar Blog Posts

Automate Master Data Vendor Extension Process to Purchase Organization with Approval Workflow

By arghadip kar Dec 07, 2020

Understanding how email template works in Flexible Workflow

By Gourab Dey Oct 16, 2021

Enhancement for Version Long Text in ME21n/22n/23n

By Former Member Jul 06, 2015

Related Questions



[Screen Exits for ME2N](#)

By Former Member Apr 20, 2009

[Exit or enhancement for ME21, ME22, ME21N, ME22N and ME27](#)

By Former Member Dec 11, 2009

[Enhancements to add custom message log in purchase order](#)

By Vijay Dhanasekar Mar 03, 2009

Join the Conversation



[SAP TechEd](#)

Tune in for tech talk. Stay for inspiration. Upskill your future.



[SAP BTP Learning Group](#)

SAP Business Technology Platform Learning Journeys.



[Coffee Corner](#)

Join the new Coffee Corner Discussion Group.

2 Comments

You must be [Logged on](#) to comment or reply to a post.



Dennis Urbano

February 8, 2018 at 4:45 pm

Hi **S.Rajendranath**,

Could you please list the places for incorporating that functionality?

Thanks in advance.

Like 0 | [Share](#)



Hitesh Thakore

April 2, 2018 at 5:01 pm

Enhancement mentioned in this blog is done for ALV report SAPLMEREP (function group MEREP).

Start with include LMEREPD20 for *lcl_datablade_purchdoc_rel DEFINITION enhancement and follow steps.*

Like 0 | [Share](#)

Find us on

[Privacy](#)

[Terms of Use](#)

[Legal Disclosure](#)

[Copyright](#)

[Trademark](#)

[Newsletter](#)

[Support](#)