



## Mark Your Calendars

Mark Your Calendars with these Important Dates. SAP Community is moving in January 2024!

Here's what you need to know to prepare.

Ask a Question Write a Blog Post





## Borja Federico Muro Berdasco

January 7, 2013 | 2 minute read

## BTEs – Business Transaction Events

**Follow** 

Like

Business Transaction Events (BTEs) have been available as of Release 4.0 and are another technique for implementing program exits, and only program exits.

BTEs are generally found in the general ledger accounting (FI-GL), account receivable and payable (FI-AR and FI-AP) and sales and distribution components.

RSS Feed

A BTE has a predefined interface and allows you to attach additional functionality in the form of a service funtion module. You must create funtion module with the

#### **Assigned Tags**

**ABAP Connectivity** 

abap

beginner


bte

enhacements

#### Similar Blog Posts

ABAP Platform for SAP S/4HANA 2022

parameters you have previously dictated. The BTE is called by the SAP standard program by a call to function OPEN\_FI\_PERFORM\_ or OUTBOUND\_CALL\_. This function checks if there are any active BTEs according to customizing.



According to its Interface there are 2 types of BTEs:

**Publish & Subscribe interfaces**. Can not update data. Possible to have multiple implementations

Process interfaces. Can update date. Only one active implementation

How to find a BTE (2 ways)

- Search the source code for for "OPEN\_FI\_PERFORM" og "OUTBOUND\_CALL\_"
- Use transaction FIBF menu Environment->Info System (P/S). Use the Documentation button to see the documentation for the BTE.

By Olga Dolinskaja Nov 30, 2022

# ABAP are you listening? Apache ActiveMQ is calling

By Uwe Fetzer May 16, 2021

How to get all the Custom Enhancements(BADIs/User Exits/BTE) implemented for any Transaction Code in SAP?

By arghadip kar Aug 08, 2020

#### **Related Questions**

#### BTE info in Fi


By Former Member Oct 03, 2008

#### BTE Enhacements:

By Gandham Prem Kumar May 02, 2023


#### Enhancement in FK02

By Raj kumar May 10, 2019



#### Implementing the BTE

- Goto transaction FIBF menu Environment->Info System (P/S)
- Select the BTE you want to implement. (as below)




- Double click on Sample function module


Sample function module

• Then we copy the sample function module to a Z-function module (First create a new function group for the function module) .

Note: The name of the Z-function module is not important




• Edit the code in the new function module:




 Go back to transaction FIBF – Menu Settings->Products -> Of a customer and create a new product which identifies the new product.


Remember to mark the Active field.




• We enter the product name description and RFC destination if applicable. The check box A is to activate the product.



 The next step is to link the function module and the event using the product created. Go back to FIBF menu Settings->P/S function modules->of a customer – Create an entry that links the BTE and Product with the new function module (as below)





And that's all, we only need to save and activate.







Alert Moderator

### 7 Comments

You must be Logged on to comment or reply to a post.



#### Stephen Johannes

January 7, 2013 at 5:03 pm

Another interesting aspect of these events is that the R3 Adapter of the CRM middleware uses these exits to trigger the outbound flow of changes in ERP to CRM and also to enhance the standard transfer on the outbound ERP to CRM side.

Take care.

Stephen

Like 1 | Share



#### SHANKARANARAYAN KRISHNAMOORTHY

August 23, 2013 at 6:39 am

Nice, simple explanation. But If the Z-FM is created in a separate function group, wont it lose all the global data that is in the function group of the original FM?



## Stephen Johannes

August 23, 2013 at 1:07 pm

These are supposed to work with the idea you can only process the data you are given as these are exits. Never been a problem in my experience when used for SAP CRM middleware processing.

Like 0 | Share



#### SHANKARANARAYAN KRISHNAMOORTHY

August 26, 2013 at 1:38 am

Yeah you are right. Thanks Stephen.

Like 0 | Share



#### Vijay Chintarlapalli

October 22, 2013 at 3:24 pm

Nice and useful document

Like 0 | Share



#### Sandip Kurewar

January 6, 2014 at 7:26 am

It's useful and understandable...!!

Thanks for Sharing your knowledge..

Regards

Sandip

Like 0 | Share



#### Pritesh Sharad Raut

April 28, 2014 at 5:55 am

Very useful and simple Document.

thanks.

Regards,

Pritesh

Like 0 | Share



Former Member November 9, 2014 at 3:32 pm

Thanks for the useful information. It helps to understand to System better



#### Eric Yang

January 26, 2015 at 10:56 am

Very nice sharing, Borja. We are applying what you mentioned above in our project. However, we may miss something, so that it leads the function module cannot be called in the transactions. Our case is bellow, could you please help us to check and give us an advice.

We want to use FM ZSAMPLE\_PROCESS\_00001610 which is copied from SAMPLE\_PROCESS\_00001610, to calculate the value date and update it when running payment proposal by F110.

To realize it, here bellow is what have done in BTE settings:

(1) Configure: Settings>Products>...of a customer.

Create the product: **Z\_1610**, and activate it.

(2) Configure: Settings>Process Modules>...of a customer.

Select process 00001610, FM: ZSAMPLE\_PROCESS\_00001610, product: Z\_1610

To validate the FM is activated in F110, we set up a break point in function module. and Here bellow is the testing FM:

FUNCTION ZSAMPLE\_PROCESS\_00001610.

*"	-
*"*"Local Interface:	
*" IMPORTING	
*" VALUE(I_PAYRQ) LIKE PAYRQ STRUCTURE PAYRQ	ı
*" EXPORTING	
*" VALUE(E_VALUT) LIKE SY-DATUM	
*"	-
BREAK-POINT.	
I_PAYRQ-VALUT = '20150227'.	
E_VALUT = I_PAYRQ-VALUT.	
ENDFUNCTION.	
That is all. Highly appreciated for your advice.	
Eric	
Like 0   Share	



Former Member May 11, 2015 at 4:01 am

useful	document, thanks for sharing.	
asciai	accurrent, thanks for sharing.	



#### Paulo Roberto Ribeiro de Campos

May 11, 2015 at 7:20 pm

Very good! Thanks

Like 0 | Share



#### Jatan Saraf

May 21, 2015 at 10:33 am

Simple to understand and Very much helpful !!!

Like 0 | Share



#### John Vo

September 20, 2015 at 3:11 pm

Thanks, very helpful...

Can we apply this for anothor module (SD, MM...)

I tried to use with Tcode MIRO, but it can not trigger debuging.



Former Member

February 6, 2016 at 5:40 pm

Thank you, this a good introduction to the topic for a beginner such as myself.

Like 0 | Share



Former Member April 12, 2016 at 5:35 am

Great Document.

Thanks a lot for sharing your knowledge.

Regards

Like 0 | Share



Pras Venkat

April 15, 2016 at 12:25 pm

Another document which is useful on steps to use BTE. Thanks anyways.

### Customer Name Addition to FBL5N Report Using BTE

Like 0 | Share



## Srikanth Reddy Keesara

Privacy

Legal Disclosure

Trademark

Newsletter

May 26, 2021 at 5:13 pm

Great. Thank You.

Like 0 | Share

## Find us on











