Community WIKI SAP Community WIKI SAP Community Welcome, Guest Login Register Search the Community

ABAP Development / ABAP Development

Displaying TOP-OF-PAGE at Right, Center and Left

Created by Venkateswara Rao Appikonda, last modified by Former Member on Oct 29, 2013

```
Error rendering macro 'code': Invalid value specified for parameter 'lang'
REPORT ZALVTEST.
TABLES VBAK.
* type pools
TYPE-POOLS SLIS.
* types and internal tables
*Data Declaration
TYPES: BEGIN OF T_VBAK,
VBELN TYPE VBAK-VBELN,
ERDAT TYPE VBAK-ERDAT,
ERNAM TYPE VBAK-ERNAM,
AUDAT TYPE VBAK-AUDAT,
VBTYP TYPE VBAK-VBTYP,
NETWR TYPE VBAK-NETWR,
VKORG TYPE VBAK-VKORG,
VKGRP TYPE VBAK-VKGRP,
END OF T_VBAK.
DATA IT_VBAK TYPE STANDARD TABLE OF T_VBAK INITIAL SIZE 0.
*ALV Data Declaration
DATA: FLDCAT TYPE SLIS_T_FIELDCAT_ALV,
W_FLDCAT TYPE SLIS_FIELDCAT_ALV,
GD_LAYOUT TYPE SLIS_LAYOUT_ALV,
GD_REPID TYPE SY-REPID.
DATA: DATE1(10).
* selection screen design
SELECT-OPTIONS: VBELN FOR VBAK-VBELN.
* start of selection
START-OF-SELECTION.
  PERFORM DATA_RETRIEVAL.
  PERFORM BLD_FLDCAT.
```

```
PERFORM BLD LAYOUT.
 PERFORM DISPLAY ALV REPORT.
*-----
* build catalog
*_____
*Build Field Catalog for ALV Report
FORM BLD_FLDCAT.
 W_FLDCAT-FIELDNAME = 'VBELN'.
 W_FLDCAT-SELTEXT_M = 'Sales_Document'.
 W_FLDCAT-COL_POS = 0.
 W FLDCAT-OUTPUTLEN = 15.
 W_FLDCAT-KEY = 'X'.
 W_FLDCAT-ICON = 'X'.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W_FLDCAT.
 W_FLDCAT-FIELDNAME = 'ERDAT'.
 W_FLDCAT-SELTEXT_L = 'Record_Date_created'.
 W_FLDCAT-COL_POS = 1.
 W_FLDCAT-KEY = 'X'.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W_FLDCAT.
 W_FLDCAT-FIELDNAME = 'ERNAM'.
 W_FLDCAT-SELTEXT_L = 'Cteated_Person_Name'.
 W_FLDCAT-COL_POS = 2.
 W_FLDCAT-EMPHASIZE = 'C011'.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W_FLDCAT.
 W_FLDCAT-FIELDNAME = 'AUDAT'.
 W_FLDCAT-SELTEXT_M = 'Document_Date'.
 W_FLDCAT-COL_POS = 3.
 W_FLDCAT-EMPHASIZE = 'C110'.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W_FLDCAT.
 W_FLDCAT-FIELDNAME = 'VBTYP'.
 W_FLDCAT-SELTEXT_L = 'SDDocument_category'.
 W_FLDCAT-COL_POS = 4.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W_FLDCAT.
 W_FLDCAT-FIELDNAME = 'NETWR'.
 W_FLDCAT-SELTEXT_L = 'Net_Value'.
 W_FLDCAT-COL_POS = 5.
 W FLDCAT-OUTPUTLEN = 10.
```


```
W FLDCAT-DO SUM = 'X'.
 W FLDCAT-DATATYPE = 'CURR'.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W FLDCAT.
 W_FLDCAT-FIELDNAME = 'VKORG'.
 W_FLDCAT-SELTEXT_L = 'Sales_Organization'.
 W_FLDCAT-COL_POS = 6.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W_FLDCAT.
 W_FLDCAT-FIELDNAME = 'VKGRP'.
 W_FLDCAT-SELTEXT_M = 'Sales_Group'.
 W_FLDCAT-COL_POS = 7.
 W_FLDCAT-EMPHASIZE = 'C801'.
 APPEND W_FLDCAT TO FLDCAT.
 CLEAR W_FLDCAT.
ENDFORM. "BLD_FLDCAT
* display fatalog
*Build Layout for ALV Grid Report
FORM BLD_LAYOUT.
 GD_LAYOUT-NO_INPUT = 'X'.
 GD_LAYOUT-BOX_FIELDNAME = 'VBELN'.
ENDFORM. "BLD_LAYOUT
*Display report using ALV grid
FORM DISPLAY_ALV_REPORT.
 GD_REPID = SY-REPID.
 CALL FUNCTION 'REUSE_ALV_GRID_DISPLAY'
   EXPORTING
     I_CALLBACK_PROGRAM
                               = GD_REPID
     IS_LAYOUT
                                = GD_LAYOUT
     I_CALLBACK_HTML_TOP_OF_PAGE = 'TOP_OF_PAGE_SPLIT'
     IT_FIELDCAT
                               = FLDCAT[]
   TABLES
     T_OUTTAB
                                = IT_VBAK.
ENDFORM. "DISPLAY_ALV_REPORT
* get data
*_____
*Retrieve data from VBAK table and populate itab IT_VBAK
FORM DATA_RETRIEVAL.
 SELECT VBELN
```

```
ERDAT
  ERNAM
  AUDAT
 VBTYP
 NETWR
  VKORG
 FROM VBAK
 INTO TABLE IT_VBAK
 WHERE VBELN IN VBELN.
ENDFORM. "DATA_RETRIEVAL
* build header for alv
FORM TOP_OF_PAGE_SPLIT USING R_TOP TYPE REF TO CL_DD_DOCUMENT.
 DATA: S_TAB TYPE SDYDO_TEXT_TABLE,
 C_AREA TYPE REF TO CL_DD_AREA,
 TEXT TYPE SDYDO_TEXT_ELEMENT.
 TYPES: BEGIN OF TAB_TEXT,
 TEXT TYPE SDYDO_TEXT_ELEMENT,
  END OF TAB_TEXT.
 DATA: I_TEXT TYPE TABLE OF TAB_TEXT.
 DATA: W_TEXT TYPE TAB_TEXT.
 CALL METHOD R_TOP->INITIALIZE_DOCUMENT.
 CALL METHOD R_TOP->VERTICAL_SPLIT
   EXPORTING
     SPLIT_AREA = R_TOP
     SPLIT_WIDTH = '70%'
   IMPORTING
      RIGHT_AREA = C_AREA.
  CONCATENATE SY-DATUM+4(2)
  ' / '
 SY-DATUM+6(2)
  ' / '
 SY-DATUM(4)
 INTO DATE1.
  CONCATENATE 'DATE'
 DATE1
 INTO W_TEXT-TEXT
 SEPARATED BY ':'.
 APPEND W_TEXT TO I_TEXT.
 CONCATENATE 'time:' SY-UZEIT INTO W_TEXT .
  APPEND W_TEXT TO I_TEXT.
```

```
CONCATENATE 'uesr:' SY-UNAME INTO W_TEXT .
APPEND W_TEXT TO I_TEXT.
CONCATENATE 'local date: 'SY-DATLO INTO W_TEXT .
APPEND W_TEXT TO I_TEXT.
CONCATENATE 'time zone: 'SY-ZONLO INTO W_TEXT .
APPEND W_TEXT TO I_TEXT.
S_{TAB}[] = I_{TEXT}[].
CALL METHOD C_AREA->ADD_TEXT
  EXPORTING
    TEXT_TABLE = S_TAB
    FIX LINES = 'X'
    SAP FONTSIZE = CL_DD_DOCUMENT=>MEDIUM
    SAP_EMPHASIS = CL_DD_DOCUMENT=>STRONG.
CALL METHOD R_TOP->ADD_GAP
  EXPORTING
    WIDTH = 60.
TEXT = 'THIS IS REPORT HEADING'.
CALL METHOD R_TOP->ADD_TEXT
  EXPORTING
    TEXT
                 = TEXT
    SAP_EMPHASIS = 'STRONG'.
CALL METHOD R_TOP->NEW_LINE.
CALL METHOD R_TOP->ADD_GAP
  EXPORTING
    WIDTH = 70.
TEXT = 'THIS IS REPORT HEADING1'.
CALL METHOD R_TOP->ADD_TEXT
  EXPORTING
    TEXT
                 = TEXT
    SAP_EMPHASIS = 'STRONG'.
CALL METHOD R_TOP->NEW_LINE.
CALL METHOD R_TOP->ADD_GAP
  EXPORTING
    WIDTH = 80.
TEXT = 'THIS IS REPORT HEADING2'.
CALL METHOD R_TOP->ADD_TEXT
  EXPORTING
    TEXT
                 = TEXT
    SAP_EMPHASIS = 'STRONG'.
CALL METHOD R_TOP->NEW_LINE.
TEXT = 'Report Subheading1'.
CALL METHOD R_TOP->ADD_TEXT
```

```
EXPORTING
     TEXT
                  = TEXT
     SAP EMPHASIS = 'NORMAL'.
 CALL METHOD R TOP->NEW LINE.
 TEXT = 'Report Subheading2'.
 CALL METHOD R_TOP->ADD_TEXT
   EXPORTING
     TEXT
                  = TEXT
     SAP_EMPHASIS = 'NORMAL'.
 CALL METHOD R_TOP->NEW_LINE.
 TEXT = 'Report Subheading3'.
 CALL METHOD R_TOP->ADD_TEXT
    EXPORTING
     TEXT
                  = TEXT
     SAP_EMPHASIS = 'NORMAL'.
 CALL METHOD R_TOP->NEW_LINE.
ENDFORM. "TOP_OF_PAGE_SPLIT
```

Out Put:



No labels

 Contact Us
 SAP Help Portal

 Privacy
 Terms of Use
 Legal Disclosure
 Copyright
 Cookie Preferences

 Follow SCN