

HOME PRIVACY POLICY FOR DUMMIES TUTORIALS TIPS & TRICKS SAMPLE CODES

SAP NEWS

Change Variant Content Dynamically

Home / ABAP / Change Variant Content Dynamically



The Easy-to-Manage Browser

Streamline updates across your fleet and automatical save secure passwords.

Google

Lear

w program demonstrate how to change the content of variant at run time.




```
*& This demo program shows how to dynamically populate the data in a &*
6
    *& variant.
7
   *&
                                                                           &*
    *& Author: ABAPCOOKBOOK
    *& Website: www.abapcookbook.com
10
11
12
15
   *Tables:
16 TABLES:
17
      vbap.
18
19
   *Internal tables:
20 DATA:
21
                            TYPE STANDARD TABLE OF vbap,
      gt_vbap
                            TYPE STANDARD TABLE OF rsparams.
22
      gt_vari
23
24 *Field Symbols:
25 FIELD-SYMBOLS:
26
      <fs_vbap>
                            TYPE vbap.
27
28
   *Structures:
29 DATA:
30
                            TYPE rsparams,
      gst_vari
31
      gst_varidesc
                            TYPE varid.
32
33 *Variables:
34 DATA:
35
      gv_subrc
                            TYPE sy-subrc.
36
37
   *Constants:
   CONSTANTS:
                                                         VALUE 'W',
39
      ac_write
                            TYPE c
                            TYPE rsparams-selname
                                                         VALUE 'S_MATNR',
40
      gc_selmat
41
      gc_kind
                            TYPE rsparams-kind
                                                         VALUE 'S',
                                                         VALUE 'I',
42
                            TYPE rsparams-sign
      gc_sign
43
                            TYPE rsparams-low
                                                         VALUE 'EO'.
      gc_option
44
45
    * SELECTION SCREEN
```



```
*************************
   *Check if the variant used to run the program exists.
56 CALL FUNCTION 'RS_VARIANT_EXISTS'
57
     EXPORTING
58
       report
                           = sy-repid "Program Name
59
                           = sy-slset
                                       "Variant Name
       variant
     IMPORTING
60
61
       r_c
                           = gv_subrc
62
     EXCEPTIONS
63
       not_authorized
                           = 01
64
                           = 02
       no_report
65
       report_not_existent = 03
66
       report_not_supplied = 04.
67
68 IF gv_subrc EQ 0.
69
   * Select sales order data from table VBAP.
71
     SELECT * UP TO 10 ROWS
72
       FROM vbap
73
       INTO TABLE gt_vbap.
74
75
     IF sy-subrc EQ 0.
76
77
       Retrieve the contents of the variant to the internal table 'GT_VARI'.
78
       CALL FUNCTION 'RS_VARIANT_CONTENTS'
79
         EXPORTING
80
           report
                                = sy-repid "Program Name
81
                                = sy-slset
                                           "Variant Name
           variant
82
           move_or_write
                                = ac_write
83
         TABLES
84
           valutab
                                = at_vari
                                            "Variant Contents
85
          EXCEPTIONS
86
           variant_non_existent = 1
87
           variant_obsolete
88
           OTHERS
                                = 3.
89
90
       IF sy-subrc EQ 0.
91
92
         Delete the current content of select option 'S_MATNR' from the variant. This is
93
         done by deleting all 'S_MATNR' selname entries from material select option(GT_VARI).
         We will then populate it with fresh new data later on.
94 *
95
         DELETE gt_vari WHERE selname EQ gc_selmat.
96
```




```
103
            gst_vari-selname = gc_selmat.
104
            ast_vari-kind
                              = qc_kind.
105
            gst_vari-option = gc_option.
106
            gst_vari-sign
                              = gc_sign.
107
            gst_vari-low
                              = <fs_vbap>-matnr.
108
109 *
            Appending the material number to the select option.
110
            APPEND gst_vari TO gt_vari.
111
112
          ENDLOOP.
113
114 *
          Re-populating the variant description.
115
          ast_varidesc-mandt
                                 = sy-mandt.
116
          ast_varidesc-aename
                                 = sy-uname.
117
          ast_varidesc-aedat
                                 = sy-datum.
118
          qst_varidesc-aetime = sy-uzeit.
119
120 *
          Creating a new variant with the new values.
121
          CALL FUNCTION 'RS_CHANGE_CREATED_VARIANT'
122
            EXPORTING
123
                                                          "Program Name
              curr_report
                                         = sy-repid
124
              curr_variant
                                         = sy-slset
                                                          "Variant Name
125
              vari_desc
                                         = gst_varidesc
                                                          "Variant Description
126
            TABLES
127
                                                          "Variant Contents
              vari_contents
                                         = gt_vari
128
            EXCEPTIONS
129
              illegal_report_or_variant = 1
130
              illegal_variantname
131
                                         = 3
              not_authorized
132
              not_executed
133
              report_not_existent
              report_not_supplied
134
135
              variant_doesnt_exist
136
              variant_locked
137
              selections_no_match
                                         = 9
138
              OTHERS
                                         = 10.
139
140
          IF sy-subrc EQ 0.
141
142 *
            Variant has been populated with new data successfully.
143
          ENDIF.
144
145/
```



Please note that to test the above program, create a variant with dummy data.

Then, just select the variant, the program will automatically change the content of the select option 'S_MATNR' based on the data retrieved from VBAP-MATNR.



Categories: ABAP, Code Sample, Tutorial By ABAPCOOKBOOK EDITOR March 13, 2017

Tags: change content of select option change content of variant populate variant with new data sample program code sap abap variant

Share this post




NEXT

Function Module To Change or Cancel Confirmed Quantity


Create Application Log Using SLG0, SLG1 and SLG2

Related posts



How To Use Function Module READ_TEXT

September 23, 2018



How To Quickly Save ABAP Code To Your Computer

June 2, 2017


Back Button Not Working in GUI-STATUS/PF-STATUS

May 29, 2017



Solve Error 'File Has Already Been Loaded' in FEBC

June 22, 2017



SAP ABAP Message Types

May 30, 2017

Create Application Log Using SLG0, SLG1 and SLG2

May 29, 2017





Cookbook Categories ABAP ABAP Performance BAPI Code Sample For Dummies Interface SAP Configurations SAP Enhancement SAP News Smartforms Tips & Tricks Tutorial







