




PNETLab | Topology

labs.surennetwork.com/legacy/topology

Notifications

!!!!!! Neenga ku

10,000

Win-1 192.50.20.100

Net

R6

```
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

R6#
R6#
```

Win-2 223.0.50.10

Net

R5 172.36.0.10

Win-3

Physical

01 : 00 : 00 START

34°C Mostly sunny

Search

ENG IN

13:09 29-05-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Not secure

Notifications

!!!!!! Neengas

```
R5
gateway of last resort is not set
12.0.0.0/8 [1/0] via 45.0.0.1
12.0.0.0/8 [1/0] via 32.0.0.1
23.0.0.0/8 [1/0] via 32.0.0.1
24.0.0.0/8 [1/0] via 45.0.0.1
26.0.0.0/8 [1/0] via 45.0.0.1
26.0.0.0/8 [1/0] via 32.0.0.1
32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
32.0.0.0/8 is directly connected, Ethernet0/1
32.0.0.2/32 is directly connected, Ethernet0/1
45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
45.0.0.0/8 is directly connected, Ethernet0/2
45.0.0.2/32 is directly connected, Ethernet0/2
172.36.0.0/16 is variably subnetted, 2 subnets, 2 masks
172.36.0.0/16 is directly connected, Ethernet0/0
172.36.0.1/32 is directly connected, Ethernet0/0
192.50.20.0/24 [1/0] via 45.0.0.1
192.50.20.0/24 [1/0] via 32.0.0.1
223.0.50.0/24 [1/0] via 45.0.0.1
223.0.50.0/24 [1/0] via 32.0.0.1
R5#
```

192.50.20.100

172.36.0.10

223.0.50.10

Physical

01 : 00 : 00

START

34°C Mostly sunny

Search

ENG IN

13:05 29-05-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

Notifications

!!!!!! Neenga

R4

```
o - ODR, F - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from Pfr

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 24.0.0.1
S 23.0.0.0/8 [1/0] via 24.0.0.1
C 24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 24.0.0.0/8 is directly connected, Ethernet0/0
L 24.0.0.2/32 is directly connected, Ethernet0/0
S 26.0.0.0/8 [1/0] via 24.0.0.1
S 32.0.0.0/8 [1/0] via 45.0.0.2
C 45.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 45.0.0.0/8 is directly connected, Ethernet0/1
L 45.0.0.1/32 is directly connected, Ethernet0/1
S 172.36.0.0/16 [1/0] via 45.0.0.2
S 192.50.20.0/24 [1/0] via 24.0.0.1
S 223.0.50.0/24 [1/0] via 24.0.0.1

R4#
R4#
```

Win-1 192.50.20.100

Net

R5

Win-3 172.36.0.10

Net

R6

Win-2 223.0.50.10

Physical

01 : 00 : 00 START

532281 +1.38%

Search

ENG IN

12:57 29-05-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

SUREN NETWORK
PLAY WITH TECHNOLOGIES

Notifications

R3

```
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PFR

Gateway of last resort is not set

S 12.0.0.0/8 [1/0] via 23.0.0.1
C 23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 23.0.0.0/8 is directly connected, Ethernet0/0
S 24.0.0.0/8 [1/0] via 23.0.0.1
S 26.0.0.0/8 [1/0] via 23.0.0.1
C 32.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 32.0.0.0/8 is directly connected, Ethernet0/1
L 32.0.0.1/32 is directly connected, Ethernet0/1
S 45.0.0.0/8 [1/0] via 32.0.0.2
S 172.36.0.0/16 [1/0] via 32.0.0.2
S 192.50.20.0/24 [1/0] via 23.0.0.1
S 223.0.50.0/24 [1/0] via 23.0.0.1
R3#
```

Win-2 223.0.50.10

Win-3 172.36.0.10

Physical 01 : 00 : 00 START

36°C Mostly sunny

Search

ENG IN

12:51 29-05-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

SUREN NETWORK

Notifications

```
R1
E1 - OSPF external type 1, E2 - OSPF external type 2
i - IS-IS, su - IS-IS summary, L1 - IS-IS level-1, L2 - IS-IS level-2
ia - IS-IS inter area, * - candidate default, U - per-user static route
o - ODR, P - periodic downloaded static route, H - NHRP, l - LISP
a - application route
+ - replicated route, % - next hop override, p - overrides from PfR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    12.0.0.0/8 is directly connected, Ethernet0/1
L    12.0.0.1/32 is directly connected, Ethernet0/1
S    23.0.0.0/8 [1/0] via 12.0.0.2
S    24.0.0.0/8 [1/0] via 12.0.0.2
S    26.0.0.0/8 [1/0] via 12.0.0.2
S    32.0.0.0/8 [1/0] via 12.0.0.2
S    45.0.0.0/8 [1/0] via 12.0.0.2
S    172.36.0.0/16 [1/0] via 12.0.0.2
192.50.20.0/24 is variably subnetted, 2 subnets, 2 masks
C    192.50.20.0/24 is directly connected, Ethernet0/0
L    192.50.20.1/32 is directly connected, Ethernet0/0
S    223.0.50.0/24 [1/0] via 12.0.0.2
R1#
R1#
```

3.2 32.1 32.2 45.2 45.1 24.2

R3 R4 R5

Net

Win-3 172.36.0.10

Win-2 223.0.50.10

Physical 01 : 00 : 00 START

36°C Mostly sunny

Search

ENG IN

12:45 29-05-2026

PNETLab | Topology

Not secure labs.surennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

Notifications

R2

```
a - application route
+ - replicated route, % - next hop override, p - overrides from PIR

Gateway of last resort is not set

12.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   12.0.0.0/8 is directly connected, Ethernet0/0
L   12.0.0.2/32 is directly connected, Ethernet0/0
23.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   23.0.0.0/8 is directly connected, Ethernet0/2
L   23.0.0.1/32 is directly connected, Ethernet0/2
24.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   24.0.0.0/8 is directly connected, Ethernet0/3
L   24.0.0.1/32 is directly connected, Ethernet0/3
26.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C   26.0.0.0/8 is directly connected, Ethernet0/1
L   26.0.0.1/32 is directly connected, Ethernet0/1
S   32.0.0.0/8 [1/0] via 23.0.0.2
S   45.0.0.0/8 [1/0] via 24.0.0.2
S   172.36.0.0/16 [1/0] via 24.0.0.2
    [1/0] via 23.0.0.2
S   192.50.20.0/24 [1/0] via 12.0.0.1
S   223.0.50.0/24 [1/0] via 26.0.0.2
R2#
```

26.2 (e0/1)

R6 (e0/0) .1

Net

Win-2 223.0.50.10

23.2 (e0/0) R3 32.1 (e0/1)

32.2 (e0/1) R5 45.2 (e0/2)

24.2 (e0/0) R4 45.1 (e0/1)

Net

Win-3 172.36.0.10

Physical

01 : 00 : 00 START

36°C Mostly sunny

Search

ENG IN

12:45 29-05-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

SUREN NETWORK

Notifications

```
R2
R2(config-if)#ip address 26.0.0.1 255.0.0.0
R2(config-if)#no shutdown
R2(config-if)#exit
R2(config)#interface e0/2
R2(config-if)#ip address 23.0.0.1 255.0.0.0
R2(config-if)#no shutdown
R2(config-if)#exit
R2(config)#interface e0/3
R2(config-if)#ip address 24.0.0.1 255.0.0.0
R2(config-if)#no shutdown
R2(config-if)#exit
R2(config)#exit
R2#s
May 29 07:00:14.320: %SYS-5-CONFIG_I: Configured from console by console
R2#sh ip interface brief
Interface                IP-Address      OK? Method Status  Prot
-----                -
Ethernet0/0              12.0.0.2        YES manual up      up
Ethernet0/1              26.0.0.1        YES manual up      up
Ethernet0/2              23.0.0.1        YES manual up      up
Ethernet0/3              24.0.0.1        YES manual up      up
```

Physical

01 : 00 : 00 START

36°C Mostly sunny

Search

ENG IN

12:31 29-05-2026

PNETLab | Topology

labs.surennetwork.com/legacy/topology

!!!

```
R1#
R1#configure terminal
Enter configuration commands, one per line. End with CNTL/Z.
R1(config)#interface e0/0
R1(config-if)#ip address 192.50.20.1 255.255.255.0
R1(config-if)#no shutdown
R1(config-if)#exit
R1(config)#interface e0/1
R1(config-if)#ip address 12.0.0.1 255.0.0.0
R1(config-if)#no shutdown
R1(config-if)#exit
R1(config)#exit
R1#sh
May 29 06:56:12.152: %SYS-5-CONFIG_I: Configured from console by console
R1#sh ip interface brief
```

Interface	IP-Address	OK?	Method	Status	Prot
Ethernet0/0	192.50.20.1	YES	manual	up	up
Ethernet0/1	12.0.0.1	YES	manual	up	up
Ethernet0/2	unassigned	YES	TFTP	down	down

192.50.20.100

Win-1

32.1

32.2

45.2

45.1

26.2

R6

Net

Win-2

223.0.50.10

Win-3

172.36.0.10

Physical

01 : 00 : 00

START

ENG IN

12:26

29-05-2026