


```
R2
L 2.0.0.1/32 is directly connected, Ethernet0/1
S 3.0.0.0/8 [1/0] via 2.0.0.2
S 4.0.0.0/8 [1/0] via 2.0.0.2
S 5.0.0.0/8 [1/0] via 2.0.0.2
S 6.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 6.0.0.0/8 is directly connected, Ethernet0/3
L 6.0.0.1/32 is directly connected, Ethernet0/3
S 10.0.0.0/8 [1/0] via 1.0.0.1
S 135.82.0.0/16 [1/0] via 2.0.0.2
S 153.69.0.0/16 [1/0] via 6.0.0.2
S 182.46.0.0/16 [1/0] via 2.0.0.2
S 200.10.156.0/24 is variably subnetted, 2 subnets, 2 masks
C 200.10.156.0/24 is directly connected, Ethernet0/0
L 200.10.156.1/32 is directly connected, Ethernet0/0
R2#
R2#
R2#
R2#
R2#ping 1.0.0.1
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 1.0.0.1, timeout is 2 seconds:
!!!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms
R2#
```



PNETLab | Topology

linux tty i am in that cli interfac... (2) WhatsApp

Not secure labs.surenetwork.com/legacy/topology

Notifications

```
R1
Gateway of last resort is not set

1.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    1.0.0.0/8 is directly connected, Ethernet0/1
L    1.0.0.1/32 is directly connected, Ethernet0/1
S    2.0.0.0/8 [1/0] via 1.0.0.2
S    3.0.0.0/8 [1/0] via 1.0.0.2
S    4.0.0.0/8 [1/0] via 1.0.0.2
S    5.0.0.0/8 [1/0] via 1.0.0.2
S    6.0.0.0/8 [1/0] via 1.0.0.2
10.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C    10.0.0.0/8 is directly connected, Ethernet0/0
L    10.0.0.1/32 is directly connected, Ethernet0/0
S    135.82.0.0/16 [1/0] via 1.0.0.2
S    153.69.0.0/16 [1/0] via 1.0.0.2
S    182.46.0.0/16 [1/0] via 1.0.0.2
S    200.10.156.0/24 [1/0] via 1.0.0.2
R1#
R1#ping 200.10.156.1
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 200.10.156.1, timeout is 2 seconds:
!!!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms
R1#
```

Physical

00 : 00 : 00 START

Current temp Breaks record

Search

ENG IN

14:30 08-06-2026

PNETLab | Topology

linux tty i am in that di interfac

(2) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Notifications

R3

Gateway of last resort is not set

```
S 1.0.0.0/8 [1/0] via 2.0.0.1
S 2.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 2.0.0.0/8 is directly connected, Ethernet0/0
L 2.0.0.2/32 is directly connected, Ethernet0/0
C 3.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 3.0.0.0/8 is directly connected, Ethernet0/1
L 3.0.0.1/32 is directly connected, Ethernet0/1
C 4.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 4.0.0.0/8 is directly connected, Ethernet0/2
L 4.0.0.1/32 is directly connected, Ethernet0/2
S 5.0.0.0/8 [1/0] via 4.0.0.2
S 6.0.0.0/8 [1/0] via 2.0.0.1
S 10.0.0.0/8 [1/0] via 2.0.0.1
S 135.82.0.0/16 [1/0] via 4.0.0.2
S 153.69.0.0/16 [1/0] via 2.0.0.1
S 182.46.0.0/16 [1/0] via 3.0.0.2
S 200.10.156.0/24 [1/0] via 2.0.0.1
R3#
R3#ping 200.10.156.1
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 200.10.156.1, timeout is 2 seconds:
```

182.46.0.10 PUNE-DC

135.82.0.10 GLOBAL-DNS

200.10.156.10 200.10.156.20 200.10.156.30 CHENNAI-DC

Physical

00 : 00 : 00 START

38°C Partly sunny

Search

ENG IN

14:38 08-06-2026

PNETLab | Topology

linux tty i am in that cli interfac

(2) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

Notifications

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

1.1 1.2

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

153.69.0.10 153.69.0.20

R4

```
S 1.0.0.0/8 [1/0] via 3.0.0.1
S 2.0.0.0/8 [1/0] via 3.0.0.1
S 3.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 3.0.0.0/8 is directly connected, Ethernet0/1
L 3.0.0.2/32 is directly connected, Ethernet0/1
S 4.0.0.0/8 [1/0] via 3.0.0.1
S 5.0.0.0/8 [1/0] via 3.0.0.1
S 6.0.0.0/8 [1/0] via 3.0.0.1
S 10.0.0.0/8 [1/0] via 3.0.0.1
S 135.82.0.0/16 [1/0] via 3.0.0.1
S 153.69.0.0/16 [1/0] via 3.0.0.1
S 182.46.0.0/16 is variably subnetted, 2 subnets, 2 masks
C 182.46.0.0/16 is directly connected, Ethernet0/0
L 182.46.0.1/32 is directly connected, Ethernet0/0
S 200.10.156.0/24 [1/0] via 3.0.0.1
R4#
R4#
R4#
*Jun  8 09:14:00.104: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
R4#ping 1.0.0.1
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 1.0.0.1, timeout is 2 seconds:
!!!!
```

Physical

00 : 00 : 00 START

38°C Mostly cloudy

Search

ENG IN

14:44 08-06-2026

PNETLab | Topology

linux tty i am in that cli interfac

(2) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Notifications

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

SW1

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

SW2

1.1 1.2 2.1 2.2 6.1 6.2

Router

R5

Gateway of last resort is not set

```
S 1.0.0.0/8 [1/0] via 4.0.0.1
S 2.0.0.0/8 [1/0] via 4.0.0.1
S 3.0.0.0/8 [1/0] via 4.0.0.1
C 4.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
L 4.0.0.0/8 is directly connected, Ethernet0/1
L 4.0.0.2/32 is directly connected, Ethernet0/1
S 5.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 5.0.0.0/8 is directly connected, Ethernet0/0
L 5.0.0.1/32 is directly connected, Ethernet0/0
S 6.0.0.0/8 [1/0] via 4.0.0.1
S 10.0.0.0/8 [1/0] via 4.0.0.1
S 135.82.0.0/16 [1/0] via 5.0.0.2
S 153.69.0.0/16 [1/0] via 4.0.0.1
S 182.46.0.0/16 [1/0] via 4.0.0.1
S 200.10.156.0/24 [1/0] via 4.0.0.1
R5#
R5#
R5#ping 1.0.0.1
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 1.0.0.1, timeout is 2 seconds:
!!!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/2 ms
```

Physical

00 : 00 : 00 START

38°C Mostly cloudy

Search

ENG IN

14:54 08-06-2026

PNETLab | Topology

linux tty i am in that cli interface

WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

SW1

1.1

1.2

2.1

2.2

3.1

3.2

4.1

4.2

5.1

5.2

6.1

6.2

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

SW2

153.69.0.10 153.69.0.20

SW3

153.69.0.10 153.69.0.20

PUNE

102.46.0.10

Linux7 Linux8

SW4

153.69.0.10 153.69.0.20

R6

```
Gateway of last resort is not set
S 1.0.0.0/8 [1/0] via 5.0.0.1
S 2.0.0.0/8 [1/0] via 5.0.0.1
S 3.0.0.0/8 [1/0] via 5.0.0.1
S 4.0.0.0/8 [1/0] via 5.0.0.1
S 5.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 5.0.0.0/8 is directly connected, Ethernet0/1
L 5.0.0.2/32 is directly connected, Ethernet0/1
S 6.0.0.0/8 [1/0] via 5.0.0.1
S 10.0.0.0/8 [1/0] via 5.0.0.1
S 135.82.0.0/16 is variably subnetted, 2 subnets, 2 masks
C 135.82.0.0/16 is directly connected, Ethernet0/0
L 135.82.0.10/32 is directly connected, Ethernet0/0
S 153.69.0.0/16 [1/0] via 5.0.0.1
S 162.46.0.0/16 [1/0] via 5.0.0.1
S 200.10.156.0/24 [1/0] via 5.0.0.1
R6#
R6#ping 1.0.0.1
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 1.0.0.1, timeout is 2 seconds:
!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms
R6#
```

Physical

00 : 00 : 00 START

38°C Mostly cloudy

Search

ENG IN

14:59 08-06-2026

PNETLab | Topology

linux tty i am in that cli interfac... (2) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

SW1

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

SW2

GLOBAL-DNS

153.69.0.10 153.69.0.20

SW3

SUREN NETWORK
PLAY WITH TECHNOLOGIES

R7

```
S
S 1.0.0.0/8 [1/0] via 6.0.0.1
S 2.0.0.0/8 [1/0] via 6.0.0.1
S 3.0.0.0/8 [1/0] via 6.0.0.1
S 4.0.0.0/8 [1/0] via 6.0.0.1
S 5.0.0.0/8 [1/0] via 6.0.0.1
S 6.0.0.0/8 is variably subnetted, 2 subnets, 2 masks
C 6.0.0.0/8 is directly connected, Ethernet0/1
L 6.0.0.2/32 is directly connected, Ethernet0/1
S 10.0.0.0/8 [1/0] via 6.0.0.1
S 135.82.0.0/16 [1/0] via 6.0.0.1
S 153.69.0.0/16 is variably subnetted, 2 subnets, 2 masks
C 153.69.0.0/16 is directly connected, Ethernet0/0
L 153.69.0.1/32 is directly connected, Ethernet0/0
S 102.46.0.0/16 [1/0] via 6.0.0.1
S 200.10.156.0/24 [1/0] via 6.0.0.1
R7#
R7#
R7#ping 2.0.0.2
Type escape sequence to abort.
Sending 5, 100-byte ICMP Echos to 2.0.0.2, timeout is 2 seconds:
!!!!!!
Success rate is 100 percent (5/5), round-trip min/avg/max = 1/1/1 ms
```

Physical

00 : 00 : 00 START

38°C Mostly cloudy

Search

ENG IN

15:03 08-06-2026

PNETLab | Topology

linux tty i am in that cli interfac... (2) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Notifications

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

eth0 eth1 eth2

10.10.10.1 10.10.10.2 10.10.10.3

10.10.10.1 10.10.10.2 10.10.10.3

10.10.10.1 10.10.10.2 10.10.10.3

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

eth0 eth1 eth2

200.10.156.10 200.10.156.20 200.10.156.30

GLOBAL-DNS

153.69.0.10 153.69.0.20

153.69.0.10 153.69.0.20

153.69.0.10 153.69.0.20

QEMU (Linux2)

```
route: ioctl 0x0000 failed: No such process
Removing default gateway for Ethernet interface ..... [FAILED]
Shutting down Ethernet interface eth0 ..... [ OK ]
Shutting down loopback interface lo ..... [ OK ]
Bringing up loopback interface lo ..... [ OK ]
Bringing up Ethernet interface eth0 ..... [ OK ]
Set up default gateway ..... [ OK ]
ifconfig
eth0
Link encap:Ethernet HWaddr 00:50:09:00:02:00
inet addr:10.0.0.20 Bcast:10.255.255.255 Mask:255.0.0.0
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:109 errors:0 dropped:0 overruns:0 frame:0
TX packets:51 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:33166 (32.3 KiB) TX bytes:16422 (16.0 KiB)

Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
UP LOOPBACK RUNNING MTU:16436 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)
```

Physical

00 : 00 : 00 START

38°C Mostly cloudy

Search

ENG IN

15:12 08-06-2026

PNETLab | Topology

linux tty i am in that cli interfac

WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Notifications

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

SW1

1.1

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

SW2

1.2

153.68.0.10 153.68.0.20

Host1 Host2

QEMU (Linux1)

```
ifconfig
eth0 Link encap:Ethernet HWaddr 00:50:00:00:01:00
      inet addr:10.0.0.10 Bcast:10.255.255.255 Mask:255.0.0.0
      UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
      RX packets:100 errors:0 dropped:0 overruns:0 frame:0
      TX packets:59 errors:0 dropped:0 overruns:0 carrier:0
      collisions:0 txqueuelen:1000
      RX bytes:35890 (34.2 KiB) TX bytes:18998 (18.5 KiB)

lo Link encap:Local Loopback
   inet addr:127.0.0.1 Mask:255.0.0.0
   UP LOOPBACK RUNNING MTU:16386 Metric:1
   RX packets:0 errors:0 dropped:0 overruns:0 frame:0
   TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
   collisions:0 txqueuelen:0
   RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)
```

Physical


00 : 00 : 00 START

38°C Mostly cloudy

Search

ENG IN

15:13 08-06-2026



PNETLab | Topology

linux tty i am in that cli interfac... (2) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Notifications

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

eth0 eth1 eth2

10.10.10.1 10.10.10.2 10.10.10.3

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

eth0 eth1 eth2

GLOBAL-DNS

153.68.0.10 153.68.0.20

10.10.10.1 10.10.10.2 10.10.10.3

200.10.156.10 200.10.156.20 200.10.156.30

153.68.0.10 153.68.0.20

QEMU (Linux5)

```
route: ioctl 0x0000 failed: No such process
Removing default gateway for Ethernet interface ..... [FAILED]
Shutting down Ethernet interface eth0 ..... [ OK ]
Shutting down loopback interface lo ..... [ OK ]
Bringing up loopback interface lo ..... [ OK ]
Bringing up Ethernet interface eth0 ..... [ OK ]
Set up default gateway ..... [ OK ]
ifconfig
eth0
Link encap:Ethernet HWaddr 00:50:09:00:04:00
inet addr:200.10.156.20 Bcast:200.10.156.255 Mask:255.255.255.0
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:116 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:0 (0.0 B) TX bytes:37352 (36.4 KiB)

Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
UP LOOPBACK RUNNING MTU:16436 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)
```

Physical

00 : 00 : 00 START

Hot weather Now

Search

ENG IN

15:23 08-06-2026

PNETLab | Topology

linux tty i am in that cli interfac... (2) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Notifications

MUMBAI-DC

10.10 10.20 10.30

Linux1 Linux2 Linux3

eth0 eth1 eth2

10.10.10.1 10.10.10.2 10.10.10.3

CHENNAI-DC

200.10.156.10 200.10.156.20 200.10.156.30

Linux4 Linux5 Linux6

eth0 eth1 eth2

GLOBAL-DNS

153.69.0.10 153.69.0.20

102.46.0.10

5.82.0.10

```
QEMU (Linux6)
root@root:~# route del 0.0.0.0 failed: No such process
Removing default gateway for Ethernet interface eth0 [FAILED]
Shutting down Ethernet interface eth0 [OK]
Shutting down loopback interface lo [OK]
Bringing up loopback interface lo [OK]
Bringing up Ethernet interface eth0 [OK]
Set up default gateway [OK]
# ifconfig
eth0
Link encap:Ethernet HWaddr 00:50:09:00:05:00
inet addr:200.10.156.30 Bcast:200.10.156.255 Mask:255.255.255.0
UP BROADCAST RUNNING MULTICAST MTU:1500 Metric:1
RX packets:20 errors:0 dropped:0 overruns:0 frame:0
TX packets:137 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:1000
RX bytes:9016 (8.8 KiB) TX bytes:44114 (43.0 KiB)

Link encap:Local Loopback
inet addr:127.0.0.1 Mask:255.0.0.0
UP LOOPBACK RUNNING MTU:16436 Metric:1
RX packets:0 errors:0 dropped:0 overruns:0 frame:0
TX packets:0 errors:0 dropped:0 overruns:0 carrier:0
collisions:0 txqueuelen:0
RX bytes:0 (0.0 B) TX bytes:0 (0.0 B)
```

Physical 00:00:00 START

Current temp Breaks record

Search

ENG IN 15:26 08-06-2026

PNETLab | Topology

linux tty i am in that cli interfac

(2) WhatsApp

Not secure labs.surrennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

Notifications

QEMU (Win1)

File Edit View History Bookmarks Tools Help

http://10.0.0.20/ http://10.0.0.30/ http://200.10.156.10/ Problem loading page TIS Windows Server

10.0.0.20

Hello World! This file is located in /home/httpd

102.46.0.10 PUNE-DC

135.82.0.10 GLOBAL-DNS

5.2

153.69.0.10 Win1

153.69.0.20 Win2

Physical

00 : 00 : 00 START

37°C Mostly cloudy

Search

ENG IN

16:05 08-06-2026

