




SW3

```
^Jun 28 13:39:38.793: %EC-5-L3DONTBNDL2: Et0/2 suspended: LACP currently not enabled on the remote port.
SW3(config)#exit
SW3#sh
^Jun 28 13:39:42.717: %SYS-5-CONFIG_I: Configured from console by console
SW3#sh channel summary
^
% Invalid input detected at '^' marker.

SW3#sh etherchannel
Channel-group listing:

Group: 1
-----
Group state = L2
Ports: 3 Maxports = 4
Port-channels: 1 Max Port-channels = 4
Protocol: LACP
Minimum Links: 0

SW3#
```

e0/0

e0/1

e0/2

LACP

e0/0

e0/1

e0/2

SW3

Win-2

VLAN-10

192.168.1.20

e0/0

e0

Win-1

VLAN-10

192.168.1.10

SUREN NETWORK

PLAY WITH TECHNOLOGIES

Physical

01 : 00 : 00

START

Screenshot of a network simulation environment (PNETLab) showing a terminal window for SW2 and a network diagram.

Terminal Window (SW2):

```
*Jun 28 13:45:53.887: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/0, changed state to up
*Jun 28 13:45:54.058: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/2, changed state to up
*Jun 28 13:45:54.246: %LINEPROTO-5-UPDOWN: Line protocol on Interface Ethernet0/1, changed state to up
SW2#sh etherchannel
      Channel-group listing:
      -----
Group: 1
-----
Group state = L2
Ports: 3   Maxports = 4
Port-channels: 1 Max Port-channels = 1
Protocol:  PAgP
Minimum Links: 0


SW2#
*Jun 28 13:46:02.172: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
SW2#
```

Network Diagram:

- Two switches, SW2 and SW3, are connected via their e0/0, e0/1, and e0/2 interfaces. The connection is labeled "LACP".
- SW2 is connected to a PC labeled "Win-1" (VLAN-10, 192.168.1.10) via its e0 interface.
- SW3 is connected to a PC labeled "Win-2" (VLAN-10, 192.168.1.20) via its e0 interface.

System Information:

- Physical interface: e0
- Temperature: 32°C, Mostly clear
- Search bar: Search
- Language: ENG IN
- Time: 19:16, 28-06-2026



SN SURE

```
Channel-group listing:
-----
Group: 1
-----
Group state = L2
Ports: 3   Maxports = 4
Port-channels: 1 Max Port-channels = 4
Protocol:   LACP
Minimum Links: 0

Group: 2
-----
Group state = L2
Ports: 3   Maxports = 4
Port-channels: 1 Max Port-channels = 1
Protocol:   PAgP
Minimum Links: 0

SW1#
```

Win-2
VLAN-10
192.168.1.20

Screenshot of a computer screen showing a network diagram and a QEMU (Win-1) window.

The network diagram on the left shows a switch (SW2) connected to a host (Win-1) via a VLAN-10 interface. The host's IP address is 192.168.1.10. The switch is labeled PAGP.

The QEMU (Win-1) window displays the Windows Network Connections window, showing the Local Area Connection Properties. The Internet Protocol (TCP/IP) Properties dialog box is open, showing the General tab. The IP address is set to 192.168.1.10, and the Subnet mask is 255.255.255.0. The Default gateway is empty. The DNS server settings are also empty.

The Windows taskbar at the bottom shows the system clock as 19:21 on 28-06-2026, and the temperature as 32°C Mostly clear.

