




PNETLab | Topology

Download file | iLovePDF

(1) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

Notifications

```
HO-EDGE
HO-EDGE(config)#int e0/0
HO-EDGE(config-if)#ip nat inside
HO-EDGE(config-if)#exit
HO-EDGE(config)#
*Jun 21 16:28:59.894: %LINEPROTO-5-UPDOWN: Line protocol on Interface NVI0, changed state to up
HO-EDGE(config)#int e0/1
HO-EDGE(config-if)#ip nat outside
HO-EDGE(config-if)#exit
HO-EDGE(config)#access-list 1 permit 10.0.0.0 0.255.255.25
HO-EDGE(config)#ip nat inside source list 1 int e0/1 overload
HO-EDGE(config)#exit
HO-EDGE#
*Jun 21 16:31:34.470: %SYS-5-CONFIG_I: Configured from console by console
HO-EDGE#
*Jun 21 16:31:35.947: %PNP-6-PNP_DISCOVERY_STOPPED: PnP Discovery stopped (Config Wizard)
HO-EDGE#ip dhcp pool SYS
^
% Invalid input detected at '^' marker.

HO-EDGE#conf t
Enter configuration commands, one per line. End with CNTL/Z.
HO-EDGE(config)#ip dhcp pool SYS
HO-EDGE(dhcp-config)#network 10.0.0.0 255.0.0.0
HO-EDGE(dhcp-config)#default-router 10.0.0.1
HO-EDGE(dhcp-config)#dns-server 8.8.8.8
HO-EDGE(dhcp-config)#exit
HO-EDGE(config)#exit
HO-EDGE#
*Jun 21 16:34:01.012: %SYS-5-CONFIG_I: Configured from console by console
HO-EDGE#
```

NAT

Physical

01 : 00 : 00 START

30°C Partly cloudy

Search

ENG IN

22:08 21-06-2026

PNETLab | Topology

Download file | iLovePDF

(1) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

DC-EDGE

```
% Invalid input detected at '^' marker.

DC-EDGE#conf t
Enter configuration commands, one per line. End with CNTL/Z.
DC-EDGE(config)#int e0/0
DC-EDGE(config-if)#ip add 192.168.1.1 255.255.255.0
DC-EDGE(config-if)#no sh
DC-EDGE(config-if)#exit
DC-EDGE(config)#int e0/1
DC-EDGE(config-if)#ip add 30.0.0.2 255.0.0.0
DC-EDGE(config-if)#no sh
DC-EDGE(config-if)#exit

% Invalid input detected at '^' marker.

DC-EDGE(config-if)#exit
DC-EDGE(config)#int e0/0
DC-EDGE(config-if)#ip nat inside
DC-EDGE(config-if)#exit
DC-EDGE(config)#
*Jun 21 16:40:21.487: %LINEPROTO-5-UPDOWN: Line protocol on Interface NVI0, changed state to up
DC-EDGE(config)#int e0/1
DC-EDGE(config-if)#ip nat outside
DC-EDGE(config-if)#exit
DC-EDGE(config)#ip nat inside source static 192.168.1.10 30.0.0.10
DC-EDGE(config)#ip nat inside source static 192.168.1.
% Incomplete command.

DC-EDGE(config)#ip nat inside source static 192.168.1.20 30.0.0.20
DC-EDGE(config)#exit
DC-EDGE#
*Jun 21 16:41:46.529: %SYS-5-CONFIG_I: Configured from console by console
DC-EDGE#sh ip nat
% Incomplete command.

DC-EDGE#sh ip nat list
% Invalid input detected at '^' marker.

DC-EDGE#
```

Notifications

The diagram illustrates a network topology. On the left, a cloud labeled 'Net' is connected to a router labeled 'DC-EDGE' (IP 30.0.0.2). The router is connected to a switch labeled 'SW' (IP 192.168.1.1). The switch is connected to two virtual private clouds (VPC1 and VPC2). VPC1 has an IP of 192.168.1.10 and VPC2 has an IP of 192.168.1.20. The router also has an interface labeled 'e0/1' with IP 192.168.1.1. A dashed purple box encloses the switch and the two VPCs. A green circle highlights the 'Net' cloud and the router's 'e0/1' interface. The diagram is titled 'SUREN NETWORK PLAY WITH TECHNOLOGIES'.

Physical

01 : 00 : 00 START

30°C Partly cloudy

Search

ENG IN

22-12 21-06-2026

PNETLab | Topology

Download file | iLovePDF

(1) WhatsApp

Not secure labs.surrennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

```
graph LR; Win1[Win1 10.0.0.10] --- SW[SW]; Win2[Win2 10.0.0.20] --- SW; SW --- NO_EDGE[NO EDGE]; NO_EDGE --- e0_1[20.0.0.1];
```

QEMU (Win1)

```
C:\WINDOWS\system32\cmd.exe
Minimum = 1ms, Maximum = 1ms, Average = 1ms
C:\Documents and Settings\User>ping 20.0.0.1
Pinging 20.0.0.1 with 32 bytes of data:
Reply from 20.0.0.1: bytes=32 time=1ms TTL=255
Reply from 20.0.0.1: bytes=32 time=1ms TTL=255
Reply from 20.0.0.1: bytes=32 time=1ms TTL=255
Reply from 20.0.0.1: bytes=32 time=2ms TTL=255
Ping statistics for 20.0.0.1:
    Packets: Sent = 4, Received = 4, Lost = 0 (0% loss),
    Approximate round trip times in milli-seconds:
        Minimum = 1ms, Maximum = 2ms, Average = 1ms
C:\Documents and Settings\User>ping 20.0.0.2
Pinging 20.0.0.2 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 20.0.0.2:
    Packets: Sent = 4, Received = 0, Lost = 4 (100% loss),
C:\Documents and Settings\User>ping 20.0.0.2
Pinging 20.0.0.2 with 32 bytes of data:
Request timed out.
Request timed out.
Request timed out.
Request timed out.
Ping statistics for 20.0.0.2:
```

NAT

Physical

01 : 00 : 00 START

30°C Partly cloudy

Search

22-23 21-06-2026

PNETLab | Topology

Download file | iLovePDF

(1) WhatsApp

Not secure labs.surennetwork.com/legacy/topology

Gmail Maps ElProCus - Electroni... YouTube Translate

Notifications

```
VPC1> ping 10.0.0.2
10.0.0.2 icmp_seq=1 timeout
10.0.0.2 icmp_seq=2 timeout
10.0.0.2 icmp_seq=3 timeout
10.0.0.2 icmp_seq=4 timeout
10.0.0.2 icmp_seq=5 timeout

VPC1> ping 30.0.0.2
84 bytes from 30.0.0.2 icmp_seq=1 ttl=255 time=1.284 ms
84 bytes from 30.0.0.2 icmp_seq=2 ttl=255 time=1.310 ms
84 bytes from 30.0.0.2 icmp_seq=3 ttl=255 time=1.297 ms
84 bytes from 30.0.0.2 icmp_seq=4 ttl=255 time=1.406 ms
84 bytes from 30.0.0.2 icmp_seq=5 ttl=255 time=1.238 ms

VPC1> ping 30.0.0.1
30.0.0.1 icmp_seq=1 timeout
30.0.0.1 icmp_seq=2 timeout
30.0.0.1 icmp_seq=3 timeout
30.0.0.1 icmp_seq=4 timeout
30.0.0.1 icmp_seq=5 timeout

VPC1>
```

SUREN NETWORK
PLAY WITH TECHNOLOGIES

30.0.0.2 DC-EDGE

192.168.1.1 SW

192.168.1.10 VPC1

192.168.1.20 VPC2

Physical

01 : 00 : 00 START

30°C Partly cloudy

Search

ENG IN

22:24 21-06-2026