

Cucumber Report

17-Nov-2023, 10:44:23 am

Start : Nov 17, 10:44:19.921 am

End : Nov 17, 10:44:22.939 am

Duration : 3.018 s

Features

Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 2
FAILED - 1
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Failing Scenario</u>	3.018 s	1	0	1	0	3	2	1	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@failing	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Failing Scenario</u>	1	0	1	0	3.018 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Failing Scenario</u>	<u>Fail a scenario</u>	3	2	1	0	3.015 s

Failing Scenario

FAILED	DURATION - 3.018 s	Scenarios		Steps	
/ 10:44:19.921 am // 10:44:22.939 am /		Total - 1		Total - 3	
		Pass - 0		Pass - 2	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

Fail a scenario

<div>FAILED</div> <div>DURATION - 3.015 s</div>			Steps	
/ 10:44:19.924 am // 10:44:22.939 am /			Total - 3	
Failing Scenario			Pass - 2	
@failing			Fail - 1	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given given a scenario	PASSED	0.003 s
2	When execute a scenario	PASSED	0.000 s
3	Then validate scenario fails java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.fail(Assert.java:96) at org.cucumber.steps.FailingScenario.validate_scenario_fails(FailingScenario.java:24) at ?.validate scenario fails(file:///D:/git/cucumber-junit4-orangehrm/orangehrm/src/test/resources/features/failingScenario.feature:7) * Not displayable characters are replaced by '?'.	FAILED	0.007 s
	AFTER - org.cucumber.hooks.AppHooks.afterScenario(io.cucumber.java.Scenario)	PASSED	0.425 s
	JsaFail a scenario		