



HD HYUNDAI
MIPO

FINISHED PLAN

4235 IRENES REWARD

IMO NO. : 9964168

C A U T I O N

THIS DRAWING OR DOCUMENT IS THE PROPERTY OF HD HYUNDAI
MIPO CO., LTD., AND IT MUST NOT BE PARTIALLY OR WHOLLY COPIED
OR USED FOR ANY OTHER PURPOSE WITHOUT PRIOR WRITTEN
PERMISSION OF HD HYUNDAI MIPO CO., LTD.

TOTAL (57) SHEETS WITH A COVER

DEP'T NO. 5610	DEP'T NAME DESIGN COLLABORATION DEP'T	SHIP TYPE 2,800 TEU CLASS CONTAINER CARRIER		
TEL.NO. 1176	SHIP NO. 4235	SHIP NAME IRENES REWARD		
DATE 2024. 08. 22	APPROVED : S.H.LEE <i>S.H. Lee</i>	NAME OF DRAWING DATA BOOKLETS (MACHINERY PARTICULAR LIST)		
	CHECKED : Y.C.KIM <i>Y.C. Kim</i>			
	DRAWN : M.K.CHOI <i>M.K. Choi</i>			
		NONE	DRAWING NO. 9A000C001	REV.NO FIN
		CONSOLIDATED		B-23

BASIC PART

LOADING COMPUTER

PAINTING PART

COATING

I.C.C.P. SYSTEM

HULL OUTFITTING PART

1. STEERING GEAR SYSTEM

2. ANCHOR

3. ANCHOR CHAIN

4. DECK MACHINERY

5. BOW THRUSTER

6. F.O HOSE DAVIT

7. MONORAIL HOIST CRANE

8. ACCOMMODATION LADDER

9. PILOT SLANT LADDER

10. LIFE BOAT

11. LIFE BOAT DAVIT



12. RESCUE BOAT
13. RESCUE BOAT & LIFE RAFT DAVIT
14. LIFE RAFT
15. CARGO HATCH COVER
16. VENTILATION FAN

ACCOMMODATION OUTFITTING PART

1. GALLEY EQUIPMENT
2. LAUNDRY EQUIPMENT
3. NAVIGATION SYSTEM
4. MECHANICAL VENT. SYSTEM
5. AIR CON. SYSTEM
6. PROV. REF. SYSTEM
7. VACUUM TOILET
8. ELEVATOR



PIPING PART

1. CO2 FIRE EXT. SYSTEM
2. VALVE REMOTE CONTROL SYSTEM
3. MANUAL HYD. OPERATING ACTUATOR & DECK STAND
4. ELEC. PNEUMATIC TYPE TANK LEVEL & DRAFT GAUGING SYSTEM
5. EMERGENCY FIRE PUMP
6. ANTI-HEELING PUMP
7. LOOSE FIRE FIGHTING APPLIANCE



MACHINERY OUTFITTING PART

1. MAIN ENGINE
2. PROPELLER
PROPELLER SHAFT
INTERMEDIATE SHAFT
PROPELLER SHAFT NUT
3. AFT STERN TUBE SEAL
FWD STERN TUBE SEAL
INTERMEDIATE SHAFT BEARING
AFT STERN TUBE BEARING
FWD STERN TUBE BEARING
4. SHAFT EARTHING DEVICE

5. HYD. TOP BRACING
6. D/G ENGINE
7. COMPOSITE BOILER
8. MAIN AIR COMPRESSOR
EM'CY AIR COMPRESSOR
WORKING AIR COMPRESSOR
9. MAIN AIR RESERVOIR
WORKING AIR RESERVOIR
AUX. AIR RESERVOIR
10. CONTROL AIR DRYER
11. L.F.O PURIFIER
MAIN L.O. PURIFIER
12. OILY BILGE SEPARATOR
13. INCINERATOR
14. E/R CRANE
15. CENTRAL F.W. COOLER
MAIN L.O. COOLER
H.T.F.W. COOLER
M.G.O. COOLER FOR M/E & G/E
M.G.O. COOLER FOR COMP. BOILER
16. F.W. SUPPLY UNIT



17. LATHE
18. NO.1 & 2 L.F.O. PURIFIER HEATER
NO.1 & 2 MAIN L.O. PURIFIER HEATER
M/E JACKET PREHEATER
DUMP/DRAIN COOLER
19. E/R VENT FAN
PURIFIER ROOM EXH. FAN
WELDING AREA EXH. FAN
20. F.W. GENERATOR
21. M/E L.O. AUTO FILTER WITH BYPASS FILTER
22. F.O.SUPPLY UNIT FOR M/E & G/E
23. DRILLING MACHINE
GRINDING MACHINE
24. GAS WELDER
25. M.G.P.S
26. SEWAGE TREATMENT PLANT
27. LOCAL FIRE FIGHTING SYSTEM
28. PACKAGED AIR-CON FOR E.C.R.
29. BALLAST WATER MANAGEMENT SYSTEM
30. PUMP (TAIKO)

31. PUMP (TAIKO)

32. EXHAUST GAS LEANING SYSTEM (4232~4235 ONLY)

ELECTRIC OUTFITTING PART

POWER

1. MAIN DIESEL GENERATOR

2. EM'CY GENERATOR

3. MAIN SWITCHBOARD

4. EMERGENCY SWITCHBOARD

5. LOCAL GROUP STARTER IND. STARTER

6. EM'CY STOP SWITCH BOX

7. DISTRIBUTION BOARD

8. TRANSFORMER

9. ELECTRIC WELDER

10. GROUP CONTROL PANEL

11. THRUSTER CONTROL PANEL & STARTER

12. THRUSTER MOTOR

13. REEFER CONTAINER MONITORING SYSTEM

14. REEFER SOCKET

15. ELECTRIC HEATER

16. AMP SYSTEM

LIGHTING SYSTEM

1. NAV. & SIG. LIGHT ~ JUNCTION BOX

2. RECEPTACLE & PLUG

3. LED CHART TABLE LIGHT

CONTROL SYSTEM

1. ENGINE CONTROL CONSOLE

2. BRIDGE WING CONTROL CONSOLE

3. ELEC. SENSOR

4. SHIP NETWORK SYSTEM

5. M/E HORSE POWER METER SYSTEM

6. CCTV SYSTEM

7. SHIP'S PERFORMANCE SYSTEM (HYUNDAI-ISS)

8. E/R ALARM MONITORING SYSTEM

FIRE SYSTEM

1. FIRE DETECTION & ALARM SYSTEM

2. PUBLIC ADDRESS SYSTEM

3. SIGNAL LIGHT COLUMN

NAV. & COMM. SYSTEM

1. RADAR
2. ECDIS
3. DGPS
4. SATELLITE LOG
5. SPEED LOG
6. ECHO SOUNDER
7. CONNING
8. AIS
9. GMDSS SYSTEM
10. INMARSAT-C
11. VHF RADIO TELEPHONE
12. NAVTEX RECEIVER
13. EPIRB
14. PORTABLE VHF RADIO TEL.
15. RADAR TRANSPONDER
16. WEATHER FAX SYSTEM
17. VDR



HD HYUNDAI
MIPO

TSAKOS

18. IRIDUM SYSTEM
19. AUTO PILOT / GYRO SYSTEM
20. MAGNETIC COMPASS
21. RUDDER ANGLE INDICATOR
22. WHISTLE SYSTEM
23. ELEC. CLOCK SYSTEM
24. ANEMOMETER & ANEMOSCOPE
25. AUTO TELEPHONE EXCHANGER
26. COMMUNAL AERIAL SYSTEM
27. SOUND POWERED TELEPHONE
28. REF. CHAMBER ALARM SYSTEM
29. HOSPITAL CALLING ALARM SYSTEM
30. BATTERY CHARGER & DIST. BOARD
31. WHEELHOUSE GAUGE BOARD
32. BNWAS
33. PORTABLE UHF
34. V-SAT SYSTEM



DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
1	LOADING COMPUTER (HARDWARE)	MODEL : DEL XE3 TYPE : APPROVED MARINER TYPE	1	CPU : Intel Core TM i3-8100 RAM : DDR4 4GB H.D.D : 256GB SDD DISPLAY : 19" TFT LCD color monitor PRINTER : Color laser printer (A4 size)	abt. 30 KG	TECHMARINE S/W Co., Ltd	TEL: +82-51-467-7003 FAX : +82-51-467-7005 E-MAIL: tm@techmarine.net	TECHMARINE: Room 316, Busan Port International Ship Supply Center, 85, Namhangseo-ro Yeongdo-gu, Busan, 49049 Republic of Korea
	(SOFTWARE)	MODEL : SHIPMANAGER-88	1					

DATA BOOKLETS (MACHINERY PARTICULARS & MAKER'S ADDRESS) FOR 4235

NO	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
COATING	LOCATION	COATING TYPE (μ m)		COATING BRAND NAME		CHUGOKU SAMHWA PAINTS,LTD.	T)82 55 340-0872 E)sh-ha@csp.co.kr	322, Gimhae-daearo 927beon-gil, Hallim-myeon, Gimhae-si, Gyeongsangnam-do,Korea
	1)FLAT BOTTOM	Epoxy primer : 150 Epoxy tie coat : 100 Tin free S.P.C. A/F : 100 Tin free S.P.C. A/F : 100		BANNOH 1500 (D/BROWN) BANNOH 1500 R Z (BUFF) SEA GRANDPRIX 880HS (L/BROWN) SEA GRANDPRIX 880HS PLUS (BROWN)				
	2)SIDE BOTTOM	Epoxy primer : 150 Epoxy tie coat : 100 Tin free S.P.C. A/F : 160 Tin free S.P.C. A/F : 160		BANNOH 1500 (D/BROWN) BANNOH 1500 R Z (BUFF) SEA GRANDPRIX 880HS (L/BROWN) SEA GRANDPRIX 880HS PLUS (BROWN)				
	3)TOPSIDE	Epoxy primer : 150 Polyurethane : 50 Polyurethane : 50		BANNOH 1500 (D/BROWN) UNY MARINE HS (BLACK CS-650) UNY MARINE HS (BLACK CS-650)				
	4)EXPOSED UPPER DECK	Epoxy primer : 100 Epoxy finish:100		BANNOH 1500 (D/BROWN) EPICON MARINE HB (GREEN CS-518)				
	5)D/HOUSE & E/CAS'G OUTSIDE (DECK)	Epoxy primer : 100 Epoxy finish:100		BANNOH 1500 (D/BROWN) EPICON MARINE HB (GREEN CS-518)				
	6)D/HOUSE & E/CAS'G OUTSIDE (W/OH)	Epoxy primer : 100 Polyurethane : 50 Polyurethane : 50		BANNOH 1500 (D/BROWN) UNY MARINE HS (WHITE CS-651) UNY MARINE HS (WHITE CS-651)				

DATA BOOKLETS (MACHINERY PARTICULARS & MAKER'S ADDRESS) FOR 4235

NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
COATING	LOCATION	COATING TYPE (μ m)		COATING BRAND NAME		CHUGOKU SAMHWA PAINTS,LTD.	T)82 55 340-0872 E)sh-ha@csp.co.kr	322, Gimhae-daearo 927beon-gil, Hallim-myeon, Gimhae-si, Gyeongsangnam-do,Korea
	7)WATER BALLAST TANK & FORE PEAK TANK	Tar free epoxy :160 Tar free epoxy :160		BANNOH 1500 (D/BROWN) BANNOH 1500 (GREY)				
	8)FORE PEAK VOID & AFT PEAK VOID	Tar free epoxy :150		BANNOH 1500 (GREY)				
	9)FRESH WATER TANK	Epoxy holding primer :50 Solvent-free epoxy :250		EP1700 (L/BUE) EH3100 (CREAM)				
	10)CARGO HOLD (W/OH)	Tar free epoxy :150		BANNOH 1500 (GREY)				
	11)CARGO HOLD (DECK)	Tar free epoxy :100 Tar free epoxy :100		BANNOH 1500 (D/BROWN) BANNOH 1500 (GREY)				
	12)D/HOUSE & E/CAS'G INSIDE (W/OH)	Epoxy : 100		EH4600 (WHITE)				
	13)D/HOUSE & E/CAS'G INSIDE (DECK)	Epoxy : 60 Epoxy : 60		EH4600 (GREEN 4430) EH4600 (GREEN 4430)				
	14)E/RM & STEER'G GEAR RM (W/OH)	Epoxy : 100		EH4600 (WHITE1000)				
	15)E/RM & STEER'G GEAR RM (DECK)	Epoxy : 60 Epoxy : 60		EH4600 (GREEN4430) EH4600 (GREEN4430)				
	16)E/RM (INSULATION)	Epoxy : 80		EH4600 (WHITE1000)				

DATA BOOKLETS (MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
1	I.C.C.P SYSTEM		1	Electric automatic controller power unit. (Output: 400Amps, 24V DC)	300	SEHONG	T)82 55 375 1117 F)82 55 375 1116 E-mail) sehong@sehong.com	#876-4, Maegok-dong, Yangsan, Gyeongnam, 626-260 SOUTH KOREA
			2	200Amps, Mounted MMO/Ti Circular anode assembly in holder with cofferdam	50			
			2	Recessed high purity zinc reference electrodes with cofferdam.	33			
			1	Rudder stock grounding assembly.				
			2	Rigid plate for di-electric shield.	180			
			1	Spare Fuses, Maker standard				

MACHINERY PARTICULARS FOR 4235

NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
1	Steering Gear System	RV1350-3	1	1) Rudder actuator - Max working torque : 1312 kNm - Max working pressur : 80 bar - Allowable axial load : 700 kN - Rudder stock diameter : 490mm - Max. mechanical rudder angle : 2x37.5 deg. - Max electrical rudder angle : 2x35 deg. 2) Electric Motor - Power : 43 kW - Current : In = 68A - Rotational speed : 3500 rpm - Voltage : 3x440-460 V - Frequency : 60Hz - Type : 200L - Protection : IP 55 - Design : B5 - Insulation class : F	6,000	Kongsberg	T) +47 33 03 24 07	km.support@kongsberg.com
2	Anchor	HIGH HOLDING POWER TYPE STOCKLESS	2	Stockless HHP type	8,325 x 2	Kum Hwa Cast Steel & Ind. Mach, Co., Ltd	T) 82-55-365-3300 F) 82-55-365-3305	11-5, Soju-Ri, Woong sang-Eup, Yangsan City, Korea khsales@khcast.com
3	Anchor Chain	-	1	- Dia.81mm (Grade 3) x 343.75M - Breaking load : 4824.9 KN	10,840	Jiangsu Asian Star Anchor Chain Co.,Ltd	T) 82 51 465 1600 F) 82 51 465 1789	fineship@chol.com

MACHINERY PARTICULARS FOR 4235

NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
4-1	Deck Machinery (Windlass)	W1 (HWLC81U3K160D2W1)	1	1) Chain drum - Winding load : 311.7 kN - Winding speed : 9 m/min (Rated) - Drum Q'ty : 1 piece - Brake capacity : 2176 kN 2) Mooring drum - Winding load : 156.8 kN - Winding speed : 15 m/min(Rated), 45 m/min(No load) - Drum Q'ty : 2 Piece - Drum dia : 450 mm - Drum length(total) : 1288 mm (Split type) - Drum Flange dia : 1300/1000 mm - Brake : M.B.L 646.8 kN (1st layer) (M.B.L x80% = 517.4 kN)	11,800	FLUTEK, LTD	T) 82 55 570 5744 F) 82 55 574 5713	79-2 Samga-ri, Bongsu-myon, Uiryeong-gun, Kyungnam, KOREA
		W2 (HWRC81U3K160D2W1)	1	3) Warping end - Winding load : 156.8 kN - Winding speed : 15m/min (Rated) - Drum Q'ty : 1 Piece - Drum dia : 450 mm - Drum length : 500 mm	11,800			
4-2	Deck Machinery (Mooring winch)	M1,M2,M3,M4 (M1,M4:HMWR160D2W1/ M2,M3:HMWL160D2W1)	4	1) Mooring drum - Winding load : 156.8 kN - Winding speed : 15 m/min(Rated), 45 m/min(No load) - Drum Q'ty : 2 Piece - Drum dia : 450 mm - Drum length(total) : 1288 mm (Split type) - Drum Flange dia : 1300/1000 mm - Brake : M.B.L 646.8 kN (1st layer) (M.B.L x80% = 517.4 kN) 3) Warping end - Winding load : 156.8 kN - Winding speed : 15m/min (Rated) - Drum Q'ty : 1 Piece - Drum dia : 450 mm - Drum length : 500 mm	5,200x4	FLUTEK, LTD	T) 82 55 570 5744 F) 82 55 574 5713	79-2 Samga-ri, Bongsu-myon, Uiryeong-gun, Kyungnam, KOREA

MACHINERY PARTICULARS FOR 4235

NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
5	Bow thruster	KT-157B5	1	- Type of propeller. : 4 bladed, Skewed type, Controllable Pitch Type - Propeller diameter : 2,200mm - Thrust(per unit) : Approx. 255 kN - Input shaft speed : 1,160 min-1	7,710	Kawasaki Heavy Industries,Ltd.	T) 81 3 3435 2374 F) 81 3 3435 2022	14-5, Kaigan 1-chome, Minatoku, Tokyo 105-8315, Japan
6	F.O HOSE DAVIT	Air motor driven	2	- SWL : 500 Kg - Over load test : 625 Kg - Lifting height : 15 M - Hoisting speed : Abt. 10 M/Min (at 3 layer)	330	SHIN MYUNG TECH	T) +82 55 363 7091 F) +82 55 363 7092	865-3, Eogock-dong, Yangsan-city Kyungnam, South korea
7	MONORAIL HOIST CRANE	SMC-040	1	- Hoisting capacity : SWL 4 ton - Hoisting life : Max. 28m - Hoisting speed : abt. 7m/min at rated load 4ton (by 2 layer) - Outreach from max. breadth : 4 m - Traversing speed : abt.7 m/min	6,000	ORIENTAL	T) +82 51 979 0888 F) +82 51 831 3308	1614-1, Songung-dong, Gangseo-ku, Busan, Korea

MACHINERY PARTICULARS FOR 4235

NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
8	ACCOMMODATION LADDER	Air motor driven	2	- Length : 14,125 mm - Width : 600 mm - Height : 300 mm - Design load : 3,000 kg - Max. Operational laod(S.W.L) : 1,500 kg	3,035x2	JUNG-A MARINE CO.,LTD.	T) 82-51-831-4147 F) 82-51-831-4908	63, Noksansaneup buk-ro, Gangseo-gu, Busan, Korea
9	PILOT SLANT LADDER	Air motor driven		- Length : 12,055 mm - Width : 600 mm - Height : 300 mm - Design load : 2,550 kg - Max. Operational laod(S.W.L) : 1,275 kg	2,240x2	JUNG-A MARINE CO.,LTD.	T) 82-51-831-4147 F) 82-51-831-4908	63, Noksansaneup buk-ro, Gangseo-gu, Busan, Korea
10	Life Boat	Free-fall type	1	- For 21 persons, free fall type - L x B x D : 6.6m x 2.75m x 0.96m - S.W.L of hook : 56kN	3,520	JIANGYINSHI BEIHAI LSA CO.,LTD.	T) 86 510 86593708 F) 86 510 86986869	33#,Beihuan Road, Yuecheng Town, Jiangyin City, Jiangsu Province, China
11	Lifeboat davit (for Free fall type lifeboat)	FA65	1	- Max. working load : 65 kN - Max. hoisting load : 42 kN	6,500	JIANGYINSHI BEIHAI LSA CO.,LTD.	T) 86 510 86593708 F) 86 510 86986869	33#,Beihuan Road, Yuecheng Town, Jiangyin City, Jiangsu Province, China

MACHINERY PARTICULARS FOR 4235

NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
12	Rescue boat	DSB-420 IRB	1	-Outboard engine operated Inflatable type -For 6 persons -L x B : 4.2m x 1.8m x 2.93m	123	Survitec Group DSB - Deutsche Schlauchboot GmbH	T) 49-5534-3010 F) 49-5534-301200	P.O.Box 11 55, Angerweg 5, D-37628, Eschershausen, Germany
13	Rescue boat& life raft davit	BDR25S	1	-Single arm hyd.slewing by stored power -SWL : 2,000kg -Hoisting load : Max.850kg -Working Radius : Max.3.85m -Hoisting speed : 18m/min -Slewing speed : 0.5 RPM by stored power -Wire rope : Ø14mm non-rotating type (G.S.W.R.)	2,000	BADA HEAVY INDUSTRIES CO.,LTD	T) 82-55-720-1021 F) 82-55-345-2136	#1002, Jinyoung-Ri, Jinyoung-Eup, Kimhae City, Kyungnam-Do, Korea
14	Life raft	6 DK	1	- 6 persons, throw over board type	70	VIKING LIFE-SAVING EQUIPMENT Pte Ltd.	T) 65-6424-9200 F) 65-6424-9210	14 Loyang Way 4, Loyang Industrial Estate, 507601 SINGAPORE
		25 DK	1	- 25 persons, throw over board type	172			
		25 DKF	1	- 25 persons, davit launched type	208			
15	Cargo Hatch Cover	Lift Away Type	26	- Hatch No. : No.1F/A ~ No.4F/A & No.5 - Clear Openings a) No.1F : 12.60 m(L) x 10.32/20.4 m(B) b) No.1A : 12.60 m(L) x 25.44/30.8 m(B) c) No.2F/2A ~ 4F/4A, .5 : 12.60 m(L) x 30.80 m(B)	732,044	MacGregor Finland Oy	T) 82-51-709-3743	Hallimestrinkatu 6, Kaarina 20780 Finland

MACHINERY PARTICULARS FOR 4235

NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
16	<Ventilation Fan>			<Air Volume, Total Press>		HI-AIR KOREA	T) 82-55-340-5000 F) 82-55-346-3501	#1432-11, Daman-ri, Chillye-myon, Gimhae city, Gyeongsam- Province, Korea
	S/G room Sup.	AWA-500/280	1	90 m3/min x 23.6 mmAq	336			
	Bosun store Sup.	AWA-400/150	1	50 m3/min. x 22.7 mmAq	279			
	Bow thruster room Sup.	AWA-500/350	1	90 m3/min. x 33.6 mmAq	392			
	Plant & Lamp store Exh.	AWA-350/150	1	22 m3/min. x 15.9 mmAq	262			
	No.1 cargo hold(1A) Sup (Reversible)	AKA-900/410(LV TYPE)	1	585 m3/min. x 74.4 mmAq	551			
	No.1 cargo hold(1A) Sup.	AKA-900/410(RV TYPE)	1	585 m3/min. x 74.4 mmAq	551			
	No.1 cargo hold (1A) Sup. (Reversible)	AKA-800/410(RV TYPE)	1	520 m3/min. x 78.2 mmAq	505			
	No.1 cargo hold (1A) Sup. (Reversible)	AKA-800/410(RV TYPE)	1	520 m3/min. x 78.2 mmAq	505			
	No.2 cargo hold (2F) Sup. (Reversible)	AKA-900/410(LV TYPE)	1	560 m3/min. x 68.2 mmAq	534			
	No.2 cargo hold (2F) Sup.	AKA-900/410(LV TYPE)	1	560 m3/min. x 68.2 mmAq	534			
	No.2 cargo hold (2F) Sup.	AKA-900/410(LV TYPE)	1	560 m3/min. x 68.2 mmAq	534			
	No.2 cargo hold (2F) Sup.(Reversible)	AKA-900/410(RV TYPE)	1	650 m3/min. x 87.7 mmAq	644			
	No.2 cargo hold (2F) Sup.(Reversible)	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	644			
	No.2 cargo hold (2F) Sup.(Reversible)	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	644			
	No.2 cargo hold (2A) Sup.	AKA-710/410(RV TYPE)	1	340 m3/min. x 72.5 mmAq	413			
	No.2 cargo hold (2A) Sup.	AKA-710/410(LV TYPE)	1	340 m3/min. x 72.5 mmAq	413			
	No.2 cargo hold (2A) Sup.	AKA-710/410(LV TYPE)	1	340 m3/min. x 72.5 mmAq	413			
	No.2 cargo hold (2A) Sup.	AKA-710/410(RV TYPE)	1	340 m3/min. x 72.5 mmAq	413			
	No.2 cargo hold (2A) Sup.	AKA-710/410(RV TYPE)	1	340 m3/min. x 72.5 mmAq	413			
	No.2 cargo hold (2A) Sup.	AKA-710/410(LV TYPE)	1	340 m3/min. x 72.5 mmAq	413			

MACHINERY PARTICULARS FOR 4235

NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
16	No.3 cargo hold(3F) Sup.	AKA-900/410(RV TYPE)	1	650 m3/min. x 87.2 mmAq	598	HI-AIR KOREA	T) 82-55-340-5000 F) 82-55-346-3501	#1432-11, Daman-ri, Chillye-myon, Gimhae city, Gyeongsam-Province, Korea
	No.3 cargo hold(3F) Sup.	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.3 cargo hold(3F) Sup.	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.3 cargo hold(3F) Sup.	AKA-900/410(RV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.3 cargo hold(3F) Sup.	AKA-900/410(RV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.3 cargo hold(3F) Sup.	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.4 cargo hold(4F) Sup.	AKA-900/410(RV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.4 cargo hold(4F) Sup.	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.4 cargo hold(4F) Sup.	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.4 cargo hold(4F) Sup.	AKA-900/410(RV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.4 cargo hold(4F) Sup.	AKA-900/410(RV TYPE)	1	650 m3/min. x 87.7 mmAq	598			
	No.4 cargo hold(4F) Sup.	AKA-900/410(LV TYPE)	1	650 m3/min. x 87.7 mmAq	598			

DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
1. GALLEY EQUIPMENT	1) ELEC. COOKING RANGE	ER441	1	- ELEC. SOURCE : AC 440V, 60HZ, 3P	190	SAMJOO ENG.	TEL) +82 51 220 0313	Hashinjungang-ro 299, Saha-gu, Busan, Republic of Korea Korea (49454)
				- ELEC. ROAD : 20 KW			FAX) +82 51 264 1222	
	2) ELEC. DISH WASHER	ISYTECH 36-00	1	- ELEC. SOURCE : AC 440 V, 60 HZ, 3P	56		E-MAIL)	
				- ELEC. LOAD : 3.9 KW			design@sam-joo.co.kr	
	3) ELEC. MEAT SLICER	MS250ST	1	- ELEC. SOURCE : AC 220 V, 60 HZ, 1P	16			
				- ELEC. LOAD : 0.15 KW				
	4) ELEC. TOASTER	BH-003	3	- ELEC. SOURCE : AC 220 V, 60 HZ, 1P	1.2			
				- ELEC. LOAD : 1.3 KW				
	5) ELCE. UNIVERSAL MIXER	JT-205H	1	- ELEC. SOURCE : AC 440 V, 60 HZ, 3P	90			
				- ELEC. LOAD : 0.56 KW				
	6) ELEC. COFFEE MACHINE	M100	3	- ELEC. SOURCE : AC 220 V, 60 HZ, 1P	7			
				- ELEC. LOAD : 2.25 KW				
	7) ELEC. WASTE DISPOSER	BS 510A	1	- ELEC. SOURCE : AC 440 V, 60 HZ, 3P	26			
				- ELEC. LOAD : 0.75 KW				
	8) ELEC. REFRIGERATOR	B074-1ROOS-E	1	- ELEC. SOURCE : AC 220 V, 60 HZ, 1P	155			
				- ELEC. LOAD : 0.29 KW				
1. GALLEY EQUIPMENT	9) ELEC. FRING PAN	FP 35	1	- ELEC. SOURCE : AC 440 V, 60 HZ, 3P	130			
				- ELEC. LOAD : 6 KW				
	10) ELEC. BAKING OVEN	BK 440S	1	- ELEC. SOURCE : AC 440 V, 60 HZ, 3P	225			
				- ELEC. LOAD : 10 KW				
	11) ELEC. CARBAGE COMPAC	GC 3000	1	- ELEC. SOURCE : AC 440V, 60HZ, 3P	275			
				- ELEC. ROAD : 1.5 KW				
	12) ELEC. HOT WATER POT	HD9357	2	- ELEC. SOURCE : AC 220V, 60HZ, 1P	1.1			
				- ELEC. ROAD : 2.2 KW				

DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
2. LAUNDRY EQUIPMENT	1) ELEC. HAND IRON	DST3020/20	1	- ELEC. SOURCE : AC 220V, 60HZ, 1P	1.2	SAMJOO ENG.	TEL) +82 51 220 0313	Hashinjungang-ro 299, Saha-gu, Busan, Republic of Korea Korea (49454)
				- ELEC. ROAD : 2.4 KW			FAX) +82 51 264 1222	
	2) ELEC. WAHSING MACHINE	UC30	1	- ELEC. SOURCE : AC 440V, 60HZ, 3P	226		E-MAIL)	
				- ELEC. ROAD : 2 KW			design@sam-joo.co.kr	
	3) ELEC. WASHING MACHINE	FR9WK	3	- ELEC. SOURCE : AC 220V, 60HZ, 1P	65			
				- ELEC. ROAD : 1.84 KW				
	4) ELECTRIC HEATER	EAH-20	1	- ELEC. SOURCE : AC 220V, 60HZ, 1P	10			
				- ELEC. ROAD : 2 KW				
3. NAVIGATION SYSTEM	1) WINDOW WIPER	STRAIGHT TYPE	3	- ELEC. SOURCE : AC 220 V, 60 HZ, 1P	101	Jung Gong Ind. Co.,Ltd	TEL) +82 70 4816 9324	546, Shinpyung-dong, Saha-gu, Busan, Korea
							FAX) +82 51 263 2597	
							window@jung-gong.com">window@jung-gong.com	
	2) CLEAR VIEW SCREEN	350mm DIA	2	- ELEC. SOURCE : AC 220 V, 60 HZ, 1P	25			
				- ELEC. ROAD : 0.36 KW				
4. MECHANICAL VENT. SYSTEM	1) SANITARY EXHAUST FAN	CLC-315/LG-4	1	- ELEC. SOURCE : 440 V, 60 Hz, 3 Ph	60	HI-AIR	TEL) 82 51 319 7640	204, Gomo-ro 324beon-gil, Jillye-myeon, Gimhae-si, Gyeongsangnam-do, Korea (50875)
				- OUTPUT : 1.5Kw		KOREA	FAX) 82 51 319 7741	
				- CAPACITY : 2,589 m3/h		CO., LTD.	E-MAIL) tkwoo@hiairkorea.co.kr	
				- STATIC PRESSURE : 694 Pa				
				- REVOLUTION : 1,740 rpm				
	2) GALLEY SUPPLY FAN	AWA-400/150	1	- ELEC. SOURCE : 440 V, 60 Hz, 3 Ph	131			
				- OUTPUT : 0.4 kW				
				- CAPACITY : 1,390 m3/h				
				- STATIC PRESSURE : 160 Pa				
				- REVOLUTION : 1,685 rpm				
	3) GALLEY EXHAUST FAN	AWA-500/280	1	- ELEC. SOURCE : 440 V, 60 Hz, 3 Ph	199			
				- OUTPUT : 1.5 kW				
				- CAPACITY : 2,780 m3/h				
				- STATIC PRESSURE : 200 Pa				
				- REVOLUTION : 1,740 rpm				

DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
4. MECHANICAL VENT. SYSTEM	4) HOSPITAL EXHAUST FAN	CK-160C	1	- ELEC. SOURCE : 220 V, 60 Hz, 1 Ph	4.3	HI-AIR	TEL) 82 51 319 7640	204, Gomo-ro 324beon-gil,
				- OUTPUT : 0.13 Kw		KOREA	FAX) 82 51 319 7741	Jillye-myeon, Gimhae-si,
				- CAPACITY : 440 m3/h		CO., LTD.	E-MAIL) tkwoo@hiairkorea.co.kr	Gyeongsangnam-do,
				- STATIC PRESSURE : 220 Pa				Korea
				- REVOLUTION : 2,555 rpm				(50875)
	5) CREW'S RECREATION ROOM EXHAUST FAN	CK-160C	1	- ELEC. SOURCE : 220 V, 60 Hz, 1 Ph	4.3			
				- OUTPUT : 0.13 kW				
				- CAPACITY : 331 m3/h				
				- STATIC PRESSURE : 280 Pa				
				- REVOLUTION : 2,555 rpm				
	6) OFFICER'S RECREATION ROOM EXHAUST FAN	CK-160C	1	- ELEC. SOURCE : 220 V, 60 Hz, 1 Ph	4.3			
				- OUTPUT : 0.13 Kw				
				- CAPACITY : 331 m3/h				
				- STATIC PRESSURE : 280 Pa				
				- REVOLUTION : 2,555 rpm				
	7) W/H WINDOWS DEFROSTING SYSTEM SUPPLY FAN	CK-160C	2	- ELEC. SOURCE : 220 V, 60 Hz, 1 Ph	4.3			
				- OUTPUT : 0.13 kW				
				- CAPACITY : 490 m3/h				
				- STATIC PRESSURE : 202 Pa				
				- REVOLUTION : 2,555 rpm				
	8) CO2 ROOM EXHAUST	CK-315C	1	- ELEC. SOURCE : 220 V, 60 Hz, 1 Ph	6.5			
				- OUTPUT : 0.31 Kw				
				- CAPACITY : 1,120 m3/h				
				- STATIC PRESSURE : 205 Pa				
				- REVOLUTION : 2,655 rpm				
	9) EM'CY D/G ROOM EXHAUST FAN	CK-250 B Erp	1	- ELEC. SOURCE : 220 V, 60 Hz, 1 Ph	4.6			
				- OUTPUT : 0.23 kW				
				- CAPACITY : 750 m3/h				
				- STATIC PRESSURE : 279 Pa				
				- REVOLUTION : 2,950 rpm				

DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
5. AIR CON. SYSTEM	1) AIR HANDLING UNIT	HKA-07SN	1	1) FAN	2,272	HI-AIR	TEL) 82 51 319 7640	204, Gomo-ro 324beon-gil,
				- MODEL : TDR-500		KOREA	FAX) 82 51 319 7741	Jillye-myeon, Gimhae-si,
				- AIR FLOW RATE : 14,131 m3/h		CO., LTD.	E-MAIL) tkwoo@hiairkorea.co.kr	Gyeongsangnam-do,
				- STATIC PRESSURE : 2,000 Pa				Korea
				- REVOLUTION : 2,340 rpm				(50875)
				2) MOTOR				
				- ELEC. SOURCE : 440 V, 60 Hz, 3 Ph				
				- OUTPUT : 21.3 Kw				
				- REVOLUTION : 1,765 rpm				
				5) AIR COOLER				
				- AIR VOLUME : 14,131 m3/h				
				- CAPACITY : 336 kW				
				6) HEATER				
				- AIR VOLUME : 14,131 m3/h				
				- CAPACITY : 269 kW				
				8) HUMIDIFIER				
				- AIR VOLUME : 14,131 m3/h				
	2) CONDENSING UNIT	OSK7451/CRKT501917	2	1) COMPRESSOR	2,400			
				- MODEL : OSK 7451-K				
				-TYPE : Open Drive Screw				
				- Revolution (rpm) : 3,565				
				- Drive : Male				
				2) COMPRESSOR MOTOR				
				- ELEC. SOURCE : 440 V, 60 Hz, 3 Ph				
				- OUTPUT : 86 kW				
				- REVOLUTION : 3,565 rpm				
				3) CONDENSER				
				- MODEL : CRKT 501917				
				- COOLING WATER MEDIUM : FRESH WATER				
				- WATER FLOW RATE : 73 m3/h				
				- PRESSURE DROP : 34.2 kPa				

DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
6. PROVISION REF. PLANT	1) CONDENSING UNIT	2T.2/CRKT221019	2	1) COMPRESSOR	720	HI-AIR	TEL) 82 51 319 7640	204, Gomo-ro 324beon-gil,
				- MODEL : 2T.2		KOREA	FAX) 82 51 319 7741	Jillye-myeon, Gimhae-si,
				- NUMBER OF CYLINDER : 2		CO., LTD.	E-MAIL) tkwoo@hiairkorea.co.kr	Gyeongsangnam-do,
				- BORE : 60 mm				Korea
				- STROKE : 40 mm				(50875)
				- REVOLUTION : 1,720 rpm				
				2) COMPRESSOR MOTOR				
				- ELEC. SOURCE : 440 V, 60 Hz, 3 Ph				
				- OUTPUT : 6.33 kW				
				- REVOLUTION : 1,720 rpm				
				3) CONDENSER				
				- MODEL : CRKT 221019				
				- COOLING WATER MEDIUM : FRESH WATER				
				- WATER FLOW RATE : 3.4 m3/h				
				- PRESSURE DROP : 60 kPa				
	2) UNIT COOLER	HFS-3SS	1	FOR MEAT ROOM	55			
				- ROOM VOLUME : 4.8 m3				
				- ROOM TEMP : -20 °C				
		HFS-3SS	1	FOR FISH ROOM	55			
				- ROOM VOLUME : 4.8 m3				
				- ROOM TEMP : -20 °C				
		HFS-1	1	FOR VEGETABLE ROOM	35			
				- ROOM VOLUME : 7.3 m3				
				- ROOM TEMP : +4 °C				

DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
7. VACUUM TOILET	1) VACUUM TOILET	EVAC OPTIMA 3(WALL)	27	- Bowl : White vitreous china	518.4	EVAC	Tel +82 70 7445 4866	EVAC Korea LTD
		EVAC OPTIMA 3(DECK)	1	- Seat and cover, Mosaik : PP	22		Fax +82 70 4866 4567	Office 2F/ Fatory D, 38,
				- Pneumatic push button : Grey plastic			bk.seong@evac.com	Yotongdanji 1-ro 132beon-gil,
				- Discharge valve ; plastic parts : PP, rubber parts : NR				Gangsero-gu
8. ELEVATOR	1) ELEVATOR	PERSONNEL	1	- 360 KG	10052	Hyundai	TEL) 82 2 3670 1298	Hyundai Elevator Co., Ltd
		ELEVATOR		- 30 M/MIN.		Elevator	FAX) 82 2 7242 1455	Hyundai Group Bldg., 194,
				- POWER SUPPLY :			E-MAIL)	Yulgok-ro, Jongno-gu,
				(1) MAIN : 3PH 440V 60HZ			sungjoo.park@hdel.co.kr	Seoul, Korea
				(2) LIGHT : 1PH 220V 60HZ				
				- MOTOR CAPACITY : 5.5KW				

DATA BOOKLETS(MACHINERY PARTICULARS & MAKER`S ADDRESS) FOR 4235

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
1	CO2 FIRE EXT. SYSTEM	HIGH PRESSURE CO2 & SMOKE DET. SYSTEM	1	45kg CO2 btls x 171ea with rack Fan unit for Smoke Det. x 1ea Smoke Det. Panel	19,382 45 40	FAIN	T:82-55-329-0663 F:82-55-372-0664	8 SANMAK GONG DAN NAM 10-GIL YANG SAN-SI, GYEONG SANG NAM-DO, 626-140, KOREA
2	VAVEL REMOTE CONTROL SYSTEM	HYD.OPERATING	1	Remote valve x 47ea Control Console x 1ea HPU X 1ea	550 590 135	HOOPE	T:82-51-403-5851 F:82-51-403-5823	50, Gamcheonhang-ro 419 Beon-gil, Saha-Gu Busan, Korea
3	MANUAL HYD. OPERATING ACTUATOR & DECK STAND	HYD. OPERATING	1	Transmitter x 7ea Actuator x 7ea	238 126	SUNGWON	T:82-55-345-6110 F:82-55-345-6115	#850-2, CHONGCHON-RI CHILLYE-MYEON, KIMHAE-SI KEONGSANGNAM-DO, KOREA
4	ELEC. PNEUMATIC TYPE TANK LEVEL & DRAFT GAUGING SYSTEM	ELEC. PNEUMATIC	1	Air purge head x 31ea TRANSMITTER FOR CCR TRANSMITTER FOR ECR	58 90 14	HANLA IMS	T:82-51-601-7101 F:82-51-831-1850	1559-3, SONGJUNG-DONG, GANGSEO-GU, BUSAN, KOREA
5	EMERGENCY FIRE PUMP	EMSN-150MD	1	Elec. Motor driven Centrifugal, Vertical 72m3/h x 80mTh	695	TAIKO	T:082-52-3113 F:082-53-1001	209-1 TABUSE-CHO KUMAGE-GUN YAMAUCHI-PREF, JAPAN
6	ANTI-HEELING PUMP	-	1	Reversible Propeller 600m3/h x 13mTh	630	TANKTECH	T:82-51-979-1600 F:82-51-979-1601	#388-1, GUPYEONG-DONG, SAHA-GU, BUSAN, 618-270, KOREA
7	LOOSE FIRE FIGHTING APPLIANCE	MAKER STANDARD	1	-	-	DAELIM	T:82-52-266-0116 F:82-52-269-0116	#32, 125 BEON-GIL, JANGSAENGPORAERO, NAM-GU, ULSAN, KOREA

MACHINERY PARTICULARS FOR 4235

SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	QTY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS									
1	MAIN ENGINE	HYUNDAI-MAN B&W 6S60ME-C10.5 TWO(2)STROKE, CROSSHEAD, TURBOCHARGED DIRECT REVERSIBLE, MARINE DIESEL ENGINE	1	- NO OF CYLINDER : SIX (6) - CYL.BORE X STROKE (mm): 600 X 2,400 <table border="1"><tr><td></td><td>M.C.R</td><td>N.C.R</td></tr><tr><td>OUTPUT(kw)</td><td>11,610</td><td>1</td></tr><tr><td>REVOLUTION(rpm)</td><td>91.7</td><td>88.5</td></tr></table> - ROTATION : CLOCKWISE (LOOKING FROM AFT) - STARTING METHOD : COMPRESSED AIR (30 bar) - EXH. GAS Q'TY x TEMP : 82080 kg/h x 245 °C (NCR UNDER ISO CONDITION) - COOLING METHOD · FRESH WATER : CYL. JACKET, SCAV. AIR COOLER · LUB. OIL : PISTON - TURBO-CHARGER : MET60MB - F.O. CONSUMPTION. (g/kw·h) : 164.1 + 5% AT MCR USING M.D.O OF 10,200 kcal/kg IN L.C.V		M.C.R	N.C.R	OUTPUT(kw)	11,610	1	REVOLUTION(rpm)	91.7	88.5	369,000	HHI-EMD	TEL) 82 52 230 7329 FAX) 82 52 230 7692	# 1, CHEONHA-DONG, DONG-GU, ULSAN, KOREA E-mail : engineas@hhi.co.kr
	M.C.R	N.C.R															
OUTPUT(kw)	11,610	1															
REVOLUTION(rpm)	91.7	88.5															
2	PROPELLER	AEROFOIL SEC	1	- DIA. 7,000 mm - BLADE NO : FIVE(5) - MEAN PITCH : 6,370 mm	23,051	HHI-EMD	TEL) 82 52 230 7324 FAX) 82 52 230 7692	# 1, CHEONHA-DONG, DONG-GU, ULSAN, KOREA E-mail : dongha_kim@hhi.co.kr									
	PROPELLER SHAFT	SOLID SHAFT, INTERGRATED FLANGE	1	- DIA. Φ650 mm, LENGTH8,229 mm - MATERIAL : FORGED STEEL	20,738												
	INTERMEDIATE SHAFT	SOLID SHAFT, INTERGRATED FLANGE	1	- DIA. Φ490 mm, LENGTH 9,108 mm - MATERIAL : ALLOY STEEL	14,465												
	PROPELLER SHAFT NUT	HYD. NUT	1	- DIA. Φ 870 mm, LENGTH 275 mm	796												
3	AFT STERN TUBE SEAL	COMPACT SEAL TYPE : AX-710	1	- 4 SEALING RINGS	624	KEMEL	TEL) 81 78 652 8857 FAX) 81 78 652 8867	1-3-32, HYOGO-CHO, HYOGO-KU, KOBE-CITY, 652-0813, JAPAN E-mail : shunsuke.hikita@kemel.com									
	FWD STERN TUBE SEAL	COMPACT SEAL TYPE : AX-710	1	- 2 SEALING RINGS	483												

MACHINERY PARTICULARS FOR 4235

SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
3	INTERMEDIATE SHAFT BEARING	F.W. COLLAR TYPE (SELF SYSTEM) TYPE : KMS-520	1	- F.W. COOLED TYPE - SELF-LUBRICATING SYSTEM - SHAFT : Φ495 mm - CAST IRON LINED WHITE METAL	608	KEMEL	TEL) 81 78 652 8857 FAX) 81 78 652 8867	1-3-32, HYOGO-CHO, HYOGO-KU, KOBE-CITY, 652-0813, JAPAN E-mail : shunsuke.hikita@kemel.com
	AFT STERN TUBE BEARING	OIL LUBRICATING	1	- CAST IRON LINED WHITE METAL - INDIA Φ651.0 mm LENGTH 1350mm	1,107			
	FWD STERN TUBE BEARING	OIL LUBRICATING	1	- CAST IRON LINED WHITE METAL - INDIA Φ670 mm LENGTH 500 mm	408			
4	SHAFT EARTHING DEVICE		1	- INTERMEDIATE SHAFT DIAMETER : Φ490 mm - SILVER ALLOY PLATE	21	SEHONG	TEL) 82 55 375 1117 FAX) 82 55 375 1116	73, SEOKGYESANDAN 3-GIL, SANGBUK-MYEON, YANGSAN-SI, KOREA E-Mail : sehong@sehong.co.kr
5	HYD. TOP BRACING	HYDRAULIC TOP BRACING TYPE : AOC-300	4	HIGH DAMPING ON/OFF TYPE	220	G&C TECH	TEL) 82 52 268 5656 FAX) 82 52 265 7887	#649-1 MYOUNGCHON-DONG, BUK-GU, ULSAN KOREA E-Mail : gc-tech@gc-tech.com
6	D/G ENGINE	HYUNDAI-HIMSEN 7H25/33 TRUNK PISTON, 4-CYCLE, EXHAUST TURBOCHARGED, AIR COOLER	3	- NO. OF CYLINDER : SEVEN(7) - CYL. BORE x STROKE (mm) : 250 x 330 - OUTPUT (kW) x Rev. (rpm) : 2,100 x 900 - ROTATION : C.W. VIEWED FROM FLYWHEEL SIDE - F.O.CONSUMPTION(g/kW-h) : 189.4+5% AT MCR - STARTING METHOD : COMPRESSED AIR MAX. 30kg/cm2	29.9 (WITH ALTERNATOR)	HHI-EMD	TEL) 82 52 202 7272 FAX) 82 52 202 7696	# 1, CHEONHA-DONG, DON-GU, ULSAN, KOREA E-Mail : engineas@hhi.co.kr
7	COMPOSITE BOILER	PC0201P001 MARINE COMPOSITE BOILER, VERTICAL, CYLINDRICAL TYPE	1	- STEAM OUTPUT OIL FIRED SECTION (kg/h) : 2,000 - STEAM OUTPUT EXHAUST SECTION (kg/h) : 900 - WORKING PRESS. (kg/cm ²) : 7 - FLUE GAS TEMPERATURE (°C) : 450 - FEED WATER TEMP (°C) : 80 - DIMENSION (DIA. * H) : 2,800mm × 4,900mm - BURNER TYPE : PRESSURE JET - BURNER MODEL : RP-140M	18,200 (28,100)	KANGRIM	TEL) 82 55 267 7760 FAX) 82 55 269 7795	76, YEONDEOK-RO, CHANGWON-SI, KOREA E-Mail : tech1@kangrim.com

MACHINERY PARTICULARS FOR 4235								
SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
8	MAIN AIR COMPRESSOR	LT40-30 A KE 3 STAGE/3 CYLINER, AIR COOLED	2	- CAPACITY : 175 m ³ /h x 30bar - MOTOR (kW x rpm) : 37.5 kW x 1,770 rpm	970 (1,049)	ATLAS COPCO	TEL) 82 51 920 3735 FAX) 82 51 518 4392	#325-8, CHEYUKGONGWON-RO, 399BEON-GIL, GEUMJEONG-GU, BUSAN, KOREA E-Mail : Moonyoung.son@kr.atlascopco.com
	EM'CY AIR COMPRESSOR	LT-106 2 STAGE/2 CYLINER, AIR COOLED	1	- CAPACITY : 30 m ³ /h x 30bar - MOTOR (kW x rpm) : 7.5 kW x 1,770 rpm	225			
	WORKING AIR COMPRESSOR	NEX-55ABS SCREW AIR COOLED	1	- CAPACITY : 194 m ³ /min x 12bar - MOTOR (kW x rpm) : 64 kW x 3,560 rpm	1560	DONGHWA ENTEC	TEL) 82 51 974 4745 FAX) 82 51 974 4750	7, NOKSANSANDAN 261-RO, GANGSEO-GU, BUSAN, KOREA E-Mail : leh@dh.co.kr
9	MAIN AIR RESERVOIR	KKM-025-1	2	- VOLUME x PRESS : 5.0 m ³ x 30 kg/cm ²	3,400	KUMKANG	TEL) 82 51 261 4897 FAX) 82 51 264 0115	#1505-9, DADAE-DONG SAHA-GU, BUSAN, KOREA E-Mail : design2@kkthebest.com
	WORKING AIR RESERVOIR	KKM-025-2	1	- VOLUME x PRESS : 3.0 m ³ x 12 kg/cm ²	1,400			
	AUX. AIR RESERVOIR	KKM-025-3	1	- VOLUME x PRESS : 0.25 m ³ x 30 kg/cm ²	480			
10	CONTROL AIR DRYER	MAX-10 ELEC.REFRIGERATED TYPE	1	- CAPACITY : 100 Nm ³ /h, FREE AIR - REFRIGERANT : R-407C - OPERATING PRESSURE : 7 kg/cm ²	70	SAMKUN CENTURY	TEL) 82 55 338 3030 FAX) 82 55 325 0808	405 Miyul-ro, Samnangjin-eup, Miryang-si, Gyeongsangnam-do,Korea E-Mail : sk@samkunok.com
11	L.F.O PURIFIER	OSF 25-0136-162/18	2	- CAPACITY (l/h) : 3,600 - OIL VISCOSITY : 380 cSt at 50 °C - MOTOR - OUTPUT (kW) / SPEED (rpm) : 7.5 / 12,000	370	GEA	TEL) 49 2522 77 1942 FAX) 49 2522 77 31942	WERNER-HAIBG-STRABE1,5932 OELDE,GERMANY
	MAIN L.O. PURIFIER	OSF 12-91-162/8	2	- CAPACITY (l/h) : 2,200 - OIL VISCOSITY : SAE30 - MOTOR - OUTPUT (kW) / SPEED (rpm) : 4.0 / 12,000	270			
12	OILY BILGE SEPARATOR	GRS-25EB GRAVITY DIFFERENCE SEPARATOR	1	- CAPACITY (m ³ /h) : 2.5	1,050 (1,760)	GEORIM ENGINEERING CO., LTD.	TEL) 82 51 831 2929 FAX) 82 51 831 2933	16, NOKSANSANDAN 261-RO, GANGSEO-GU, BUSAN, KOREA E-Mail : georimen@chol.com

MACHINERY PARTICULARS FOR 4235

SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
13	INCINERATOR	MAXI NG50SL WS SLUDGE OIL & SOLID WASTE BURNING	1	- CAPACITY (kcal/h) : 320,000 - SOLID WASTE (kg/h) : 80 - LIQUID WASTE (kg/h) : 38 - W.O. DOSING PUMP CAPACITY : 174 L/H at 475 RPM	4,700	HMMCO	TEL) 82 32 583 0671 FAX) 82 32 583 0674	22, 117BEON-GIL WONDANG-DAERO, SEO-GU, INCHEON CITY, KOREA E-Mail : sgk1004@hmmco.co.kr
14	E/R CRANE	LSD-4 TON x 6.1 M	1	- CAPACITY (ton) : S.W.L 4 TON - SPAN LENGTH (m) : 6.1	2,500	SANGSANGIN	TEL)82-61-815-5000 FAX)82-61-818-3042	#116,YULCHONSANDAN 3-RO,GWANGYANG-EUP GWANGYANG-SI JEOLLANAM-DO,KOREA 57765 E-Mail : SPARE@SSII.CO.KR
15	CENTRAL F.W. COOLER	T21-PFM TITANIUM PLATE	2	- CAPACITY ·(F.W.) FLOW (m³/h) : 320 IN/OUTLET TEMP(°C) : 60.5/36.0 ·(S.W.) FLOW (m³/h) : 370 IN/OUTLET TEMP(°C) : 32.0/53.5 - HEAT EXCHANGED (kcal/h) : 7,762,600 - SURFACE AREA (m²) : 213.43	1,750 2,343	ALFA LAVAL	TEL) 82 51 790 5947 FAX) 82 51 790 5901	3/4F, SAESAM BUILDING, 39SESIL-RO, HAEUNDAE-GU, BUSAN, KOREA E-Mail : saebom.an@alfalaval.com pusan@alfalaval.com
	MAIN L.O. COOLER	T25-MFM SUS-PLATE	1	- CAPACITY ·(L.O.) FLOW (m³/h) : 330 IN/OUTLET TEMP(°C) : 51.89/45.0 ·(F.W.) FLOW (m³/h) : 120.0 IN/OUTLET TEMP(°C) : 36.0/43.7 - HEAT EXCHANGED (kcal/h) : 920,200 - SURFACE AREA (m²) : 269.69	3,350 4,357			
	H.T.F.W. COOLER	T10-MFG SUS-PLATE	1	- CAPACITY ·(F.W.) FLOW (m³/h) : 85 IN/OUTLET TEMP(°C) : 85/68.2 ·(F.W.) FLOW (m³/h) : 120 IN/OUTLET TEMP(°C) : 43.7/55.4 - HEAT EXCHANGED (kcal/h) : 1,384,600 - SURFACE AREA (m²) : 7.5	332 362			
	M.G.O. COOLER FOR M/E & G/E	T6-BFG SUS-PLATE	1	- CAPACITY ·(M.G.O.) FLOW (m³/h) : 10.8 IN/OUTLET TEMP(°C) : 51.40/38.0 ·(F.W.) FLOW (m³/h) : 10.0 IN/OUTLET TEMP(°C) : 36.0/41.9 - HEAT EXCHANGED (kcal/h) : 58,000 - SURFACE AREA (m²) : 17.25	237 267			

MACHINERY PARTICULARS FOR 4235								
SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
15	M.G.O. COOLER FOR COMP. BOILER	T6-BFG SUS-PLATE	1	- CAPACITY ·(MGO) FLOW (m³/h) : 0.7 IN/OUTLET TEMP(°C) : 59.4/38.0 ·(F.W.) FLOW (m³/h) : 2.6 IN/OUTLET TEMP(°C) : 36.0/38.3 - HEAT EXCHANGED (kcal/h) : 6000 - SURFACE AREA (m²) : 1.5	130 133	ALFA LAVAL	TEL) 82 51 790 5947 FAX) 82 51 790 5901	3/4F, SAESAM BUILDING, 39SESIL-RO, HAEUNDAE-GU, BUSAN, KOREA E-Mail : saebom.an@alfalaval.com pusan@alfalaval.com
16	F.W. SUPPLY UNIT	-	1	STERILIZER - CAPACITY (l/h) : 5,000 CALORIFIER (STEAM & ELEC. HEATER TYPE) - FLOW (l/h) : 1,000 - TANK CAPACITY (l) : 300 - ELECT.HEATER (kW) : 15 - PUMP : 1000 l/h x 5 m x 1.1 kW F.W. HYD. UNIT - TANK CAPACITY (l) : 1,000 - PUMP : 5.0 m³/h X 60m MINERALIZER - CAPACITY (l/h) : 5,000	1,100 (2,400)	SAMKUN CENTURY	TEL) 82 55 338 3030 FAX) 82 325 0808	#405, MIYUL-RO, SAMSANGJIN-EUP, MIRYANG-SI, KOREA E-Mail : sk@samkunok.com
17	LATHE	C6150/1000	1	- CAPACITY : · MAX. LENGTH OF WORKPIECE (mm) : 1,000 · MAX. SWING DIA. OVER BED (mm) : 500 · MOTOR (kW) : 5.5	2,200	TMS SOLUTION	TEL) 82 (0)51-972-3055 FAX) 82 (0)51-972-3056	#106, 102 dong Busan Automobileparts Yutongdanji, 34 46721 Korea. E-Mail : tms@e-tms.kr, mypark04@naver.com
18	NO.1 & 2 L.F.O. PURIFIER HEATER	SHELL & TUBE	2	- CAPACITY : ·(STEAM) FLOW (kg/h) : 141.0 IN/OUTLET TEMP(°C) : 169.84/169.84 ·(F.O.) FLOW (m³/h) : 3.6 IN/OUTLET TEMP(°C) : 55.0/98.0	128 (140)	MYTEC	TEL) 82 51 831 7474 FAX) 82 51 831 7717	#1460-3, SONGJEONG-DONG, GANGSEO-GU BUSAN, KOREA E-mail : mytec@imytec.com
	NO.1 & 2 MAIN L.O. PURIFIER HEATER	SHELL & TUBE	2	- CAPACITY : ·(STEAM) FLOW (kg/h) : 141.0 IN/OUTLET TEMP(°C) : 169.84 / 169.84 ·(L.O.)FLOW RATE (m³/h) : 2.2 ·IN/OUTLET TEMP(°C) : 45.0 / 90.0	119 (129)			

MACHINERY PARTICULARS FOR 4235

SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
18	M/E JACKET PREHEATER	SHELL & TUBE	1	- CAPACITY : -(STEAM) FLOW (kg/h) : 263 IN/OUTLET TEMP(°C) : 169.84 / 169.84 -(F.W.)FLOW RATE (m³/h) : 8.5 -IN/OUTLET TEMP(°C) : 50.0/ 65.12	113 (123)	MYTEC	TEL) 82 51 831 7474 FAX) 82 51 831 7717	#1460-3, SONGJEONG-DONG, GANGSEO-GU BUSAN, KOREA E-mail : mytec@imytec.com
	DUMP/DRAIN COOLER	SHELL & TUBE	1	- F.W COOLED TYPE -(STEAM) FLOW (kg/h) : 1,350 OUTLET TEMP(°C) : 80.0 - (F.W) FLOW RATE (m³/h) : 97.4 - IN/OUTLET TEMP(°C) : 36.0 / 58.2	535 (660)			
19	E/R VENT FAN	AKA-1120/500 M.D., AXIAL FLOW, REVERSIBLE (FOR NO.2, 4) NON-REVERSIBLE (FOR NO.1, 3)	3	- CAPACITY (m³/min x mmAq) : 1,000 x 56 - MOTOR (kW x rpm) : 22.0 x 1,175	761	HI AIR KOREA	TEL) 82 55 340 5200 FAX) 82 55 346 3501/2	1432-11, DAMAN-RI, CHILLYE-MYON GIMHAE CITY, KYUNGNAM, KOREA
	PURIFIER ROOM EXH. FAN	AKA-500/280 NON REVERSIBLE	1	- CAPACITY (m³/min x mmAq) : 150 x 41.0 - MOTOR (kW x rpm) : 2.3 x 3,515	169			
	WELDING AREA EXH. FAN	AWA-350/280 M.D., AXIAL FLOW,	1	- CAPACITY (m³/min x mmAq) : 15 x 10.6 - MOTOR (kW x rpm) : 0.4 x 1,685	17			
20	F.W. GENERATOR	DX-A-25	1	- CAPACITY (m3/day) : 25 · MOTOR (kW x rpm) : 1.2 x 3400	1,205 (1,430)	DONGHWA ENTEC	TEL) 82 51 974 4745 FAX) 82 51 974 4750	7, NOKSANSANDAN 261-RO, GANGSEO-GU, BUSAN, KOREA E-Mail : leh@dh.co.kr
21	M/E L.O. AUTO FILTER WITH BYPASS FILTER	6.46.1.7 Size 150 DN 250	1	- CAPACITY (m³/h) : 330	930	BOLL&KIRCH FILTERBAU GMBH	TEL) 49 2273 56 220 FAX) 49 2273 56 223	SIEMENSSTRABE 10-14 50170 KERPEN, GERMANY E-mail : martin.vanson@bollfilter.de
22	F.O.SUPPLY UNIT FOR M/E & G/E	ACG 045K8 NJBP	1	- F.O.CONSUMPTION : MAX. 5.4 m3/h - L.F.O.VISCOSITY : 38 cSt/ 100 °C	3,400	MNSI	TEL) 82 55 237 0606 FAX) 82 55 237 3030	NO.9, FREE TRADE ZONE 2, #654-4, BONG-AM-DONG, MASANHOEWON-GO, CHANGWON-SI, GYEONGNAM, KOREA E-Mail : sjlee@mnsi.co.kr

MACHINERY PARTICULARS FOR 4235								
SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
23	DRILLING MACHINE	Z4025	1	- CAPACITY : MAX. 23 mm DIA - MOTOR (kW) : 0.75	175	TMS	TEL) 82 51 972 3055 FAX) 82 51 972 3056	#106, 102 DONG BUSAN AUTOMOBILEPARTS YUTONGDANJI, 34, KOREA E-Mail : tms@e-tms.kr
	GRINDING MACHINE	M3025	1	- CAPACITY : 255 mm DIA DOUBLE WHEEL - MOTOR (kW) : 0.75	80			
24	GAS WELDER		1	- OXYGEN BOTTLE : 2 EA - ACETYLENE BOTTLE : 1 EA	148	SURVITEC	TEL) 82 55 375 1117 FAX) 82 55 375 1116	SURVITEC GROUP LIMITED HEAD OFFICE,12 FINSBURY SQUARE,4TH FLOOR LONDON,UNITED KINGDOM,EC2A 1AS
25	M.G.P.S	SH-WD-C	1	- S.W. FLOW CAPACITY (m ³ /h) : 1,500	890	SEHONG	TEL) 82 55 375 1117 FAX) 82 55 375 1116	73, SEOKGYESANDAN 3-GIL, SANGBUK-MYEON, YANGSAN-SI, KOREA E-Mail : sehong@sehong.co.kr
26	SEWAGE TREATMENT PLANT	ISB-02 BIOLOGICAL MOVING BED BILFILM REACTOR	1	- CAPACITY : MAX. 2,100 L/DAY - SEWAGE HOLDING TANK	1,350 (2,250)	IL SEUNG	TEL) 82 51 831 4110 FAX) 82 51 831 4112,3	# 1532-10 SONGJEONG-DONG, GANGSEO-GU, BUSAN, KOREA E-Mail : isco@ilseung.co.kr
27	LOCAL FIRE FIGHTING SYSTEM	WATER BASED TYPE	1	- PUMP CAPACITY : 117 L/min X 9.6 bar - MOTOR : 12.6 kW	300	SEAPLUS	TEL) 82 51 831 0119 FAX) 82 51 831 1119	1575-3, SONGJEONG-DONG, KANGSEO-KU PUSAN, KOREA E-Mail : design@tycoint.com
28	PACKAGED AIR-CON FOR E.C.R.	HIP-05WG PACKAGE TYPE MARINE USE, WITHOUT HEATING ELEMENT	1	- CAPACITY (kW) : 17.4 - FAN MOTOR (Kw) : 0.25 - REFRIGERANT : R-407C	320	HI AIR KOREA	TEL) 82 55 340 5200 FAX) 82 55 346 3501,2	1432-11, DAMAN-RI, CHILLYE-MYON KIMHAE CITY, KYUNGNAM, KOREA E-Mail : hiairkorea@hiairkorea.co.kr
29	BALLAST WATER MANAGEMENT SYSTEM	ECS-600B 1.1	1	- CAPACITY (m ³ /h) : 600	2,800	THCHCROSS	TEL) 82-51-601-4500 FAX)82-51-973-0781	433 NOKSANSANEOPBUK-RO ,GANGSEO-GU,BUSAN,KOREA

MACHINERY PARTICULARS FOR 4235

SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
30	NO.1 MAIN COOL.S.W. PUMP	EMDE-300MC M.D.V.C	1	- CAPACITY (m ³ /h X m) : 740 X 20 - MOTOR (kW X rpm) : 65 X 1800	754	TAIKO	TEL) 81 820 52 3113~4 FAX) 81 820 53 1001	#209,SHIMOTABUSE, TABUSE-CO, KUMAGE-GUN, YAMAGUCHI-PREF., JAPAN, 742-1598 E-mail : business@taiko-kk.com
	NO.2 MAIN COOL.S.W. PUMP	EMDE-300MC M.D.V.C	1	- CAPACITY (m ³ /h X m) : 740 X 20 - MOTOR (kW X rpm) : 65 X 1800	754			
	F.W.GEN.EJECTOR PUMP	EMC-125MD M.D.V.C	1	- CAPACITY (m ³ /h X m) : 53 X 48 - MOTOR (kW X rpm) : 18.5 X 1800	330			
	H.T.C.F.W. PUMP	EMC-125MCT M.D.V.C	2	- CAPACITY (m ³ /h X m) : 85 X 30 - MOTOR (kW X rpm) : 15 X 1800	250			
	L.T.C.F.W. PUMP	EMD-300MCT M.D.V.C	2	- CAPACITY (m ³ /h X m) : 640 X 30 - MOTOR (kW X rpm) : 90 X 1800	1,118			
	M/E AIR COOLER CHEM.CLEAN.PUMP	TMC-32MT M.D.H.C	1	- CAPACITY (m ³ /h X m) : 2 X 30 - MOTOR (kW X rpm) : 1.5 X 3600	47			
	BOILER FEED WATER PUMP	2MF-52M M.D.H.C	2	- CAPACITY (m ³ /h X m) : 4 X 120 - MOTOR (kW X rpm) : 7.5 X 3480	150			
	TREATED SEWAGE DISCHARGE PUMP	TMEC-32MT	1	- CAPACITY (m ³ /h X m) : 5 X 30 - MOTOR (kW X rpm) : 11 X 3600	51			
	FIRE,BILGE & G.S. PUMP	EMDE-250MC M.D.V.C	2	- CAPACITY (m ³ /h X m) : 215/170 X 30/90 - MOTOR (kW X rpm) : 110 X 3600 - AIR EJECTOR	1,335			
	BALLAST PUMP	MECE-260MCT M.D.V.C	2	- CAPACITY (m ³ /h X m) : 500 X 30 - MOTOR (kW X rpm) : 65 X 1800 -AIR EJECTOR	684			
	MAIN L.O PUMP	MST-330T M.D.C DEEPWELL	2	- CAPACITY (m ³ /h X kg/cm ²) : 380 X 4.2 - MOTOR (kW X rpm) : 90 X 1770	1,268			

MACHINERY PARTICULARS FOR 4235

SER NO.	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (KG/SET)	MAKER	TEL/FAX	ADDRESS
31	CYL.OIL SHIFTING PUMP	NHG-1MT M.D.R	1	- CAPACITY (m ³ /h X kg/cm ²) : 1 X 2.0 - MOTOR (kW X rpm) : 0.75 X 1090	34	TAIKO	TEL) 81 820 52 3113~4 FAX) 81 820 53 1001	#209,SHIMOTABUSE, TABUSE-CO, KUMAGE-GUN, YAMAGUCHI-PREF., JAPAN, 742-1598 E-mail : business@taiko-kk.com
	STERN TUBE L.O. PUMP	NHG-1MT M.D.R	2	- CAPACITY (m ³ /h X kg/cm ²) : 1 X 3.5 - MOTOR (kW X rpm) : 0.75 X 1720	36			
	L.O TRANS PUMP	NHG-5MT M.D.R	1	- CAPACITY (m ³ /h X kg/cm ²) : 5 X 3.5 - MOTOR (kW X rpm) : 2.2 X 1130	68			
	L.F.O. PURIFIER SUPPLY PUMP	MSDK-4MAB M.D.R	2	- CAPACITY (m ³ /h X kg/cm ²) : 3.6 X 3.5 - MOTOR (kW X rpm) : 5.5 X 3480	113			
	L.F.O TRANSFER PUMP	MSDK-30MA M.D.R	1	- CAPACITY (m ³ /h X kg/cm ²) : 30 X 3.5 - MOTOR (kW X rpm) : 30 X 3540	360			
	MAIN L.O PURI. SUPPLY PUMP	NHG-2.5MT M.D.R	2	- CAPACITY (m ³ /h X kg/cm ²) : 2.2 X 3.5 - MOTOR (kW X rpm) : 1.5 X 1130	48			
	M.G.O.TRANSFER PUMP	MSDK 20MA M.D.R	1	- CAPACITY (m ³ /h X kg/cm ²) : 20 X 3.5 - MOTOR (kW X rpm) : 18.5 X 3,510	365			
	BILGE TRANSFER PUMP	HNP-301 M.D.H MONO	1	- CAPACITY (m ³ /h X kg/cm ²) : 2.5 X 3.5 - MOTOR (kW X rpm) : 1.5 X 1130	108.0			
	SLUDGE PUMP	HNP-601 M.D.H Mono	1	- CAPACITY (m ³ /h X kg/cm ²) : 15 X 4.2 - MOTOR (kW X rpm) : 11 X 1160	247.0			
32	EXHAUST GAS CLEANING SYSTEM (4232~4235 ONLY)	U-TYPE	1	- TYPE : OPEN SYSTEM - DESIGN CONDITION 1) M/E : NCR LOAD 2) G/E : 3SETS	10,950	HYUNDAI MATERIALS	TEL) 070-4348-6768 FAX) 070-4324-3570	9F Shin-An Bldg., 512, Teheran-ro, Gangnam-gu, Seoul 06179, Korea

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL./FAX/E-MAIL	ADDRESS	
P-01	MAIN DIESEL GENERATOR	HFC7 638-08P	3 SETS	AC 450V, 3127.3A, 60HZ, 900RPM	3 SETS	7,400	HYUNDAI ELECTRIC CO., LTD	TEL) 82 52 203 8993~7 FAX) 82 52 202 8300	306-1, SEONAM-DONG, NAM-GU, ULSAN, KOREA	
				1750kW (2437.5kVA)						
P-02	EM'CY GENERATOR SET	DOOSAN INFRACORE AD086TI	1 SET	AC 450V, 60HZ, 1800RPM, 150kW(187.5kVA)	1 SET	1,700	GPC CO., LTD	TEL) 82 55 343 9870 FAX) 82 55 343 9875	#794 JINYEONGLI, JINYEONGEUP, GIMHAE, KOREA	
		LEROY SOMER M46.3 S2 C6/4								
P-03	MAIN SWITCHBOARD	SELF STANDING TYPE	1 SET	GENERATOR PANEL(NO.1,2,3)	3 EA	14,760	HYUNDAI ELECTRIC CO., LTD	TEL) 82 52 203 8993~7 FAX) 82 52 202 8300	306-1, SEONAM-DONG, NAM-GU, ULSAN, KOREA	
				SYNCHRO PANEL	1 EA					
				BUS - TIE PANEL & BOW TH. PANEL	1 EA					
				NO.1 440V FEEDER PANEL	2 EA					
				NO.2 440V FEEDER PANEL	2 EA					
				GROUP STARTER PANEL(NO.1,2)	2EA					
				AC 220V FEED. PANEL	1EA					
P-04	EMERGENCY SWITCHBOARD	SELF STANDING TYPE	1 SET	EM'CY GENERATOR PANEL	1 EA	2,200				
				EM'CY AC 440V FEEDER PANEL	1 EA					
				EM'CY AC 220V FEEDER PANEL	1 EA					
				STARTER & SHORE CONNECTION PANEL	1 EA					
P-05	LOCAL GROUP ST. IND. STARTER	WALL MOUNTING & SELF STANDING TYPE	14 SETS	LOCAL GROUP STARTER PANEL(NO.1~9B)	13 SETS	2,410				
				INDIVIDUAL STARTER PANEL (S/GEAR RM SUP. FAN)	1 SET	53				
P-06	EM'CY STOP SWITCH BOX	WALL MOUNTING TYPE	4 SETS	EM'CY STOP SWITCH BOX FOR FIRE CONTROL STATION	1EA	31				
		FLUSH MOUNTING TYPE		EM'CY STOP SWITCH BOX FOR PURI. ROOM ENTRANCE	1EA					
				EM'CY STOP SWITCH BOX FOR GALLEY ENTRANCE	1EA					
				EM'CY STOP SWITCH BOX FOR E/R ENTERANCE	1EA					

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q'TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL./FAX/E-MAIL	ADDRESS
P-07	DISTRIBUTION BOARD	WALL MOUNTING & SELF STANDING TYPE	26 SETS	POWER DIST. BOARD (AC 440V)	3 EA	DONGYANG INDUSTRIES ELECTRIC CO., LTD	TEL) 82 52 701 7055 FAX) 82 52 701 7052	354-4, MAGOK-DONG, BUK-KU, ULSAN, KOREA
				REEFER POWER DIST. BOARD (AC 440V)	9 EA			
				GALLEY DIST. BOARD (AC 440V & 220V)	3 EA			
				LIGHTING DIST BOARD (AC 220V)	8 EA			
				EM'CY LIGHTING DIST BOARD (AC 220V)	3 EA			
P-08	TRANSFORMER	TPO-3120N	9 SETS	MAIN TRANSFORMER	2 EA	KOC	TEL : 82-51-832-0550 FAX : 82-51-832-0660	6 Noksansandan 77-ro Gangseo-gu, Busan, KOREA
				- AC 450/230V 120kVA 3Φ				
		TPO-345N		EM'CY TRANSFORMER	2 EA			
				- AC 450/230V 45kVA 3Φ				
		TPO-32300N		BOW TH. TRANSFORMER	1 EA			
				- AC 440/3,300V 2300kVA 3Φ				
		TPO-3100N		ISO. TRANSFORMER	2 EA			
				- AC 440/440V 100KVA 3Φ				
		TPO-340N		ISO. TRANSFORMER	2 EA			
				- AC 440/440V 40KVA 3Φ				
P-09	ELECTRIC WELDER	SBX315	3 SETS	AC ARC WELDER	1 EA	TMS SOLUTION	T:82-52-234-6003 F:82-52-234-6002	#106, 102 dong Busan Automobileparts Yutongdanji 34 46721 Korea
				RECEPTACLE	2 EA			
P-10	GROUP CONTROL PANEL	FLUSH MOUNTING TYPE	1 SET	NAVIGATION LIGHTING CONTROL PANEL	1 EA	DONGYANG INDUSTRIES ELECTRIC CO., LTD	TEL) 82 52 707 7055 FAX) 82 52 707 7052	354-4, MAGOK-DONG, BUK-KU, ULSAN, KOREA
				OUTDOOR LIGHTING CONTROL PANEL	1 EA			
				SIGNAL LIGHTING CONTROL PANEL	1 EA			
				N-DIST. BOARD & L-8 PANEL	1 EA			
P-11	THRUSTER CONTROL PANEL & STARTER	SELF STANDING TYPE	2 SETS	BOW THRUSTER CONTROL PANEL	1 EA	HYUNDAI ELECTRIC CO., LTD	TEL) 82 52 203 8993~7 FAX) 82 52 202 8300	306-1, SEONAM-DONG, NAM-GU, ULSAN, KOREA
				BOW THRUSTER STSRTER	1 EA			
P-12	THRUSTER MOTOR	HLA9 568-66Y	1 SET	BOW TH. MOTOR (3300V, 1800KW)	1 SET	HYUNDAI ELECTRIC CO., LTD	TEL) 82 52 203 8993~7 FAX) 82 52 202 8300	306-1, SEONAM-DONG, NAM-GU, ULSAN, KOREA

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)									
SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL./FAX/E-MAIL	ADDRESS
P-13	REEFER CONTAINER MONITORING SYSTEM	ONLY FCT TYPE	11 SETS	MAIN UNIT	1 SET		DAEYANG ELECTRIC CO.,LTD	TEL) 82 51 200 5430 FAX) 82 51 200 5439	45-16, NOKSANSANDAN 261-RO 14BEON-GIL GANGSEO-GU, BUSAN, KOREA
				RMM(REMOTE MONITORING MODEM)	9 EA				
				JUNCTION BOX	1 EA				
P-14	REEFER SOCKET	CR-44432URO	67 SETS	4 GANG	9 EA	20	DAEYANG ELECTRIC CO.,LTD	TEL) 82 51 200 9512~9 FAX) 82 51 200 5370	245, JANGPYEONG-RO, SAHA-GU, BUSAN, KOREA
		CR-54432URO		5 GANG	12 EA	22			
		CR-64432URO		6 GANG	18 EA	28			
		CR-74432URO		7 GANG	28 EA	33			
P-15	ELECTRIC HEATER	SBX315	1 SET	AC ARC WELDER RECEPTACLE	1 SET	15.0	SAMKUN CENTRY CO., LTD	T:82-55-338-3030 F:82-55-325-0808	#405 Miyul-ro, Samnangjin-eup, Miryang-si, Gyeongsangnam-do, Korea
P-16	AMP SYSTEM	HiQ-AMP & 40ft Containerized AMP	2 SET	■ Major Components [a] STBD Side : Container, Cable Reel, VCB [b] PORT Side : Container, Cable Reel, VCB, Transformer		27,890.0	HYUNDAI WELDING CO., LTD,	T:82-052-283-6952 Jin100@hyundaiwelding.com	#406 Good-prime Bldg, 641 Jongga-ro, Jung-gu, Ulsan, 44547, Rep. of KOREA

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
L-01	NAV. & SIG. LIGHT FLOOD LIGHT LED LIGHT LED PENDANT LIGHT RECEPTACLE SWITCH JUNCTION BOX					WOOSHIN APEC	T:82-55-326-0300 F:82-55-313-7281	#31,GIMHAE-DAERO, 2596 BEON GIL,GIMHAE-SI, GYEONGSANGNAM-DO, KOREA
L-02	RECEPTACLE & PLUG PORTABLE LAMP & CHARGING UNIT	8570/11-306(NPT1/2) (8570/12-306) 6148/1111-111	1 SET 1 SET	RECEPTACLE & PLUG FOR SUEZ CANAL SEARCH LIGHT PORTABLE LAMP & CHARGING UNIT		R. STAHL Schaltgeräte GmbH	TEL : 49 7942 943-4296 FAX. +49 7942 943 404296	AM BAHNHOF 30 74638 WALDENBURG GERMANY
L-03	LED CHART TABLE LIGHT	LEDBT06N-1PB-D	2 SETS			SUNIL ELECOMM	T:82-51-715-3601 F:82-51-715-3602	#1108, 22, MORA-RO, SASANG-GU, BUSAN

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
A-01	ENGINE CONTROL CONSOLE	-	1 SET	ENGINE CONTROL CONSOLE		2,400	HYUNDAI GLOBAL SERVICE	T:82 70 8670 1122 F:82 52 202 8410	50, SINDUWANG-RO, NAM-GU, ULSAN, KOREA
A-02	BRIDGE WING CONTROL CONSOLE	-	1 SET	BRIDGE CONTROL CONSOLE		320			
A-03	ELEC. SENSOR (LEVEL SWITCH etc.)	-	1 SET	LEVEL SWITCH (SIDE MOUNTING)	21 EA	230	DAEHWA ENGINEERING	T:82 55 342 9116 F:82 55 342 9117	71-10, 526 BEON-GIL, GOMO-RO, JINRE-MYEON, GIMHAE-SI, KYUNGNAM, KOREA
				LEVEL SWITCH (TOP MOUNTING) - 1 FLOAT	16 EA				
				LEVEL SWITCH (TOP MOUNTING,SUS) - 2 FLOATS	1 EA				
				LEVEL SWITCH (TOP MOUNTING) - 2 FLOATS	3 EA				
				PRESS. SWITCH	6 EA				
				DIFF.PRESS SIWTCH	1 EA				
				PRESS. TRANSMITTER	3 EA				
				TEMP. TRANSMITTER	8 EA				
				TEMP. TRANSMITTER (SUS)	1 EA	36	MRC	T:82 51 414 7891 F:82 51 413 2604	6-19, NAMHANGSEO-RO, YEONGDO-GU, BUSAN, KOREA
				LIMIT SWITCH FOR W.T DOOR IND.	2 EA				
A-04	SHIP NETWORK SYSTEM	-	1 SET	19" RACK (15U)	1 EA				
				PoE SW HUB	1 EA				
				PATCH PANEL	1 EA				
				PATCH CORD	24 EA				
				ACCESS POINT	3 EA				
				LAN OUTLET	10 EA				
				PATCH CORD	20 EA				
				CONNECTOR (RJ-45)	90 EA				
				VELCRO TAPE	1 EA	39	TRELLEBORG MARINE SYSTEMS KOREA	T:82 51 755 6191~4/7/8 F:82 51 755 6195~6	246-6, DALSAN-RI, JEONGGWAN-EUP, GIJANG-GUN, BUSAN, KOREA
				POWER RECEPTACLE	1 EA				
A-05	M/E HORSE POWER METER SYSTEM	-	1 SET	MAIN CONTROL BOX ASSEMBLY/STATOR UNIT	1 EA				
				ROTOR UNIT	1 EA				
				POWERHEAD ASSEMBLY	1 EA				
				REMOTE DISPLAY UNIT	24 EA				

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)									
SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS
A-06	CCTV SYSTEM	-	1 SET	W.T FIXED BULLET IR CAMERA	2 EA	310	HDM TECH.	T:82 51 521 2883 F:82 51 980 0896	10, GONGDANDONG-RO 41 BEON-GIL, GEUMJEONG-GU, BUSAN, KOREA
				w/J.B	2 EA				
				W.T FIXED CAMERA HOUSING	4 EA				
				CAMERA HUB JUNCTION BOX	2 EA				
				CCTV CENTRAL UNIT	1 EA				
				COLOR MONITOR	2 EA				
				VIDIO CABLE	2 EA				
				N.V.R	1 EA				
				DESK MOUNTING BRACKET	2 EA				
				CONTROL MOUSE	1 EA				
				PC	1 EA				
				KEYBOARD	1 EA				
				MOUSE	1 EA				
				LAN CABLE (571MR)	1 EA				
				CONNECTOR (RJ-45)	22 EA				
A-07	SHIP'S PERFORMANCE SYSTEM (HYUNDAI-ISS)	-	1 SET	ISS CLIENT PC	2 EA	152	HYUNDAI GLOBAL SERVICE	T:82 70 8670 1122 F:82 52 202 8410	50, SINDUWANG-RO, NAM-GU, ULSAN, KOREA
				UPS	2 EA				
				MONITOR 23"	4 EA				
				KEYBOARD	2 EA				
				MOUSE	1 EA				
				ISS SERVER RACK	2 EA				
				ISS SERVER	2 EA				
				HUB	2 EA				
				TRIM/LIST, ACCELE. SENSOR BOX	1 EA				
				SHIP'S CONDITION CONTROL PANEL	1 EA				
				FIRE WALL	1 EA				

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)										
SER NO	NAME OF EQUIPMENT	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX	ADDRESS	
A-08	E/R ALARM MONITORING SYSTEM	ENGINE CONTROL ROOM PART	1 SET	COMPUTER	2 EA	130	KONGSBERG MARITIME AS	T:47 33 03 20 00 F:47 85 02 80 28	BEKKAJORDET 8A P.O BOX 1009 N-3191 HORTEN. NORWAY	
				DISPLAY 22" LCD	2 EA					
				TRACKER BALL PANEL	2 EA					
				SWITCH DIN	2 EA					
				PRINTER A4 CANON	1 EA					
				CABLE PATCH (FOR PRINTER)	1 EA					
				UPS	2 EA					
				PDU	2 EA					
				SEGMENT CONTROLLER UNIT	7 EA					
				DGU MODULE	5 EA					
				RAi-16xe MODULE	5 EA					
				RAo-08xe MODULE	1 EA					
				RDl-32xe MODULE	6 EA					
				RDo-16xe MODULE	1 EA					
				POWER SUPPLY	2 EA					
				INSULATION MONITOR	1 EA					
		WHEEL HOUSE PART		WCC 600	1 EA					
				POWER SUPPLY	1 EA					
				CHIEF ENGINEER DAY ROOM	COMPUTER					1 EA
					MOUNTING KIT					1 EA
		DISPLAY 22" LCD			1 EA					
		DESKTOP & CEILING BRACKET			1 EA					
		TRACKER BALL PANEL			1 EA					
		DESKTOP BOX			1 EA					
		POS			1 EA					

001- (DATA BOOKLETS (MACHINERY PARTICULAR LIST)) - (45/57)

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)									
SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL./FAX/E-MAIL	ADDRESS
F-01	FIRE DETECTION & ALARM SYSTEM	116-AP-MAR-CAB-BUR	1 SET	MAIN CABINET	1 EA	34	AUTRONICA	T:+47 73582500 F:+47 73582501	N-7483 Trondheim - Norway
				REPEATER PANEL	1 EA				
				SMOKE DETECTOR (N.W.T)	33 EA				
				SMOKE DETECTOR (W.T)	50 EA				
				SMOKE DETECTOR (W.T) (FOR 4232 / 233)	54 EA				
				HEAT DETECTOR (N.W.T)	1 EA				
				HEAT DETECTOR (W.T) FOR GALLEY	2 EA				
				FLAME DETECTOR	7 EA				
				MANUAL CALL POINT (N.W.T)	24 EA				
				MANUAL CALL POINT (W.T)	20 EA				
				TIMER UNIT	1 EA				
				ALARM BELL WITH LAMP	2 EA				
				ELECTRIC HORN WITH LAMP	1 EA				
F-02	PUBLIC ADDRESS SYSTEM	MPA-9000	1 SET	MAIN UNIT	1 EA	200	MRC	T:82-51-414-7891~7 F:82-51-413-2604	6-19, Namhangseo-ro, Yeongdo-gu, Busan,606-033 Korea
				REMOTE CONTROLLER	1 EA				
				SPEAKER	96 EA				
				PORTABLE MIC	6 EA				
				RECEP. FOR MIC	3 EA				
				RECEP. FOR MIC & SPEAKER	2 EA				
				MIC & HEADSET HOOK	7 EA				
				GENERAL ALARM PUSH BUTTON	3 EA				
F-03	SIGNAL LIGHT COLUMN	-	1 SET	SIGNAL LIGHT COLUMN	11 EA	286	HME	T:82-51-709-9000 F:82-51-709-9003	43,JANGANSANDAN-RO, JANGAN-EUP,GIJANG-GUN, BUSAN,KOREA(619-952)
				SIGNAL LIGHT COLUMN (FOR 4232 / 4233)	12EA				
				SIGNAL LIGHT COLUMN RELAY BOARD	1 EA				
				DEADMAN ALARM ALARM PANEL	1 EA				
				DEADMAN ALARM RELAY BOARD	1 EA				
				DEADMAN ALARM START/STOP BOX	1 EA				
				ELECTRIC HORN	6 EA				

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q'TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-01	RADAR (JMR-9282-S) (JMR-9225-6X)	NDC-1590	1 SET	S RADAR CENTRAL CONTROL UNIT	1 EA	200	JRC	TEL) +81-3-5534-1213 FAX) +81-3-5534-1199	7-32, TATSUMI 1-CHOME, KOTO-KU, TOKYO 135-0053, JAPAN
		NCE-5605		S RADAR TRACKBALL OPERATION UNIT	1 EA				
		NBD-913		S RADAR POWER SUPPLY UNIT	1 EA				
		NKE-2632		S RADAR SCANNER UNIT	1 EA				
		NWZ-208		S RADAR 26" MONITOR UNIT	1 EA				
		NCE-5625		S RADAR KEYBOARD OPERATION UNIT	1 EA				
		NDC-1590		X RADAR CENTRAOL CONTROL UNIT	1 EA				
		NCE-5605		X RADAR TRACKBALL OPERATION UNIT	1 EA				
		NBD-913		X RADAR POWER SUPPLY UNIT	1 EA				
		NKE-1125-6		X RADAR SCANNER UNIT	1 EA				
		NJU-85		X RADAR PERFORMANCE MONITOR ON SCANNER	1 EA				
		NWZ-208		X RADAR 26" MONITOR UNIT	1 EA				
		NCE-5625		X RADAR KEYBOARD OPERATION UNIT	1 EA				
N-02	ECDIS (JAN-9201)	NDC-1590	2 SET	ECDIS CENTRAL CONTROL UNIT	1 EA	80			
		NCE-5605		ECDIS TRACKBALL OPERATION UNIT	1 EA				
		NBD-913		ECDIS POWER SUPPLY UNIT	1 EA				
		NWZ-208		ECDIS MONITOR UNIT	1 EA				
		NCE-5625		ECDIS KEYBOARD OPERATION UNIT	1 EA				
	BRIDGE INTERFACE SYS. (GRD-921)	NQE-1143	1 SET	NO.1 JUNCTION BOX	1 EA				
		NQE-1143		NO.2 JUNCTION BOX	1 EA				
		NQE-1143		NO.3 JUNCTION BOX	1 EA				
		NQE-1143		NO.4 JUNCTION BOX	1 EA				
		NQE-3141-4A		INTERSWITCH UNIT	1 EA				
		NQA-2443A		16PORT SENSOR LAN SWITCH UNIT	1 EA				

5000C001-(DATA BOOK)ETS (MACHINERY PART)II AB I (ST)I-(47/57)

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q'TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-03	DGPS (JLR-8400)	NWZ-4620 JLR-4350 NQA-4351 HBD-904 NCZ-1663 NKG-104 NQE-7700A	1 SET	DGPS DISPLAY UNIT DGPS SENSOR DGPS OUTPUT BUFFER DGPS POWER SUPPLY UNIT DGPS SELECT SWITCH PRINTER DGPS JUNCTION BOX	2 EA 2 EA 2 EA 2 EA 1 EA 1 EA 4 EA	25	JRC	TEL) +81-3-5534-1213 FAX) +81-3-5534-1199	7-32, TATSUMI 1-CHOME, KOTO-KU, TOKYO 135-0053, JAPAN
N-04	SATELLITE LOG (JLN-720)	NNN-21 NQA-7010 NWZ-510SDG NQE-7720	1 SET	GPS SENSOR UNIT DISTRIBUTION PROCESSOR MAIN DISPLAY UNIT JUNCTION BOX	1 EA 1 EA 1 EA 1 EA	22			
N-05	SPEED LOG (JLN-740N)	NWZ-4640 CGC-300B CQD-10 NQA-7040 NJC-70S NWZ-650SDR NKF-531E-04 NCM-227	1 SET	SL MAIN DISPLAY UNIT EXTERNAL BUZZER JUNCTION BOX DISTRIBUTION PROCESSOR SIGNAL PROCESSOR COLOR REMOTE DISPLAY TRANSDUCER SL DIMMER UNIT	1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA	65			
N-06	ECHO SOUNDER (JFE-700)	NJA-710 NQD-2597 NKF-341-G2	1 SET	ES DISPLAY PROCESSING UNIT ES MATCHING BOX ES TRANSDUCER	1 EA 1 EA 1 EA	30			

(DATA BOOK) ETS (MACHINERY PARTS) II AB LIST) - (48 / 57)

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q'TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-07	CONNING (JAN-9202)	NDC-1590A NCE-5605 NBD-913 NWZ-208 CWB-1620 NCE-5625	1 SET	CENTRAL CONTROL UNIT TRACKBALL OPERATION UNIT POWER SUPPLY UNIT 26" MONITOR UNIT LCD HOOD KEYBOARD OPERATION UNIT	1 EA 1 EA 1 EA 1 EA 1 EA 1 EA	28	JRC	TEL) +81-3-5534-1213 FAX) +81-3-5534-1199	7-32, TATSUMI 1-CHOME, KOTO-KU, TOKYO 135-0053, JAPAN
N-08	AIS (JHS-183)	NTE-183 NCM-983 NBD-577C HAI-150	1 SET	AIS TRANSPONDER AIS CONTROLLER AIS POWER SUPPLY UNIT PILOT PLUG & RECEPTACLE	1 EA 1 EA 1 EA 1 EA	15			
N-09	GMDSS SYSTEM (JSS-2150)	NTD-2150 NCM-2150 NQW-261 NBD-2150 NBB-724 NFC-2150 NQD-2253 NAW-60 JQD-69C AT100DS-H TH-19/1.2	1 SET	GMDSS CONSOLE MF/HF TRANSCEIVER (ON NCU-531A) MF/HF CONTROLLER (ON NCU-531A) MF/HF HANDSET (ON NCU-531A) MF/HF POWER SUPPLY UNIT (ON NCU-531A) MF/HF BATTERY CHARGER (ON NCU-531A) MF/HF ANTENNA TUNER MF/HF JUNCTION BOX MF/HF WHIP ANTENNA MF/HF JOINT BOX MF/HF SELF SUPPORTED ANTENNA ANTENNA WIRE	1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA	440			

(DATA BOOK) ETS (MACHINERY PARTS) LIST) - (49/57)

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-10	INMARSAT-C (JUE-87)	NAF-253GM NTF-318 NDF-369 NKG-900 NBD-904 NQE-3225 NQE-3224	1 SET	INM-C EXTERNALLY MOUNTED EQUIPMENT INM-C INTERNALLY MOUNTED EQUIPMENT INM-C KEYBOARD (ON NCU-531A) INM-C PRINTER (ON NCU-531A) INM-C POWER SUPPLY UNIT (ON NCU-531A) INM-C REMOTE DISTRESS BUTTON INM-C SECURITY BUTTON	1 EA 1 EA 1 EA 1 EA 1 EA 2 EA 2 EA	15	JRC	TEL) +81-3-5534-1213 FAX) +81-3-5534-1199 7-32, TATSUMI 1-CHOME, KOTO-KU, TOKYO 135-0053, JAPAN
N-11	VHF RADIO TELEPHONE (JHS-800S)	JHS-800S NQW-980 7ABJD0004 NBD-965 NQE-1845B NQE-1847B 7UMJD0020 RP-D10 NBG-980 CQD-10	1 SET	MARINE VHF RADIOTELEPHONE HANDSET VHF ANTENNA VHF POWER SUPPLY UNIT HANDSET CONNECTION BOX(W.T) HANDSET CONNECTON BOX(FLUSH MOUNT TYPE) HANDSET PRINTER POWER SUPPLY UNIT FOR PRINTER JUNCTION BOX 3KVA UPS	3 EA 3 EA 5 EA 3 EA 1 EA 1 EA 1 EA 2 EA 2 EA 1 EA 1 EA	45		
N-12	NAVTEX RECEIVER (NCR-333)	NCR-333 NKG-901 NBG-320 NAW-333	1 SET	NAVTEX RECEIVER UNIT NAVTEX PRINTER NAVTEX POWER SUPPLY UNIT NAVTEX ANTENNA	1 EA 1 EA 1 EA 1 EA	7		
N-13	EPIRB	TRON40S Mk II FB-6	1 SET	406MHz SATELLITE EPIRB FLOAT FREE BRACKET	1 EA 1 EA	4		

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-14	PORTABLE VHF RADIO TEL. (JHS-207M)	JHS-207 NBB-748 NBB-789 NJD101037 NJD101038	3 SETS	TWO-WAY VHF RADIOTELEPHONE LITHIUM POLYMER BATTERY PACK LITHIUM IRON BATTERY PACK BATTERY CHARGER POWER SUPPLY UNIT FOR PRINTER	1 EA 1 EA 1 EA 1 EA 1 EA	9	JRC	TEL) +81-3-5534-1213 FAX) +81-3-5534-1199	7-32, TATSUMI 1-CHOME, KOTO-KU, TOKYO 135-0053, JAPAN
N-15	RADAR TRANSPONDER	TRON SART 20	2 SET	TRON SART 20	1 EA	1			
N-16	WEATHER FAX SYSTEM (JAX-9B)	JAX-9B NAW-60 NBA-5143 7ZZNA4017 JQD-69C	1 SET	WEATHER FACSIMILE RECEIVER 6M ANTENNA AC/DC POWER SUPPLY FAX IMAGE DISPLAY KIT JOINT BOX	1 EA 1 EA 1 EA 1 EA 1 EA	15			
N-17	VDR (JCY-1900)	NDH-338 NDH-339 NQE-7700A NDV-1900 NCG-1900 NVT-181 NVT-182 NCT-82 SF90D-08	1 SET	FIXED PROTECTIVE CAPSULE UNIT FLOAT-FREE CAPSULE UNIT JUNCTION BOX RECORDING CONTROL UNIT OPERATION PANEL UNIT MICROPHONE UNIT WATERPROOF MICROPHONE UNIT DIGITAL SIGNAL CONVERTER HUB	1 EA 1 EA 1 EA 1 EA 1 EA 5 EA 2 EA 1 EA 1 EA	45			

(DATA BOOK ETS (MACHINERY PARTICULARS LIST))-(51/57)

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-18	IRIDUM SYSTEM	SLT-F3130 LT-3110 LT-3120 HDR-60-24	1 SET	IRIDIUM ANTENNA UNIT CONTROL UNIT HANDSET UNIT AC-DC- CONVERTER	1 EA 1 EA 1 EA 1 EA	15	SEANET (MANUFACTURER)	TEL : +82-51-417-5802 FAX : +82-51-417-5804	542, Jeoryeong-ro, Yeongdo-gu, Busan, Korea
N-19	AUTO PILOT/ GYRO SYSTEM (PT900A-P-N2-2S & CMZ900D)	MPH490 MPB390 MPH690 MPH790 MPB391 MPH791 MPH291 MPS190 MKR056 PC131/Z MPT123A/Z MKM026 MKC327 MKS071 MKR040 MKN018 MDR290 MHR110A KX223A MKR050	1 SET	AP CDU HAND STEERING UNIT ANNUNCIATOR UNIT SYSTEM SELECTOR NFU LEVER MODE SELECTOR MCU DC PWR UNIT STEERING REPEATER COMPASS CONTROL & POWER BOX μ TRANSMITTER MASTER COMPASS CONTROL BOX DUAL AC ADAPTER C. OPERATION UNIT JUNCTION UNIT PAPERLESS COURSE RECORDER UNIVERSAL DATA DISPLAY HORIZONTAL STAND REPEATER COMPASS	1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 2 EA 2 EA 2 EA 2 EA 2 EA 1 EA 1 EA 1 EA 1 EA 2 EA 3 EA	246	YDK TECH.	TEL : +81-3-3225-5350 FAX : +81-3-3225-5325	MINAMI-SHINJUKU HOSHINO BIDG., 2ND FLOOR 5-23-13, SENDAGAYA, SHIBUYA-KU TOKYO 151-0051, JAPAN

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-20	MAGNETIC COMPASS (MC-18)	TM-42	1 SET	TRANSMITTING UNIT	1 EA	SARACOM	TEL) 82 51 600 9252 FAX) 82 51 600 9090	6-11, NAMHANGSEO-RO, YOUNGDO-GU, BUSAN, KOREA
		MD-6815		DIMMER UNIT	1 EA			
		MC-180		MAGNETIC COMPASS BOWL	1 EA			
		SF30		FLUXGATE	1 EA			
		AZ-180		AZIMUTH DEVICE & SHADOW PIN BOX	1 EA			
		FBSB		ACCESSORIES FOR CALIBRATION DE	1 EA			
		D-SPHERE		MAGNETIC COMPASS D CORRECTION DEVICE	2 EA			
		BC-180		MAGNETIC COMPASS BINACLE	1 EA			
		RTGF		REFLECTOR TUBE	1 EA			
		BY-PASS		BY-PASS ARRANGEMENT	1 EA			
		MH		MIRROR HEAD	1 EA			
N-21	RUDDER ANGLE INDICATOR	TR-472	1 SET	TRANSMITTER	1 EA	HERIANA	TEL) +82-51-313-6690~1 FAX) +82-51-313-6693	#583-23, HWAJEONG-DONG, GANGSEO-GU, BUSAN, KOREA
		BA-500		CONNECTION ROD	1 EA			
		3C-200		INDICATOR (FOR W/H FRONT CEILING CENTER)	1 EA			
		FL-150		INDICATOR (FOR W/H GAUGE BOARD)	1 EA			
		DM-103		DIMMER SWITCH (3W10K)	2 EA			
		SD-200		INDICATOR (BRIDGE WINGS)	2 EA			
		DM-103F		DIMMER SWITCH (FOR SD-200)	2 EA			
		FL-130		INDICATOR (ECC)	2 EA			
		SD-200		INDICATOR (STEERING GEAR ROOM)	1 EA			
		CP-250		CONNECTION PLATE	1 EA			
		SC-P230		SIGNAL COVERTER PLATE	1 EA			

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-22	WHISTLE SYSTEM	MT 150/130 TK80 AT 150/330 with TV 784 TLG 2000 TL-80P TL-80B TL-70P TL-70B	1 SET	ELECTRO-TYFON CONTACTOR UNIT SUPERTYFON SIGNAL CONTROLLER PUSH BUTTON FOR PANEL PUSH BUTTON FOR WALL/BULKHEAD MORSE SIGNAL KEY FOR PANEL MORSE SIGNAL KEY FOR WALL/BULKHEAD	1 EA 1 EA 1 EA 1 EA 1 EA 2 EA 1 EA 2 EA	92 KOCKUM SONICS AB	TEL: +46(0)40-671 88 00 FAX: +46(0)40-21 65 13 E-MAIL: info@kockumsonics.com	Industrigatan 39, P.O. Box 1035, SE-212 10 Malmö, Sweden
N-23	ELEC. CLOCK SYSTEM (MCS-970)	MCS-970A MCS-DS1 MCS-975 MCS-972C MCS-976A	1 SET	MASTER CLOCK DIMMER & SECOND ADJ. SW BOX 3-HAND CLOCK 2-HAND CLOCK (GALLEY) 2-HAND CLOCK (CABIN)	1 EA 1 EA 1 EA 1 EA 15 EA	18 MRC	TEL) +82-51-414-7891 FAX) +82-51-413-2604	6-19, NAMHANGSEO-RO, YEONGDO-GU, BUSAN, KOREA
N-24	ANEMOMETER & ANEMOSCOPE	AT-3N-M AI-144G AD-F1 JB-2310	1 SET	TRANSMITTER INDICATOR (FOR WIND ELOCITY & DIRECTION) DIMMER JUNCTION BOX	1 EA 1 EA 1 EA 1 EA	7 DAEYANG INSTRUMENT CO., LTD	TEL) 82 51 200 9720 FAX) 82 51 200 9749	45-10, NOKSANSANDAN 261-RO 14BEON-GIL, GANGSEO-GU, BUSAN, KOREA

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-25	AUTO TELEPHONE EXCHANGER (MCX-5000)	MCX-5000B	1 SET	EXCHANGE UNIT	1 EA	79	MRC	TEL) +82-51-414-7891 FAX) +82-51-413-2604	6-19, NAMHANGSEO-RO, YEONGDO-GU, BUSAN, KOREA
		LC-221A		DESK TYPE TEL.	26 EA				
		LC-221B1		NWT WALL TEL.	5 EA				
		LC-213C		WT WALL TEL.	2 EA				
		LC-213CN		WT WALL TEL. FOR GALLEY	1 EA				
		LC-213G		WT WALL TEL. WITH HEADSET(2-GLAND)	2 EA				
		LC-213G1		WT WALL TEL. WITH HEADSET(3-GLAND)	1 EA				
		MR-2000		HEADSET	3 EA				
		LC-215C		NWT FLUSH TEL. FOR BA.C.C	1 EA				
		RB-25		RELAY BOX	1 EA				
		BZ-2		EXTERNAL BELL	2 EA				
N-26	COMMUNAL AERIAL SYSTEM (MAD-100)	MAD-100	1 SET	MAIN UNIT	1 EA	64	MRC	TEL) +82-51-414-7891 FAX) +82-51-413-2604	6-19, NAMHANGSEO-RO, YEONGDO-GU, BUSAN, KOREA
		AT-100		OMNI TV/FM/AM ANTENNA	1 EA				
		DB-4N		4WAY DISTRIBUTOR (IN/OUT-RG6 CONNECTOR)	2 EA				
		NPRF-4		AC220V RP4/RADIO/TV FLUSH TYPE	6 EA				
		NPTF-4		AC220V RP4/TEL FLUSH TYPE	36 EA				
		VTV-4		TV CORD	6 EA				
		RV-2		RADIO CORD	6 EA				
		M-A-JJ		CONNECTOR	1 EA				
		F-CRIMP-5C		CONNECTOR	10 EA				
		7C-C		CONNECTOR	2 EA				
		M-P-7		CONNECTOR	1 EA				
		75-ohm		END RESISTER	6 EA				

0001-(DATA BOOKLETS (MACHINERY PARTICULAR LIST) (55/57)

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)									
SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS		WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-27	SOUND POWERED TELEPHONE (LC-800)	LC-814G LC-814G1 MR-2000 LC-816C BZ-2	1 SET	W.T WALL TYPE TEL W.T WALL TYPE TEL HEADSET N.W.T FLUSH TYPE TEL EXTERNAL BELL	2 EA 1 EA 1 EA 3 EA 1 EA	20	MRC	TEL) +82-51-414-7891 FAX) +82-51-413-2604	6-19, NAMHANGSEO-RO, YEONGDO-GU, BUSAN, KOREA
N-28	REF. CHAMBER ALARM SYSTEM		1 SET	PUSH BUTTON WITH LAMP (2 WAY) PUSH BUTTON WITH LAMP (1 WAY)	2 EA 1 EA	5	HME	TEL) +82-51-709-9123 FAX) +82-51-709-9003	43,JANGANSANDAN-RO, JANGAN-EUP,GIJANG-GUN, BUSAN,KOREA
N-29	HOSPITAL CALLING ALARM SYSTEM		1 SET	HANGER TYPE PUSH BUTTON WITH 5M CORD RECEPTACLE FOR PORTABLE P.B WITH LAMP BUZZER	1 EA 1 EA 1 EA				
N-30	BATTERY CHARGER & DIST. BOARD		1 SET	BATTERY CHARGER & DIST. BOARD	1 EA				
N-31	WHEELHOUSE GAUGE BOARD		1 SET	WHEELHOUSE GAUGE BOARD	1 EA	44	DONGYANG INDUSTRIES ELECTRIC CO., LTD	TEL) 82 52 707 7055 FAX) 82 52 707 7052	354-4, MAGOK-DONG, BUK-GU, ULSAN, KOREA
N-32	BNWAS	OPU-10 IPU-10 BRP-20 PRU-10 DSB-565D WT-R WT-B DSB-75W	1 SET	OPERATION PROCESS UNIT INPUT/OUTPUT PROCESS UNIT TIME RESET PANEL POWER RELAY UNIT BUZZER RESET UNIT (FOR BWC) BUZZER (FOR BWC) BUZZER (FOR ACCOM.)	1 EA 1 EA 2 EA 1 EA 1 EA 2 EA 2 EA 9 EA	9	HYUNDAI GLOBAL SERVICE	TEL : +82-70-8670-1122	Centum Science Park, 79, Centum Jungang-ro, Haeundae-gu, Busan, Korea

DATA BOOKLETS(ELECTRIC PARTICULARS & MAKER`S ADDRESS)

SER NO	NAME OF EQUIP.	MODEL & TYPE	Q`TY /SHIP	PARTICULARS	WEIGHT (kg/SHIP)	MAKER	TEL/FAX/E-MAIL	ADDRESS
N-33	PORTABLE UHF	EP-400 / B00197 B00404 B00403 B00280 B00532 B00569 B00231	1 SET	I.S TYPE UHF TRANSCEIVER RECHARGEABLE BATTERY PACK DUAL TYPE BATTERY CHARGER CARRYING CASE BELT CLIP HAND STRAP PUSH TO TALK UNIT HELMET-COM UNIT	2 EA 2 EA 2 EA 2 EA 2 EA 2 EA 2 EA 2 EA	5 JRC (SUPPLIER)	TEL) +81-3-5534-1213 FAX) +81-3-5534-1199	7-32, TATSUMI 1-CHOME, KOTO-KU, TOKYO 135-0053, JAPAN
N-34	V-SAT SYSTEM	V100NX X7 27U 1KVA LVD-111 CAT.6 CAT.6 VP-156PE LMR400, 50ohm	1 SET	ANTENNA & ACU MODEM 19" RACK 1 KVA UPS TELEPHONE LAN OUTLET BOX PATCH CORD ANALOG GATEWAY ANT. CABLE	1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA 1 EA	9 MRC	TEL) +82-51-414-7891 FAX) +82-51-413-2604	6-19, NAMHANGSEO-RO, YEONGDO-GU, BUSAN, KOREA