






R1



```
R1(config)#  
R1(config)#  
R1(config)#  
R1(config)#  
R1(config)#  
R1(config)#  
R1(config)#access-list 1 deny 10.0.0.20 0.0.0.0  
R1(config)#access-list 1 permit 10.0.0.10 0.0.0.0  
R1(config)#int e0/0  
R1(config-if)#ip access-group 1 in  
R1(config-if)#  
R1(config-if)#  
R1(config-if)#  
R1(config-if)#ex  
R1(config)#
```

STANDARD ACL



My Documents

My Computer

My Network Places

Recycle Bin

Internet Explorer

Cisco ASDM-I...

Old Java ASDM

PuTTY

http://www.linux1.com/ - Windows Internet Explorer

http://www.linux1.com/ Live Search

File Edit View Favorites Tools Help


★ Favorites | ★ Suggested Sites | Web Slice Gallery

http://www.linux1.com/ x http://www.linux2.com/ Home RSS Mail Print Page Safety Tools ?

Hello World! This is Linux Server 1.

STANDARD ACL
ALLOW ACCESS FOR 10.10 TO SERVER 1,2

Done Internet 100%







R1



```
R1(config-if)#ex
R1(config)#
R1(config)#
R1(config)#
R1(config)#
R1(config)#
R1(config)#
R1(config)#$ 100 permit udp 10.0.0.0 0.255.255.255 200.12.56.10 0.0.0.0 eq 53
R1(config)#$ 100 permit tcp 10.0.0.10 0.0.0.0 172.50.0.10 0.0.0.0 eq 80
R1(config)#$ 100 permit tcp 10.0.0.20 0.0.0.0 172.50.0.20 0.0.0.0 eq 80
R1(config)#
R1(config)#int e0/0
R1(config-if)#ip access-group 100 in
R1(config-if)#ex
R1(config)#
```

EXTENDED ACL





My Documents

My Computer

My Network
Places

Recycle Bin

Internet
ExplorerCisco
ASDM-I...

Old Java ASDM

PuTTY

Address not valid - Windows Internet Explorer

http://

File Edit View Favorites Tools Help

★ Favorites | ★ Suggested Sites | Web Slice Gallery

Address not valid x http://www.linux2.com/

The address is not valid

Most likely causes:

- There might be a typing error in the address.
- If you clicked on a link, it may be out of date.

What you can try:

- Retype the address.
- Go back to the previous page.

DENY REQ FROM 10.20 TO SERVER 1

Done Internet 100%

