```
<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="utf-8">
<meta name="viewport" content="width=device-width, initial-scale=1">
<title>College Event Registration Portal</title>
<style>
:root{--ink:#14213d;--blue:#1f5fbf;--bg:#f4f7fb;--line:#d9e1ec;--muted:#5b6778;--bad:#b3261e}
*{box-sizing:border-box}
body{margin:0;font-family:system-ui,"Segoe UI",Arial,sans-serif;background:var(--bg);color:var(--ink)}
header{background:var(--ink);color:#fff;padding:18px 16px;text-align:center}
header h1{margin:0;font-size:20px}
header p{margin:4px 0 0;font-size:13px;opacity:.8}
.stats{display:flex;justify-content:center;gap:24px;margin-top:12px;font-size:12px}
.stats b{display:block;font-size:20px}
nav{display:flex;position:sticky;top:0;background:#fff;border-bottom:1px solid var(--line);z-index:5}
nav button{flex:1;padding:13px;border:0;background:none;font-size:14px;color:var(--muted);
  border-bottom:3px solid transparent;cursor:pointer}
nav button.active{color:var(--blue);border-color:var(--blue);font-weight:600}
main{max-width:760px;margin:0 auto;padding:16px}
.filters{display:grid;grid-template-columns:1fr 1fr;gap:8px;margin-bottom:12px}
.filters input,.filters select{padding:10px;border:1px solid var(--line);border-radius:8px;
  font-size:14px;width:100%;background:#fff}
.filters .search{grid-column:1/-1}
.card{background:#fff;border:1px solid var(--line);border-radius:10px;padding:14px;margin-bottom:12px}
.card h3{margin:0 0 4px;font-size:16px}
.meta{font-size:13px;color:var(--muted)}
.tag{display:inline-block;background:#e6efff;color:var(--blue);border-radius:10px;
  padding:2px 9px;font-size:12px;margin-bottom:6px}
.row{display:flex;justify-content:space-between;align-items:center;margin-top:10px;gap:8px}
.count{font-size:13px}
.count.full{color:var(--bad);font-weight:600}
.btn{background:var(--blue);color:#fff;border:0;border-radius:8px;padding:9px 14px;
  font-size:14px;cursor:pointer}
.btn.alt{background:#fff;color:var(--blue);border:1px solid var(--blue)}
.btn.danger{background:#fff;color:var(--bad);border:1px solid var(--bad)}
.btn:disabled{background:#c7ced9;color:#fff;border:0;cursor:not-allowed}
.modal{position:fixed;inset:0;background:rgba(0,0,0,.5);display:flex;
  align-items:flex-end;justify-content:center;z-index:10}
.sheet{background:#fff;width:100%;max-width:760px;max-height:92vh;overflow:auto;
  border-radius:16px 16px 0 0;padding:18px}
.sheet h2{margin:4px 0 6px;font-size:18px}
label{display:block;font-size:13px;margin:10px 0 4px}
.sheet input{width:100%;padding:10px;border:1px solid var(--line);border-radius:8px;font-size:14px}
.err{color:var(--bad);font-size:12px;min-height:15px;margin-top:3px}
.toast{position:fixed;bottom:20px;left:50%;transform:translateX(-50%);background:var(--ink);
  color:#fff;padding:10px 16px;border-radius:8px;font-size:14px;z-index:20}
.empty{text-align:center;color:var(--muted);padding:30px}
@media(min-width:600px){.modal{align-items:center}.sheet{border-radius:16px}}
</style>
</head>
<body>
<header>
  <h1>College Event Registration Portal</h1>
  <p>Global College of Arts and Science</p>
  <div class="stats">
    <div><b id="sEvents">0</b>Events</div>
    <div><b id="sMine">0</b>My registrations</div>
    <div><b id="sSeats">0</b>Seats left</div>
  </div>
</header>
<nav id="tabs">
  <button data-tab="events" class="active">Events</button>
  <button data-tab="mine">My Registrations</button>
</nav>
<main id="main"></main>
<div id="modal"></div>

<script>
const EVENTS = [
 {id:1,title:"Code Sprint 2026",category:"Technical",date:"2026-11-07",time:"10:00 AM",venue:"CS Lab
3",capacity:40,
  desc:"A four-hour team coding contest with problem-solving and web development rounds."},
 {id:2,title:"Cultural Fest: Rhythm",category:"Cultural",date:"2026-11-14",time:"05:00 PM",venue:"Main
```

```
Auditorium",capacity:120,
  desc:"Music, dance and drama performances by students from every department."},
 {id:3,title:"Inter-Department Cricket",category:"Sports",date:"2026-11-18",time:"08:30 AM",venue:"College
Ground",capacity:30,
  desc:"Knockout cricket tournament between departments. Teams of eleven players."},
 {id:4,title:"Web Design Workshop",category:"Workshop",date:"2026-11-21",time:"02:00 PM",venue:"Seminar
Hall",capacity:25,
  desc:"Hands-on introduction to responsive layouts using HTML5 and CSS3."},
 {id:5,title:"Poetry Slam Night",category:"Literary",date:"2026-11-25",time:"06:00 PM",venue:"Library
Lawn",capacity:4,
  desc:"An open-mic evening of original poetry in Tamil and English."},
 {id:6,title:"Tech Quiz Challenge",category:"Technical",date:"2026-12-02",time:"11:00 AM",venue:"Room
204",capacity:50,
  desc:"A rapid-fire quiz on programming, networks and current technology news."},
 {id:7,title:"Career Guidance Talk",category:"Workshop",date:"2026-12-05",time:"10:30 AM",venue:"Mini
Hall",capacity:80,
  desc:"Alumni speakers share interview tips and career paths after graduation."},
 {id:8,title:"Annual Sports Day",category:"Sports",date:"2026-12-12",time:"08:00 AM",venue:"Main
Ground",capacity:200,
  desc:"Track and field events, relay races and the inter-department trophy."}
];
const SEED = {1:5, 2:12, 3:8, 4:3, 5:4, 6:2, 7:6, 8:15};   // registrations by other students
const $ = s => document.querySelector(s);
const esc = s => String(s).replace(/[&<>"]/g, c => ({'&':'&amp;','<':'&lt;','>':'&gt;','"':'&quot;'}[c]));
const state = {tab:'events', q:'', cat:'All', date:'', regs:[]};

/* ---------- storage ---------- */
function save(){ try { localStorage.setItem('regs', JSON.stringify(state.regs)); } catch(e) {} }
function loadData(){
  try { const r = localStorage.getItem('regs'); if (r) { state.regs = JSON.parse(r); return; } } catch(e) {}
  let n = 0;
  Object.entries(SEED).forEach(([id, k]) => { for (let i = 0; i < k; i++) { n++;
    state.regs.push({id:'s'+n, eventId:+id, name:'Student '+n, email:'student'+n+'@college.edu', mine:false}); }
});
  save();
}
const count = id => state.regs.filter(r => r.eventId === id).length;
const mine = () => state.regs.filter(r => r.mine);

/* ---------- rendering ---------- */
const fmt = d => new Date(d + 'T00:00').toLocaleDateString('en-IN', {day:'numeric', month:'short',
year:'numeric'});
function stats(){
  $('#sEvents').textContent = EVENTS.length;
  $('#sMine').textContent = mine().length;
  $('#sSeats').textContent = EVENTS.reduce((a, e) => a + e.capacity - count(e.id), 0);
}
function card(e, action){
  const c = count(e.id), full = c >= e.capacity;
  return `<div class="card"><span class="tag">${e.category}</span><h3>${esc(e.title)}</h3>
    <div class="meta">${fmt(e.date)} · ${e.time} · ${esc(e.venue)}</div>
    <div class="row"><span class="count ${full ? 'full' : ''}">${full ? 'Event full' : c + ' / ' + e.capacity + '
registered'}</span>
    <span><button class="btn alt" data-view="${e.id}">Details</button>
    ${action || `<button class="btn" data-reg="${e.id}" ${full ? 'disabled' : ''}>Register</button>`}</span>
</div></div>`;
}
function listHTML(){
  const q = state.q.toLowerCase();
  const list = EVENTS
    .filter(e => (state.cat === 'All' || e.category === state.cat) && e.title.toLowerCase().includes(q)
              && (!state.date || e.date === state.date))
    .sort((a, b) => a.date.localeCompare(b.date));
  return list.map(e => card(e)).join('') || '<div class="empty">No events match your search.</div>';
}
function render(){
  if (state.tab === 'events') {
    const cats = ['All', ...new Set(EVENTS.map(e => e.category))];
    $('#main').innerHTML = `<div class="filters">
      <input class="search" id="q" placeholder="Search events by name" value="${esc(state.q)}">
      <select id="cat">${cats.map(c => `<option ${c === state.cat ? 'selected' : ''}>${c}</option>`).join('')}
</select>
      <input type="date" id="date" value="${state.date}"></div><div id="list">${listHTML()}</div>`;
  } else {
```

```
    const m = mine();
    $('#main').innerHTML = m.length
      ? m.map(r => card(EVENTS.find(e => e.id === r.eventId),
          `<button class="btn danger" data-cancel="${r.id}">Cancel</button>`)).join('')
      : '<div class="empty">You have not registered for any events yet.</div>';
  }
}
const refresh = () => { stats(); render(); };

/* ---------- modal: details and registration form ---------- */
const modal = html => { $('#modal').innerHTML = `<div class="modal" id="ov"><div class="sheet">${html}</div>
</div>`; };
const closeModal = () => { $('#modal').innerHTML = ''; };
function detail(id){
  const e = EVENTS.find(x => x.id === id), c = count(id);
  modal(`<span class="tag">${e.category}</span><h2>${esc(e.title)}</h2>
    <p class="meta">${fmt(e.date)} · ${e.time} · ${esc(e.venue)}</p><p>${esc(e.desc)}</p>
    <p class="count ${c >= e.capacity ? 'full' : ''}">${c} of ${e.capacity} seats taken</p>
    <div class="row"><button class="btn alt" data-close>Close</button>
    <button class="btn" data-reg="${id}" ${c >= e.capacity ? 'disabled' : ''}>Register</button></div>`);
}
function form(id){
  const e = EVENTS.find(x => x.id === id);
  modal(`<h2>Register: ${esc(e.title)}</h2>
    <label for="fn">Full name</label><input id="fn"><div class="err" id="e1"></div>
    <label for="em">Email</label><input id="em" inputmode="email"><div class="err" id="e2"></div>
    <label for="dp">Department</label><input id="dp"><div class="err" id="e3"></div>
    <div class="row"><button class="btn alt" data-close>Cancel</button>
    <button class="btn" id="submit" data-id="${id}">Submit</button></div>`);
}

/* ---------- registration logic ---------- */
function submitReg(id){
  const e = EVENTS.find(x => x.id === id);
  const name = $('#fn').value.trim(), email = $('#em').value.trim().toLowerCase(), dept = $('#dp').value.trim();
  const errs = {
    e1: name ? '' : 'Name is required',
    e2: !email ? 'Email is required'
      : !/^[^\s@]+@[^\s@]+\.[^\s@]{2,}$/.test(email) ? 'Enter a valid email address'
      : state.regs.some(r => r.eventId === id && r.email === email) ? 'This email is already registered for this
event' : '',
    e3: dept ? '' : 'Department is required'
  };
  Object.entries(errs).forEach(([k, v]) => { $('#' + k).textContent = v; });
  if (Object.values(errs).some(Boolean)) return;
  if (count(id) >= e.capacity) { closeModal(); toast('Sorry, this event is now full'); return refresh(); }
  state.regs.push({id:'r' + Date.now(), eventId:id, name, email, dept, mine:true});
  save(); closeModal(); toast('Registered for ' + e.title); refresh();
}
function cancel(rid){
  state.regs = state.regs.filter(r => r.id !== rid);
  save(); toast('Registration cancelled'); refresh();
}
function toast(msg){
  const t = document.createElement('div'); t.className = 'toast'; t.textContent = msg;
  document.body.appendChild(t); setTimeout(() => t.remove(), 2200);
}

/* ---------- events ---------- */
document.addEventListener('click', ev => {
  const d = ev.target.dataset;
  if (d.tab) { state.tab = d.tab;
    document.querySelectorAll('#tabs button').forEach(b => b.classList.toggle('active', b === ev.target));
render(); }
  else if (d.view) detail(+d.view);
  else if (d.reg) form(+d.reg);
  else if (d.cancel) cancel(d.cancel);
  else if ('close' in d || ev.target.id === 'ov') closeModal();
  else if (ev.target.id === 'submit') submitReg(+d.id);
});
document.addEventListener('input', ev => {
  const {id, value} = ev.target;
  if (id === 'q') state.q = value; else if (id === 'cat') state.cat = value;
  else if (id === 'date') state.date = value; else return;
```

```
  $('#list').innerHTML = listHTML();
});

loadData(); refresh();
</script>
</body>
</html>
```