THYROID DISEASE CLASSIFICATION USING MACHINE LEARNING

TEAM ID: NM2023TMID35949

TEAM MEMBERS:

SARANRAJ R (20420U18079)

SATHISHKUMAR S(20420U18080)

SELVAKUMAR N(20420U18081)

SELVAM D (20420U18082)

SUBMITTED FOR THE PROJECT UNDER THE NAAN

MUDHALVAN – SMARTINTERNZ PROGRAM

OF CONTENTS: -

1. INTRODUCTION OVERVIEW	3
OVERVIEW	
PURPOSE	2
FUNFUSE	
2. LITERATURE SURVEY	
EXISTINGPROBLEM	4
PROPOSED SYSTEM	4
3. PROBLEM DEFINITION & DESIGN THINKIN	IG
2.1 EMPHATHY MAP CANVAS .	5
3.2 IDEATION AND BRAINSTORMING	5
4. Project flow	
Theoritical analysis	8
BLOCK DIAGRAM	8
HARDWARE / SOFTWARE DESIGNING	8
5.RESULT	
OUTPUT OF THE PROJECT	10-15 6.
ADVANTAGES & DISADVANTAGES	
ADVANTAGES	
DISADVANTAGES	16
7.APPLICATIONS	16

8.CONCLUSION	17
9. FUTURE SCOPE	17
10.APPENDIX	18-23

INTRODUCTION

OVERVIEW

Thyroid diseases, such as hypothyroidism and hyperthyroidism, are common endocrine disorders that affect the function of the thyroid gland. These diseases can have a significant impact on a patient's health and quality of life. Early and accurate diagnosis of thyroid diseases is important for effective treatment.

In recent years, machine learning techniques have been applied to the classification of thyroid diseases. The goal of these studies is to develop models that can accurately diagnose thyroid diseases based on clinical and laboratory data.

PURPOSE

There are several machine learning algorithms that have been used for thyroid disease classification, including decision trees, random forests, k-nearest neighbors (KNN), support vector machines (SVM), artificial neural networks (ANN), and deep learning algorithms such as convolutional neural networks (CNNs) and recurrent neural networks (RNNs).

The input data for these models can include clinical features, such as age, gender, and symptoms, as well as laboratory test results, such as thyroid-stimulating hormone (TSH) levels and levels of thyroxine (T4) and triiodothyronine (T3).

The performance of these models is usually evaluated using metrics such as accuracy, precision, recall, and F1 score. In general, deep learning algorithms have shown better performance than other machine learning algorithms in thyroid disease classification tasks.

LITERATURE SURVEY

EXISTING PROBLEM

The current existing system includes:

Clinical examination: This involves a physical examination of the neck to check for any visible signs of thyroid enlargement or nodules.

Blood tests: Blood tests are used to measure the levels of hormones produced by the thyroid gland and to check for antibodies that may indicate autoimmune diseases such as Hashimoto's thyroiditis.

Ultrasound: An ultrasound scan can provide images of the thyroid gland and help to identify any nodules or other abnormalities.

Fine needle aspiration biopsy (FNAB): This is a procedure in which a small sample of tissue is taken from a thyroid nodule using a fine needle, which is then examined under a microscope to check for cancer.

PROPOSED SYSTEM

The proposed system is by using Artificial Intelligence (AI) and Machine Learning (ML) In recent years, there have been several studies exploring the use of AI and ML algorithms for predicting thyroid diseases. These systems are trained on large datasets of patient data and use various features such as demographic information, blood test results, and ultrasound images to make prediction.

IDEATION & PROPOSED SYSTEM

Empathy Map Canvas





Figure 2.1 Empathy Map Canvas

Ideation & Brainstorming



Project Flow:


- The user interacts with the UI to enter the input.
- Entered input is analysed by the model which is integrated.
- Once the model analyses the input the prediction is showcased on the UI

To accomplish this, we have to complete all the activities listed below,

- Model Building o Training the model in multiple algorithms o Testing the model
- Model Deployment
 _O Save the best model
 _O Integrate with Web Framework
- Project Demonstration & Documentation
 o Record explanation Video for project end to end solution
 o Project Documentation-Step by step project development procedur

THEORETICAL ANALYSIS

BLOCK DIAGRAM



HARDWARE AND SOFTWARE DESIGNING

Python

Python is an interpreted, object-oriented, high-level programming language with dynamic semantics. It was created by Guido van Rossum, and first released on February 20, 1991. Its high-level built-in data structures, combined with dynamic typing and dynamic binding, make it very attractive for Rapid Application Development, as well as for use as a scripting or glue language to connect existing components together. Python's simple, easy to learn syntax emphasizes readability and therefore reduces the cost of program maintenance. Python supports modules and packages, which encourages program modularity and code reuse. The Python interpreter and the extensive standard library are available in source or binary form without charge for all major platforms, and can be freely distributed.

Anaconda Navigator

Anaconda Navigator is a free and open-source distribution of the Python and R programming languages for data science and machine learning related applications. It can be installed on

Windows, Linux, and macOS. Conda is an open-source, cross platform, package management system. Anaconda comes with.


Flask

Web frame work used for building. It is a web application framework written in python which will be running in local browser with a user interface. In this application, whenever the user interacts with UI and selects emoji, it will suggest the best and top movies of that genre to the use.


Hardware Requirements:

 $\rm o$ Operating system: window 7 and above with 64bit o Processor Type -Intel Core i3-3220 o RAM: 4Gb and above $\rm o$ Hard disk: min 100GB

1. FLOWCHART



USE CASE DIAGRAM



RESULTS

Performance metrics

MODEL: Random Forest Classifier Model

There is no big variation in the training and testing accuracy. Therefore, the Random Forest Classifier model is not overfit or underfit.

<pre>print(classification_report(y_test_os,y_pred))</pre>))
,	precision		f1-score	support
0		0.00	0.00	122
1	0.76	0.90	0.83	122
2	0.91	0.98	0.94	122
3	0.78	0.83	0.80	122
4	0.46	0.92	0.62	122
5		0.70	0.73	122
6	0.63	0.48	0.54	122
accuracy			0.69	854
macro avg	0.61	0.69	0.64	854
eighted avg		0.69	0.64	854
reigneed avg	0.01	0.03	0.04	034
rain_score :	accuracy_sc	ore(y_os,	rfr1.pred	ict(x_os))
1.0				

MODEL: XGB Classifier Model

There is a variation in the training and testing accuracy. The XGB Classifier model is overfit. So, it is not chosen for best results.

```
print(classification_report(y_test_os,y_pred))
           precision recall f1-score support
        0
               0.70
                      0.13
                               0.22
                                        122
               0.75
                              0.84
                                        122
        1
                      0.93
        2
               0.95
                      0.99
                               0.97
                                        122
               0.76
                      0.77
                               0.77
        3
                                        122
               0.48 0.85 0.61
                                       122
        5
               0.79 0.71 0.75
                                       122
               0.62 0.52 0.57
        6
                                        122
                               0.70
                                        854
   accuracy
  macro avg
             0.72 0.70
                               0.67
                                        854
weighted avg
               0.72 0.70
                               0.67
                                        854
accuracy_score(y_test_os,y_pred)
0.7014051522248244
```

MODEL: ANN MODEL

There is a variation in the training and testing accuracy. The ANN model is overfit. So, it is not chosen for best results.

```
In [73]: model.compile(loss='binary_crossentropy', optimizer='adam', metrics=['accuracy'])
In [75]: model.fit(x_bal,y_bal, validation_data=[x_test_bal, y_test_bal], epochs=15)
     Epoch 1/15
     _accuracy: 0.1429
     Epoch 2/15
     val_accuracy: 0.1429
     104/104 [============= ] - 1s 9ms/step - loss: -42823204.0000 - accuracy: 0.1429 - val loss: -113329736.0000
      - val_accuracy: 0.1429
     104/104 [===========] - 1s 9ms/step - loss: -277232128.0000 - accuracy: 0.1429 - val_loss: -582218880.0000
      - val_accuracy: 0.1429
     Epoch 5/15
     00 - val_accuracy: 0.1429
     Epoch 6/15
     104/104 [============] - 1s 8ms/step - loss: -3208519680.0000 - accuracy: 0.1429 - val_loss: -5285069824.00
      00 - val_accuracy: 0.1429
     Epoch 7/15
```

MODEL: SVC MODEL

There is no big variation in the training and testing accuracy. Therefore, the SVC model is not overfit or underfit.

```
from sklearn.svm import SVC
from sklearn.metrics import accuracy_score, classification_report
sv= SVC()
sv.fit(x_bal,y_bal)
C:\Users\SmartBridge-PC\anaconda3\lib\site-packages\sklearn\utils\validation.py:1111: DataConversionWarning: A column-vector y
was passed when a 1d array was expected. Please change the shape of y to (n_samples, ), for example using ravel().
y = column_or_1d(y, warn=True)
SVC()
y_pred = sv.predict(x_test_bal)
print(classification_report(y_test_bal,y_pred))
               precision recall f1-score support
                                       0.77
                  0.76 0.81 0.79

0.88 0.93 0.90

0.71 0.65 0.68


0.71 0.63 0.67


0.76 0.54 0.63

0.49 0.57 0.52
            1
                                                      122
            2
                                                     122
                                                     122
            4
                                                      122
                                                    122
                                                    122
                                      0.71
0.71
0.71
                                                    854
    accuracy
   macro avg 0.72 0.71
ighted avg 0.72 0.71
                                                      854
                                                      854
weighted avg
```

On comparing the four models built, based on the performance metrics it is clear that SVC model gives the highest performance. Hence, that model is chosen for deployment.

Output of the Project:







ADVANTAGES & DISADVANTAGES

ADVANTAGES

- · Easy to use
- Cost efficient
- Time efficient

DISADVANTAGE

- 1. Initial costs of printer
- 2. Post processing
- 3. Printing time
- 4. Special skill required for 3D models
- 5. Manufacturing Job Losses

Applications

3D printing has gone through a number of changes over the years. In the early days, 3D printing was time-consuming and costly, and not very practical for applications outside of industry. However, with the advent of today's more flexible and cost-effective 3D printing methods, there are areas where 3D printing has become a practical tool.

It is applicable in different sectors such as

- Engineering And Design
- Consumer products
- Manufacturing
- Education
- Aerospace
- Medical

- Movies / Theatres
- Architectures

CONCLUSION:

3D printing technology could revolutionize and re-shape the world. Advance in 3D technology can significantly change and improve the way we manufacture products goods worldwide.

If the last industrial revolution brought us mass production and the advent of economics of scale – the digital 3D printing revolution could bring mass manufacturing back a full of circle – to an era of mass personalization, and return to individual craftsmanship.

FUTURE SCOPE

Future applications for 3D printing might include creating open-source scientific equipment to create opensource labs

Science-based applications like reconstructing fossils in palaeontology . Replicating ancient and priceless artifacts in archaeology

Reconstructing bones and body parts in forensic pathology. The technology currently being researched for building construction.

APPENDIX

Source code:

Flask file:

```
from flask import Flask, render template, request
import numpy as np import pickle import pandas as pd
model = pickle.load(open(r"C:\Users\SmartBridge-
pc\Downloads\thyroidclassification\Training\thyroid 1 model.pkl",
'rb')) le = pickle.load(open("label encoder.pkl", 'rb'))
app = Flask( name )
@app.route("/") def about():
return render template('home.html')
@app.route("/predict") def home1():
return render template('predict.html')
@app.route("/pred", methods=['POST', 'GET']) def
predict():
             x = [[float(x) for x in]]
request.form.values()]]
print(x)
         col
['goitre','tumor','hypopituitary','psych','TSH','T3','TT4','T4U','FTI','TBG']
x = pd.DataFrame(x, columns=col)
    #print(x.shape)
               pred =
   print(x)
model.predict(x)
                 pred =
le.inverse transform(pred)
print(pred[0])
    return render template('submit.html', prediction text=str(pred))
if name == " main ":
app.run(debug=False)
```

HTML JS and CSS files:

home.html

```
<!doctype html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
                         <link rel="stylesheet"</pre>
    <title>Home</title>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
                   body
                                            background-image:
                                 {
url("https://www.entincayman.com/wpcontent/uploads/Thyroid Nodules CausesSymptoms.jpg");
                 background-
size: cover;
h3.big
          line-height:
1.8;
    </style>
</head>
<body>
    <br>
    <div class="container">
        <div class="row">
            <div class="col-md-12 bg-light text-right">
                <a href="/home" class="btn btn-info btn-lg">Home</a>
                <a href="/predict" class="btn btn-primary btn-lg">Predict</a>
            </div>
        </div>
        <center>
            <font color="#FFFDD0"><h1><strong>Thyroid Diseas
Classification</strong></h1></font>
        </center>
```

```
<h3 class="big">
        >
            <font face = "courier" color = "#FFFFFF"><em>
                The two types of Thyroid disorders are Hyperthyroidism and
Hypothyroidism.
               When this disorder occurs in the body,
               they release certain type of hormones into the body which imbalances the
body's metabolism.
                Machine Learning plays a very deciding role in the disease prediction.
            </font>
       </em></h3><br>
   </div>
   <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js">
             <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js"><</pre>
/s cript> </body>
</html>
predict.html
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Predict</title>
                             <link rel="stylesheet"</pre>
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
   <style>
                   body
          background-image:
url("https://www.entincayman.com/wpcontent/uploads/Thyroid Nodules CausesSymptoms.jpg");
background-size: cover;
       }
                 h3.big
line-height: 1.8;
   </style>
</head>
```

20 | Page

```
<body>
   <div class="container">
       <div class="row">
           <div class="col-md-12 bg-light text-right">
               <a href="/home" class="btn btn-info btn-lg">Home</a>
               <a href="/predict" class="btn btn-primary disabled btnlg">Predict</a>
           </div>
       </div>
       <br>
       <font color="#FFFDD0"><h1><strong>Thyroid Disease
Classification</strong></h1><br></font>
       <form action="/pred", method="post">
            <div class="form-group mb-3">
            <div class="input-group-prepend">
                <label class="input-group-text"</pre>
for="goitre">goitre</label>
            </div>
              <select class="custom-select" name="goitre" id="goitre">
                <option value="0">Male</option>
<option value="1">Female</option>
              </select>
            </div><br>
            <div class="form-group mb-3">
            <div class="input-group-prepend">
                <label class="input-group-text"</pre>
for="tumor">tumor</label>
            </div>
              <select class="custom-select" name="tumor" id="tumor">
                <option value="0">Male</option>
<option value="1">Female
              </select>
            </div><br>
            <div class="form-group mb-3">
```

```
<div class="input-group-prepend">
                                                            <p
style="color: pink;"><label class="input-group-text"</pre>
for="hypopituitary">hypopituitary</label>
            </div>
              <select class="custom-select" name="hypopituitary"</pre>
id="hypopituitary">
               <option value="0">Male</option>
<option value="1">Female</option>
             </select>
            </div><br>
            <div class="form-group mb-3">
            <div class="input-group-prepend">
               <label class="input-group-text"</pre>
for="psych">psych</label>
            </div>
              <select class="custom-select" name="psych" id="psych">
               <option value="0">Male</option>
<option value="1">Female</option>
             </select>
            </div><br>
            <div class="form-group row">
               <div class="col-md-3">
                   <label for="TSH">TSH</label>
<input type="text" name="TSH" id="TSH"</pre>
class="form-control" placeholder="TSH"
required="required"/><br>
               </div> </div>
```

```
<div class="form-group row">
               <div class="col-md-3">
                   <label for="T3">T3</label>
                                        name="T3" id="T3"
                   <input type="text"</pre>
class="formcontrol" placeholder="T3" required="required"/><br><br>
               </div>
            </div>
             <div class="form-group row">
                <div class="col-md-3">
                    <label for="TT4">TT4</label>
                                         name="TT4"
                    <input type="text"</pre>
class="formcontrol" placeholder="TT4" required="required"/><br><br>
                </div>
             </div>
              <div class="form-group row">
                 <div class="col-md-3">
                    <label</pre>
for="T4U">T4U</label>
                              type="text" name="T4U"
                    <input
     id="T4U" class="formcontrol" placeholder="T4U"
required="required"/><br><br>
                 </div>
             </div>
             <div class="form-group row">
                 <div class="col-md-3">
                    <label</pre>
for="FTI">FTI</label>
                              type="text" name="FTI"
                    <input
     id="FTI" class="formcontrol" placeholder="FTI"
required="required"/><br><br>
                 </div>
             </div>
              <div class="form-group row">
                 <div class="col-md-3">
                    <label</pre>
for="TBG">TBG</label>
                                              name="TBG"
                              type="text"
                    <input
     id="TBG" class="formcontrol" placeholder="TBG"
required="required"/><br><br>
```

```
Page
                   </div>
               </div>
           <button
                       type="submit" class="btn btn-success
btnlq">Submit</button>
       </form>
       <br>>
       </h4>
   </div>
   <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"><</pre>
         <script
src="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/js/bootstrap.min.js">
< /s cript> </body>
</html>
 submit.html
<!DOCTYPE html>
<html lang="en">
<head>
   <meta charset="UTF-8">
   <title>Output</title> link rel="stylesheet"
href="https://maxcdn.bootstrapcdn.com/bootstrap/3.4.1/css/bootstrap.min.css">
                                  background-image:
   <style>
                  body {
url("https://www.entincayman.com/wpcontent/uploads/Thyroid Nodules CausesSymptoms.jpg");
background-size: cover;
       }
                h3.big
                               {
line-height: 1.8;
       }
   </style>
</head>
<body>
   <br>
       <div class="container">
           <div class="row">
               <div class="col-md-12 bg-light text-right">
```