Equipment meeting eligibility requirements for DEWA Distributed Renewable Resources Generation programme (Shams Dubai)

Non exhaustive list of eligible equipment based on manufacturers' submissions reviewed by DEWA as of below date. Any other equipment meeting the eligibility requirement will be accepted by DEWA in design phase, provided that proof of compliance will be provided.

DISCLAIMER FOR CUSTOMERS

Please note that the information presented in this document provides an overview of the manufacturers and equipment that meet the required standards based on type-test certification. However, this does not constitute an endorsement or warranty of any kind, whether expressed, implied or statutory, including but not limited to warranties of title, merchantability, satisfactory quality, fitness for particular purpose, warranty for performance, professional advice, professional financial guidance, and shall not be relied upon as the only source of information for purchasing, contracting, investment decisions or for executing other binding agreements.

Last updated Wednesday, March 20, 2019

	PV MODULE	es s
Manufacturer name	Product ID	Description
	S18JXXX	250-255W (in steps of 5) Poly crystalline Si
	S19LXXX	280-300W (in steps of 5) Mono crystalline Si
	S19JXXX	265-275W (in steps of 5) Mono cristalline SI
	P18JXXX	250-260W (in steps of 5) Poly cristalline SI
Alex Calax Carbit	P19XXX	280-295W (in steps of 5) Poly cristalline SI
Aleo Solar GmbH	P19LXXX	290-300 W (in steps of 5) Mono crystalline Si
	P19JXXX	290 -300 W (in steps of 5) Mono crystalline Si
	S19LXXX	300-310 W (in steps of 5) Mono crystalline Si
	X59LXXX	300-310 W (in steps of 5) Mono crystalline Si
	X79LXXX	300-310 W (in steps of 5) Mono crystalline Si
	SEAM 18W - xxx	sc-Si, xxx= 70 - 85 (in step of 5)
	SEAM 18T - xxx	sc-Si, xxx= 70 - 85 (in step of 5)
	SEAM 36W - xxx	sc-Si, xxx= 145 - 175 (in step of 5)
	SEAM 36T - xxx	sc-Si, xxx= 145 - 175 (in step of 5)
	SEAM 40W - xxx	sc-Si, xxx= 155 - 195 (in step of 5)
	SEAM 40T - xxx	sc-Si, xxx= 155 - 195 (in step of 5)
	SEAM 42W - xxx	sc-Si, xxx= 155 - 205 (in step of 5)
	SEAM 42T - xxx	sc-Si, xxx= 155 - 205 (in step of 5)
	SEAM 48W - xxx	sc-Si, xxx= 180 - 230 (in step of 5)
	SEAM 48T - xxx	sc-Si, xxx= 180 - 230 (in step of 5)
	SEAM 50W - xxx	sc-Si, xxx= 200 - 240 (in step of 5)
	SEAM 50T - xxx	sc-Si, xxx= 200 - 240 (in step of 5)
	SEAM 54W - xxx	sc-Si, xxx= 205 - 260 (in step of 5)
Almaden MENA FZE	SEAM 54T - xxx	sc-Si, xxx= 205 - 260 (in step of 5)
	SEAM 60W - xxx	sc-Si, xxx= 225 - 290 (in step of 5)
	SEAM 60T - xxx	sc-Si, xxx= 225 - 290 (in step of 5)
	SEAM 66W - xxx	sc-Si, xxx= 250 - 320 (in step of 5)
	SEAM 66T - xxx	sc-Si, xxx= 250 - 320 (in step of 5)
	SEAM 72W - xxx	sc-Si, xxx= 275 - 350 (in step of 5)
	SEAM 72T - xxx	sc-Si, xxx= 275 - 350 (in step of 5)
	SEAP 18W- xxx	mc-Si, xxx= 70 - 85 (in step of 5)
	SEAP 18T- xxx	mc-Si, xxx= 70 - 85 (in step of 5)
	SEAP 36W- xxx	mc-Si, xxx= 145 - 170 (in step of 5)
	SEAP 36T- xxx	mc-Si, xxx= 145 - 170 (in step of 5)
	SEAP 40W- xxx	mc-Si, xxx= 155 - 185 (in step of 5)
	SEAP 40T- xxx	mc-Si, xxx= 155 - 185 (in step of 5)
	SEAP 42W- xxx	mc-Si, xxx= 155 - 195 (in step of 5)

	PV MODULES		
anufacturer name	Product ID	Description	
	SEAP 42T- xxx	mc-Si, xxx= 155 - 195 (in step of 5)	
	SEAP 48W- xxx	mc-Si, xxx= 175 - 225 (in step of 5)	
	SEAP 48T- xxx	mc-Si, xxx= 175 - 225 (in step of 5)	
	SEAP 50W- xxx	mc-Si, xxx= 190 - 235 (in step of 5)	
	SEAP 50T- xxx	mc-Si, xxx= 190 - 235 (in step of 5)	
	SEAP 54W- xxx	mc-Si, xxx= 200 - 250 (in step of 5)	
	SEAP 54T- xxx	mc-Si, xxx= 200 - 250 (in step of 5)	
	SEAP 60W- xxx	mc-Si, xxx= 220 - 280 (in step of 5)	
	SEAP 60T- xxx	mc-Si, xxx= 220 - 280 (in step of 5)	
	SEAP 66W- xxx	mc-Si, xxx= 240 - 310 (in step of 5)	
	SEAP 66T- xxx	mc-Si, xxx= 240 - 310 (in step of 5)	
	SEAP 72W- xxx	mc-Si, xxx= 295 - 335 (in step of 5)	
	SEAP 72T- xxx	mc-Si, xxx= 295 - 335 (in step of 5)	
	SEAC 18W - xxx	sc-Si, xxx= 90	
	SEAC 18T - xxx	sc-Si, xxx= 90	
	SEAC 30W - xxx	sc-Si, xxx= 140 - 155 (in step of 5)	
	SEAC 30T - xxx	sc-Si, xxx= 140 - 155 (in step of 5)	
Almaden MENA FZE	SEAC 36W - xxx	sc-Si, xxx= 170 - 185 (in step of 5)	
	SEAC 36T - xxx	sc-Si, xxx= 170 - 185 (in step of 5)	
	SEAC 40W - xxx	sc-Si, xxx= 185 - 205 (in step of 5)	
	SEAC 40T - xxx	sc-Si, xxx= 185 - 205 (in step of 5)	
	SEAC 42W - xxx	sc-Si, xxx= 195 - 215 (in step of 5)	
	SEAC 42T - xxx	sc-Si, xxx= 195 - 215 (in step of 5)	
	SEAC 48W - xxx	sc-Si, xxx= 220 - 245 (in step of 5)	
	SEAC 48T - xxx	sc-Si, xxx= 220 - 245 (in step of 5)	
	SEAC 50W - xxx	sc-Si, xxx= 230 - 255 (in step of 5)	
	SEAC 50T - xxx	sc-Si, xxx= 230 - 255 (in step of 5)	
	SEAC 54W - xxx	sc-Si, xxx= 245 - 275 (in step of 5)	
	SEAC 54T - xxx	sc-Si, xxx= 245 - 275 (in step of 5)	
	SEAC 60W - xxx	sc-Si, xxx= 270 - 310 (in step of 5)	
	SEAC 60T - xxx	sc-Si, xxx= 270 - 310 (in step of 5)	
	SEAC 66W - xxx	sc-Si, xxx= 300 - 340 (in step of 5)	
	SEAC 66T - xxx	sc-Si, xxx= 300 - 340 (in step of 5)	
	SEAC 72W- xxx	sc-Si, xxx= 325 - 370 (in step of 5)	
	SEAC 72T- xxx	sc-Si, xxx= 325 - 370 (in step of 5)	
	AExxxM5-36	mono c-Si 90 - 110W, in steps of 5	
	AExxxM5-48	mono c-Si 120 - 145W, in steps of 5	
	AExxxM5-60	mono c-Si 150 - 180W, in steps of 5	
	AExxxM5-72	mono c-Si 180 - 215W, in steps of 5	
	AExxxM5-96	mono c-Si 240 - 290W, in steps of 5	
	AExxxM6-36	mono c-Si 140 - 165W, in steps of 5	
	AExxxM6-48	mono c-Si 185 - 225W, in steps of 5	
Alternative Energy (AE) Solar GmbH.	AExxxM6-54	mono c-Si 210 - 250W, in steps of 5	
	AExxxM6-60	mono c-Si 230 - 280W, in steps of 5	
	AExxxM6-72	mono c-Si 280 - 335W, in steps of 5	
	AExxxP6-36	Poly-Si 135 - 160W, in steps of 5	
	AExxxP6-48	Poly-Si 180 - 215W, in steps of 5	
	AExxxP6-54	Poly-Si 205 - 245W, in steps of 5	
	AExxxP6-60	Poly-Si 225 - 270W, in steps of 5	
	AExxxP6-72	Poly-Si 270 - 325W, in steps of 5	
A *	AZM606/xxxP	210-275, in step of 5 Polycrystalline	
Azimut	AZM666/xxxP	245-300, in step of 5 Polycrystalline	
AVANCIS GmbH	PowerMax 3.5	CIGS (130 - 145, in step of 5W)	

	PV MODULES	
Manufacturer name	Product ID	Description
vianulacturei name	STP6-XXX/72	sc-Si, mc-Si 245-300W, in steps of 5
	STP6-XXX/60	sc-Si, mc-Si 205-250W, in steps of 5
	STP6-XXX/54	sc-Si, mc-Si 185-225W, in steps of 5
	STP6-XXX/48	sc-Si, mc-Si 165-225W, in steps of 5
	STP6-XXX/46	sc-Si, mc-Si 125-150W, in steps of 5
Anhui Schutten Solar Energy Co.Ltd	STM6-XXX/72	
		sc-Si, mc-Si 245-300W, in steps of 5
	STM6-XXX/60	sc-Si, mc-Si 205-250W, in steps of 5
	STM6-XXX/54	sc-Si, mc-Si 185-225W, in steps of 5
	STM6-XXX/48	sc-Si, mc-Si 165-200W, in steps of 5
	STM6-XXX/36	sc-Si, mc-Si 125-150W, in steps of 5
	A-255P	Poly crystalline 255W
	A-260P	Poly crystalline 260W
Aplicaciones Tecnicas De La Energia S.L. (Atersa)	A-305P	Poly crystalline 305W
	A-310P	Poly crystalline 310W
	A-315P	Poly crystalline 315W
	A-255M	Mono crystalline 255W
	A-260M	Mono crystalline 260W
	A-265M	Mono crystalline 265W
Aplicaciones Tecnicas De La Energia S.L. (Atersa)	A-305M	Mono crystalline 305W
	A-310M	Mono crystalline 310W
	A-315M	Mono crystalline 315W
	AC-260P/156-60S	Poly crystalline 260W
Axitec Energy GmbH & CO, KG	AC-275M/156-60S	Mono crystalline 275W
	AC-310P/156-72S	Poly crystalline 310W
AUO TECHNOLOGY/ BENQ SOLAR	PM096BXxx-XXX	mc-s i320-335 W, in step of 5
· ·	BYD P6C-36	255-315 W sc-Si Poly crystalline
	BYD P6C-30	255-315 W sc-Si Poly crystalline
BYD	BYD 340W P6C-36	MC-SI 340W/ 265-340W
	BYD P6C-30	255-315 W sc-Si Poly crystalline
	L20220P	Poly crystalline, (215-265 Wp), in step of 1
BHEL	L24270P	Poly crystalline, (260 - 320 Wp),in step of 1
	NST54	220 Wp - 225 Wp
Bahmani Manufacturing and Industrial Technology Co. L.L.C	NST60	250 Wp - 285 Wp
bulling in walland curring and madstrial recimology co. L.L.e	NST 72	300 Wp - 345 Wp
	CX3-70	CdTe 70W
	CX3-70	CdTe 72W
Calyxo GmbH	CX1	70W-80W
	CX3	72W-87W
	Cx3pro	72W-90W
	Cxpro/2	80W-90W
	CS6P250P	Poly crystalline-Si 250W
	CS6P255P	Poly crystalline-Si 255W
	CS6P260P	Poly crystalline-Si 260W
	CS6P260M	Monocrystalline silicon 260W
	CS6P265M	Monocrystalline silicon 265W
	CS6P270M	Monocrystalline silicon 270W
	CS6X305P	Poly crystalline-Si 305W
Canadian Solar	CS6X310P	Poly crystalline-Si 310W
	CS6X315P	Poly crystalline-Si 315W
	CS6K-xxxP-FG	Poly crystalline-260-275, in step of 5
	CS6X-xxxP-FG	Poly crystalline- 315-330, in step of 5
	CS6K-XXX-MS	Mono-crystalline Silicon 290-300 W, in step of 5
	CS3K-300MS, CS3K-305MS, CS3K-310MS,CS3K-315MS	Mono-crystalline Silicon 300-315W in step of 5
	CS3K-275P, CS3K-280P, CS3K-285P, CS3K-290P	Poly-crystalline Silicon 275-290W in step of 5
	CS3K-285P, CS3K-290P, CS3K-295P, CS3K-300P	Poly-crystalline Silicon 285-300W, in step of 5
	555 X 2651 / 655 X 2561 / 655 X 2551 / 655 X 5661	. 5.7 5.75 cannie 5 meetr 255 555 tr, in step 51 5

	PV MODULES	
Manufacturer name	Product ID	Description
	CS3U-360MS, CS3U-365MS, CS3U-370MS,CS3U-375MS	Mono-crystalline Silicon 360-375W, in step of 5
	CS3U-330P, CS3U-335P, CS3U-340P, CS3U-345P	Poly-crystalline Silicon 330-345W, in step of 5
	CS3U-345P, CS3U-350P, CS3U-355P, CS3U-360P	Poly-crystalline Silicon 345-360W, in step of 5
	CS6K-275M, CS6K-280M, CS6K-285M, CS6K-290M	Mono-crystalline Silicon 275-290W, in step of 5
	CS6U-330M, CS6U-335M, CS6U-340M, CS6U-345M	Mono-crystalline Silicon 330-345W, in step of 5
	CS6X-310P, CS6X-315P, CS6X-320P, CS6X-325P	Poly-crystalline Silicon 310-325, in step of 5
	CS6U-325P, CS6U-330P, CS6U-335P, CS6U-340P	Poly-crystalline Silicon 325-340W, in step of 5
Canadian Solar	CS6K-XXX-P	Poly-crystalline Silicon 265-275W,in step of 5
	CS3U-xxxPB-FG	Poly-crystalline Silicon, xxx=350-360 Wp in step of 5
	CS3U-xxxMB-FG	Mono-crystalline Silicon, xxx=360-375 Wp in step of 5
	CS3W-xxxP	Poly-crystalline Silicon, xxx=390-410 Wp in step of 5
	CS3K-320MS	Mono-crystalline Silicon, 320 Wp
	CS3U-xxxP	Poly-crystalline Silicon, xxx=365-385 Wp in step of 5
	CS6K-xxxMS	Mono-crystalline Silicon, xxx=305-310 Wp in step of 5
	CS6U-xxxP	Poly-crystalline Silicon, xxx=350-355 Wp in step of 5
	PVT110	CdTe 110W
Caterpillar	PVT115	CdTe 115W
Caterpila	PVT117	CdTe 117W
	CHN250 - 60P	sc-Si 250 W
Chinaland Solar energy Co.Ltd.	CHN260 - 60P	sc-Si 260 W
	CHN300 - 72P	sc-Si 300 W
	CHN310 - 72P	sc-Si 310 W
	CHNXXX-72P	Poly crystalline 315-335, in step of 5W
Chinaland Solar energy Co.Ltd.	CHNXXX-60P	Poly crystalline 265-280, in step of 5W
	CHNXXX-72M	Mono crystalline 330-350, in step of 5W
	CHNXXX-60M	Mono crystalline 275-290, in step of 5W
	CHSM6612P-XXX	mc-Si 315, 320 W
Chint Solar (Zhejiang) Co., Ltd	CHSM6612P-XXX	PC-Si 315-320-325-330-335-340 W
	RCM-xxx-6MB	MONO-Si 250-280W
	RCM-xxx-6PB	Poly-Si 240-260W
RECOM AG	RCM-xxx-6PB	sc-Si 240-280W
RECOM AG	RCM-xxx-6PB-c-de-f	sc-Si 240-280
	RCM-xxx-6PA-SW	290 to 305 W , in step of 5
	RCM-xxx-6PA-SW	310 to 340 W, in step of 5
	RCM-xxx-6PA-SW	345 to 350 W, in step of 5
	DS60250W	Mc-Si 250W
	DS72300W	Mc-Si 300W
	DS60270W	MC-Si 270W
	DS60260W	Mc-Si 260W
	DS72200W	Mc-Si 200W
	DS72225W	Mc-Si 225W
duSol	DS72175W	Mc-Si 175W
	DS36150W	MC-Si 150W
	DS36100W	Mc-Si 100W
	DS36125W	Mc-Si 125W
	DS3675W	Mc-Si 75W
	DS3660W	MC-Si 60W
	DS3650w	Mc-Si 50W
	DS3640w	Mc-si 40w

	PV MODULES	
Manufacturer name	Product ID	Description
Managed C name	EN156-M-60-265	Mono crysalline 265W
	EN156-M-72-315	Mono crysalline 315W
	EN156-P-60-250	Poly crystaline 250W
	EN156M-60-XXX	SC-Si,215W-280W (in step of 5)
ECONESS ENERGY	EN156M-72-XXX	SC-Si,260W-340W (in step of 5)
	EN156P-60-XXX	MC-Si,210W-280W (in step of 5)
	EN156P-72-XXX	MC-Si,255W-340W (in step of 5)
	EN156-P-72-300	Poly crystaline 300W
	EG-xxxP60-C	Sc-Si 200-255W
Eging Photovoltaic Technology Co.LTd	EG-xxxP72-C	Sc-Si 245-305W
	LG AAAI 72 C	30 31 243 303 W
Einnova Solarline	ES-P672xxxYZ	Sc-Si 250/260/300/310 W
	ET-P660 Series	Poly-Si 250-265W
ET solar Industry limited	ET-P672 Series	Poly-Si 300-315W
ET solal moustry innited	ET-M660 Series	Mono-si 255-270W
	ET-M672 Series	Mono-si 305-320W
	FS-4110-2	Cd-Te 110W
	FS-4107A-2	Cd-Te 107.5W
	FS-4110A-2	Cd-Te 110W
	FS-4112A-2	Cd-Te 112.5W
	FS-4112-2	Cd-Te 112.5W
	FS-4105A-2	Cd-Te 105W
Flui Cili.	FS-4107-2	Cd-Te 107.5W
First Solar	FS-4102A-2	Cd-Te 102.5W
	FS-4105-2	Cd-Te 105W
	FS-4102-2	Cd-Te 102.5W
	FS-4xxx-3	CdTe 105 - 122.5 W
	FS-4xxxA-3	CdTe 105 - 122.5W
	FS-6xxx	CdTe 420-445 W, in 5W steps
	FS-6xxxA	CdTe 420-445 W, in 5W steps
	FUXXXM	sc-Si 300-315 Wp
	FUXXXM	sc-Si 245-260 W
Futurasun	FUXXXP	mc-Si 240-265 Wp
	FUXXXP	mc-Si 295-305 Wp
	GCL-P6/72-310	mc-Si 310 W
GCL System Integration Technology Co., Ltd	GCL-P6/60-xxx	mc-si 260-285W, in step of 5
	GCL-P6/72-xxx	mc-Si 310-330W, in step of 5
	7NAC000-06Axxx	mc-Si 215-275W
	7NAC000-06Cxxx	mc-Si 255-330W
	7NAC001-06Axxx	mc-Si 195-295W
General Energy Solutions	7NAC001-06Cxxx	mc-Si 235-350W
	7NAE001-06Axxx	sc-Si 220-300W
	7NAE001-06Cxxx	sc-Si 245-360W
	GTEC-xxxG6S66	Sc-Si 140-175W ,in steps of 5
	GTEC-xxxG6S68	Sc-Si 190-235 W,in steps of 5
	GTEC-xxxG6S69	Sc-Si 210-265 W,in steps of 5
	GTEC-xxxG6S6A	Sc-Si 230-295 W,in steps of 5
	GTEC-xxxG6S6B	Sc-Si 260-325 W,in steps of 5
	GTEC-xxxG6S	Sc-Si 280-355 W,in steps of 5
Gintung Energy Corp	GTEC-xxxG6M66	Mc-Si 140-175 W,in steps of 5
	GTEC-xxxG6M68	Mc-Si 140-173 W, in steps of 5 Mc-Si 190 - 235 W, in steps of 5
	GTEC-xxxG6M69	Mc-Si 210 - 255 W,in steps of 5
	GTEC-xxxG6M6A	
		Mc-Si 230-295 W,in steps of 5
	GTEC-xxxG6M6B	Mc-Si 260-325 W,in steps of 5
	GTEC-xxxG6M	Mc-Si 280-355 W,in steps of 5

	PV MODULES	
Manufacturer name	Product ID	Description
Walland actured frame	GB54P6-XXX	mc-Si 185-225 Wp, in steps of 5
GreenBrilliance Energy Pvt. Ltd	GB60P6-XXX	mc-Si 230-250 Wp, in steps of 5
Greenbriniance Energy I Vt. Eta	GB72P6-XXX	mc-Si 250-300 Wp, in steps of 5
	GOLDI032FXXXXPY12	Sc-Si 140 to 150 Wp, in steps of 5
	GOLDIO36FXXXXPY12	Sc-Si 155 to 170 Wp, in steps of 5
	GOLDIO48FXXXXPY12	Sc-Si 210 to 225 Wp, in steps of 5
Goldi Solar PVT. LTD	GOLDIO54FXXXXPY12	Sc-Si 235 to 255 Wp, in steps of 5
Goldi Soldi T VI. ETD	GOLDIO541 XXXXI 112 GOLDIO60FXXXXPY24	Sc-Si 260 to 285 Wp, in steps of 5
	GOLDI066FXXXXPY24	Sc-Si 290 to 310 Wp, in steps of 5
	GOLDIO72FXXXXPY24	Sc-Si 315 to 350 Wp, in steps of 5
	HSL72P6-PC-1-XXX	mc-Si (multicristalline) 250-270 W, in steps of 5
HanwhaSolarOne (Qidong) Co., Ltd	HSL60P6-PC-1-XXX	mc-Si (multicristalline) 290-310 W, in steps of 5
	ZDNY-xxxC54	sc-Si 190-250W, in steps of 5
	ZDNY-xxxC60	sc-Si 210-275W, in steps of 5
	ZDNY-xxxC72	sc-Si 255-330W, in steps of 5
	ZDNY-xxxCB54	sc-Si 190-235W, in steps of 5
Hangzhou Sunny Energy Science & Technology	ZDNY-xxxCB34 ZDNY-xxxCB60	
Hangzhoù Suhny Energy Science & Technology	ZDNY-xxxCB60 ZDNY-xxxCB72	sc-Si 210-260W, in steps of 5 sc-Si 255-310W, in steps of 5
	ZNDY-xxxCb72 ZNDY-xxxP54	•
	ZNDY-xxxP60	mc-Si 180-250W, in steps of 5 mc-Si 200-275W, in steps of 5
	ZNDY-xxxP60 ZNDY-xxxP72	mc-Si 245-330W, in steps of 5
	HPS0xxxP-28	mc-Si 105 W, 110 W
	HPS0xxxP-32	mc-Si 120W , 125W
	HPS0xxxP-36	mc-Si 140W, 145W
	HPS0xxxP-48	
		mc-Si 160 - 210 W, in steps of 5
	HPSOxxxP-54	mc-Si 180 - 235 W, in steps of 5
	HPS0xxxP-60	mc-Si 200 - 260 W, in steps of 5
	HPS0xxxP-72	mc-Si 240 - 315W, in steps of 5
	HPS0xxxM-28	sc-Si 105 - 125 W, in steps of 5
	HPS0xxxM-32	sc-Si 120 - 145 W, in steps of 5
	HPS0xxxM-36	sc-Si 135 - 160 W, in steps of 5
Haller d'a Barra Cal d'ann las	HPS0xxxM-48	sc-Si 170 - 215 W, in steps of 5
Hollandia Power Solutions Inc.	HPS0xxxM-54	sc-S 190 - 240 W, in steps of 5
	HPS0xxxM-60	sc-Si 210 - 270 W, in steps of 5
	HPS0xxxM-72	sc-Si 250 - 325 W, in steps of 5
	HPS0xxxD-16	sc-Si 040 - 045 W, in steps of 5
	HPS0xxxD-20	sc-Si 050 - 060 W, in steps of 5
	HPS0xxxD-24	sc-Si 060 - 070 W, in steps of 5
	HPS0xxxD-28	sc-Si 065 - 080 W, in steps of 5
	HPS0xxxD-32	sc-Si 075 - 095 W, in steps of 5
	HPS0xxxD-36	sc-Si 080 - 105 W, in steps of 5
	HPS0xxxD-40	sc-Si 090 - 120 W, in steps of 5
	HPS0xxxD-72	sc-Si 155 - 215 W, in steps of 5
	HPS0xxxD-84	sc-Si 165 - 250 W, in steps of 5
	HiS-SxxxRG (BK)	Sc-Si 245-285W
HYUNDAI Heavy Industries (HHI)	HiS-SxxxRF (BK)	Sc-SI 225-255W
,	HiS-SxxxRI	Sc-Si 300-345W
	HiS-MxxxRG (BK)	Mc-S I 240-270W
	MEMO 60 P255 19	sc-si 255W
	MEMO 60 P260 19	sc-si 260W
HECKERT Solar GmbH (Gilco)	MEMO 60 P265 19	sc-si 265W
	NEMO 60 P270 19	sc-si 270W
	MEMO 60 P275 19	sc-si 275W

Manufacturer name HENGDIAN GROUP, DMEGC CO., LTD	Product ID DMxxx-M156-72 DMxxx-M156-60 DMxxx-P156-72	Description Monocrystalline Sillion (xxx=320 to 360 in step of 5) Monocrystalline Sillion (xxx=270 to 300 in step of 5)
HENGDIAN GROUP,DMEGC CO.,LTD	DMxxx-M156-60	Monocrystalline Sillion (xxx=320 to 360 in step of 5)
HENGDIAN GROUP,DMEGC CO.,LTD	DMxxx-M156-60	
HENGDIAN GROUP,DMEGC CO.,LTD		
		Poly crystaline(xxx=310 to 350 in step of 5)
	DMxxx-P156-60	Poly crystaline(xxx=250 to 290 in step of 5)
	Q.PRIME L-G5	Mono-Crystalline 335 - 345 (in step of 5 Wp)
	Q.PRIME-G5	Mono-Crystalline 280 - 290 (in step of 5)
	Q.POWER-G5	
		poly-crystalline 265 - 275 (in step of 5)
	Q.PEAK G4 (60 Cells)	Sc-Si, 300-310 (in step of 5)
Hanwha Q.CELLS GmbH	Q.PEAK L_G4 (72 Cells)	Sc-Si, 345-360 (in step of 5)
	Q.PLUS G4 (60 Cells)	mc-Si, 270-280 (in step of 5)
	Q.PLUS L_G4 (72 Cells)	mc-Si, 330-340 (in step of 5)
	Q.PEAK G4 (60 Cells)	Sc-Si, 300-310 (in step of 5)
	Q.PEAK L_G4 (72 Cells)	Sc-Si, 345-360 (in step of 5)
	Q.PLUS G4 (60 Cells)	mc-Si, 270-280 (in step of 5)
	Q.PEAK G4 (60 Cells)	sc-Si,300~310wp (in step of 5wp)
	Q.PEAK L_G4 (72 Cells)	sc-Si,345~360wp (in step of 5wp)
	Q.PLUS G4 (60 Cells)	mc-si,270~280wp (in step of 5wp)
	Q.PLUS L_G4 (72 Cells)	mc-si,330~340wp (in step of 5wp)
Hanwha Q.CELLS GmbH	Q.PLUS L_G4 (72 Cells)	mc-Si, 330-340 (in step of 5)
	Q.Power LG-5	Poly-crystalline 315-330W, in step of 5
	Q.PEAK L-G5	Monocrystalline, 355-370 Wp, in step of 5
	Q.PEAK-G5.0.G	Monocrystalline, 295-310 Wp, in step of 5
	INE-xxx-6PA	Sc-Si(poly), 300 - 340 W, in step of 5
	INE-xxx-6PB	Sc-Si(poly), 250-280 W, in step of 5
Infinty New Energy Co., Ltd	INE-xxx-6PC	Sc-Si(poly), 225-255 W, in step of 5
	INE-xxx-6PD	
		Sc-Si(poly), 200-225 W, in step of 5
	JAM6-48-XXX/PR	(xxx=220-230) Mc-Si
	JAM6-60/72-XXX/PR	(xxx=285-295/335-350)Mc-Si
	JAP6-60/72-XXX/4BB	(xxx=270-275/315-325) Polychristaline - Si
	JAM6(L)-60/72-XXX/4BB	(xxx=270-280/320-330)Mc-Si
	JAM6-72-XXX/SI	(xxx=285-325W) Mc-Si
	JAP6-60/72-XXX/3BB	(xxx=260-275/310-325) Polychristaline-Si
	JAP6(K) 60/72 4BB	(xxx=255-275/305-325) Polychristaline-Si
	JAP6(K)(DG) 60/72 4BB/1500V	(xxx=255-275/310-325) Polychristaline-Si
	JAM6(K)(DG) 60-72 4BB/1500v	(xxx=260-285/325-340) Mono crystalline
	JAM72D00 - xxx/PR	(xxx=330-360) Mono crystalline
	JAM72D00 - xxx/SC	(xxx=320-340) Mono crystalline
	JAM60D00 - xxx/PR	(xxx=285-300) Mono crystalline
	JAM72D00 - xxx/SC	(xxx=265-280) Mono crystalline
	JAM72S01- xxx/SC	(xxx=320-340) Mono crystalline
JA Solar	JAM72S01- xxx/PR	(xxx=345-365) Mono crystalline
3. (SS) di	JAM6(K)(DG) 60/72/PR/1500	(xxx=270-295/330-350) Mono crystalline
	JAM60S01- xxx/SC	(xxx=265-280) Mono crystalline
	JAM60S01- xxx/PR	(xxx=285-300) Mono crystalline
	·	
	JAP72D00- xxx/SC	(xxx=310-330)Poly-crystalline
	JAP72D00- xxx/SC	(xxx=260-270)Poly-crystalline
	JAP72S01- xxx/SC	(xxx=305-330)Poly-crystalline
	JAP72S01- xxx/PR	(xxx=305-345)Poly-crystalline
	JAP60S01- xxx/SC	(xxx=255-280)Poly-crystalline
	JAP60S01- xxx/PR	(xxx=275-285)Poly-crystalline
	JAM72D00-xxx/BP	mono crystalline-Si, 340-390 W in step of 5
	JAP72S01-xxx/SC	poly crystalline-Si, 305-340 W in step of 5
	JAM72D00-xxx/ PR	mono crystalline-Si, 330-375 in step of 5
	JAM72S01-xxx/ PR	mono crystalline-Si, 325-380 in step of 5
	JAP60S03-xxx/ SC	poly crystalline-Si, 270-290 W in step of 5

	PV MODULES	
Manufacturer name	Product ID	Description
	JAP72S03-xxx/ SC	poly crystalline-Si, 320-345 W in step of 5
	JAM60S01-xxx/ PR	mono crystalline-Si, 280-315 W in step of 5
JA Solar	JAM60D00-xxx/ PR	mono crystalline-Si, 270-315 W in step of 5
	JAM60S03-xxx/ PR	mono crystalline-Si, 295-335 W in step of 5
	JP-AXB (A=24; B=270-330)	270-330 Multi c-Si
	JP-AXB (A=24; B=240-280)	240-280 Multi c-Si
	JP-AXB (A=24; B=200-230)	200-230 Multi c-Si
	JP-AXB (A=24; B=175-200)	175-200 Multi c-Si
	JP-AXB (A=24; B=150-175)	150-175 Multi c-Si
	JP-AXB (A=24; B=120-140)	120-140 Multi c-Si
	JP-AXB (A=24; B=100-115)	100-115 Multi c-Si
	JP-AXB (A=24; B=220-290)	220-290 Multi c-Si
	JP-AXB (A=24; B=200-235)	200-235 Multi c-Si
	JP-AXB (A=24; B=165-190)	165-190 Multi c-Si
	JP-AXB (A=24; B=145-170)	145-170 Multi c-Si
	JP-AXB (A=24; B=125-140)	125-140 Multi c-Si
	JP-AXB (A=24; B=100-120)	100-120 Multi c-Si
	JP-AXB (A=12; B=270-330)	270-330 Multi c-Si
	JP-AXB (A=12; B=240-280)	240-280 Multi c-Si
	JP-AXB (A=12; B=200-230)	200-230 Multi c-Si
	JP-AXB (A=12; B=175-200)	175-200 Multi c-Si
JAKSON Engineers Limited	JP-AXB (A=12; B=150-175)	150-175 Multi c-Si
37 IIIOON EIIGINEEI3 EIIIIILEG	JP-AXB (A=12; B=120-140)	120-140 Multi c-Si
	JP-AXB (A=12; B=100-115)	100-115 Multi c-Si
	JP-AXB (A=12; B=200-260)	200-260) Multi c-Si
	JP-AXB (A=12; B=180-215)	180-215 Multi c-Si
	JP-AXB (A=12; B=130-175)	130-175 Multi c-Si
	JP-AXB (A=12; B=120-140)	120-140 Multi c-Si
	JP-AXB (A=12; B=100-110)	100-110 Multi c-Si
	JP-AXB (A=12; B=90-95)	90-95 Multi c-Si
	JP-AXB (A=12; B=80-90)	80-90 Multi c-Si
	JP-AXB (A=12; B=74-80)	74-80 Multi c-Si
	JP-AXB (A=12; B=60-65)	60-65 Multi c-Si
	JP-AXB (A=12; B=50-55)	50-55 Multi c-Si
	JP-AXB (A=12; B=37-45)	37-45 Multi c-Si
	JP-AXB (A=12; B=24-30)	24-30 Multi c-Si
	JP-AXB (A=12; B=24-30) JP-AXB (A=12; B=18-22)	18-22 Multi c-Si
	JP-AXB (A=12; B=18-22) JP-AXB (A=12; B=13-17)	13-17 Multi c-Si
	JP-AXB (A=12; B=13-17) JP-AXB (A=12; B=10-12)	10-12 Multi c-Si
	JKMxxxP-60	210-280W, in steps of 5 6'poly
	JKMxxxP-72	250-335W, in steps of 5 6'poly
	JKMxxxPP-60	210-280W,in steps of 5 6'poly
	JKMxxxPP-72	250-335W,in steps of 5 6'poly
	JKMSxxxP-60	210-280W, in steps of 5 6'poly
	JKMSxxxP-72 JKMxxxPP-60-V	250-335W, in steps of 5 6'poly
		210-280W, in steps of 5 6'poly
Jinko Solar	JKMxxxPP-72-V	250-340, in steps of 5 6'poly
	JKMxxxPP-60-DV JKMxxxPP-72-DV	240-285, in steps of 5 6'poly
		285-345, in steps of 5 6'poly
	JKMxxxM-60	280-320, in steps of 5 6'Mono
	JKMxxxM-72	335-385, in steps of 5 6'Mono
	JKMSxxxPP-60	210-280, in steps of 5 6'poly
	JAM6(K)-72-xxx/PR	mono-crystalline 345-360, in step of 5W
	JAM6(K)-72-xxx/PR	mono-crystalline 285-300 in step of 5W
	JKMxxxM-60	mono-crystalline 265-285, in step of 5 W

	PV MODULES	
Manufacturer name	Product ID	Description
	JKMxxxM-72	mono-crystalline 325-345, in step of 5 W
	JKMxxxM-60	mono-crystalline 290-310, in step of 5 W
	JKMxxxM-72	mono-crystalline 340-360, in step of 5 W
	JKMxxxPP-60	poly-crystalline 260-280, in step of 5 W
	JKMxxxPP-72	poly-crystalline 315-335, in step of 5 W
	JKMSxxxPP-72	250-340, in steps of 5 6'poly
	JKMxxxM-72-DV	sc-Si, 375-385, in step of 5W
	JKMxxxM-60H	sc-Si, 315-335, in step of 5W
	JKMxxxM-72H	sc-Si, 380-400, in step of 5W
Jinko Solar	JKMxxxM-72H-V	sc-Si, 380-400, in step of 5W
	JKMxxxM-60-V	sc-Si, 305-325, in step of 5W
	JKMxxxM-72-V	sc-Si, 370-390, in step of 5W
	JKMxxxM-72-BDV	sc-Si, 360 - 400Wp, , in step of 5W
	JKMxxxM-60H-V	sc-Si, 315-335Wp in steps of 5 W
	JKMxxxM-72H-V	sc-Si, 380-400Wp in steps of 5W
	JKMxxxM-60-BDVP	sc-Si, 295-315Wp in steps of 5W
	JKMxxxM-72-BDVP	sc-Si, 360-380Wp in steps of 5W
	JKMxxxM-72H-BDVP	
		sc-Si, 370-380Wp in steps of 5W
	ADXXX-36P ADXXX-36S	Poly-Crystalline Silicon XXX=130-150W, in step of 5
		Mono-Crystalline Silicon XXX=135-155W, in step of 5
	ADXXX-48P	Poly-Crystalline Silicon XXX=175-225W, in step of 5
	ADXXX-48S	Mono-Crystalline Silicon XXX=180-205W, in step of 5
	ADXXX-54P	Poly-Crystalline Silicon XXX=200-225W, in step of 5
	ADXXX-54S	Mono-Crystalline Silicon XXX=210-235W, in step of 5
	ADXXX-60P	Poly-Crystalline Silicon XXX=255-265W, in step of 5
	ADXXX-60S	Mono-Crystalline Silicon XXX=230-260W, in step of 5
	ADXXX-72M	Mono-Crystalline Silicon XXX=175-205W, in step of 5
	ADXXX-72P	Poly-Crystalline Silicon XXX=270-320W, in step of 5
	ADXXX-72S	Mono-Crystalline SiliconXXX=280-320W, in step of 5
Jiangsu Aiduo Photovoltaic Technology Co., Ltd.	ADXXX-72M	Mono-crystalline Silicon XXX=175-205W, in step of 5
	ADXXX-36S	Mono-crystalline SiliconXXX=135-175W, in step of 5
	ADXXX-48S	Mono-crystalline SiliconXXX=180-235W, in step of 5
	ADXXX-54S	Mono-crystalline SiliconXXX=210-265W, in step of 5
	ADXXX-60S	Mono-crystalline SiliconXXX=230-295W, in step of 5
	ADXXX-72S	Mono-crystalline Silicon XXX=280-355W, in step of 5
	ADXXX-36P	Poly-crystalline Silicon XXX=130-170W, in step of 5
	ADXXX-40P	Poly-crystalline Silicon XXX=160-185W, in step of 5
	ADXXX-48P	Poly-crystalline Silicon XXX=175-225W, in step of 5
	ADXXX-54P	Poly-crystalline Silicon XXX=200-255W, in step of 5
	ADXXX-72P	Poly-crystalline Silicon XXX=270-340W, in step of 5
	ADXXX-60P	Poly-crystalline SiliconXXX=225-280W, in step of 5
lingana Dhatarraltaia Tachaalaan Ital	JNHM72-xxx	HJT xxx = 330-370, in increment of 5
Jinneng Photovoltaic Technology Ltd	JNHM60-xxx	HJT xxx = 275-310, in increment of 5
Juli New Energy	JLS60P250W(156)	mc-si 250 W
	JTS xxx	mc-si 37W
	JTS xxx	mc-si 40W
	JTS xxx	mc-si 50W
	JTS xxx	mc-si 75W
	JTS xxx	mc-si 100W
Jyotitech Solar LLP	JTS xxx	mc-si 150W
-,	JTS xxx	mc-si 255W
	JTS xxx	mc-si 260W
	JTS xxx	mc-si 200W
	JTS xxx	mc-si 250W
	JTS xxx	mc-si 300W

	PV MODULES	
Manufacturer name	Product ID	Description
	JTS xxx	mc-si 305W
hyatitash Calar II D	JTS xxx	mc-si 310W
Jyotitech Solar ELP	JTS xxx	mc-si 315W
	JTS xxx	mc-si 320W
	JW-D72N-XXX	xxx=310-360W, in steps of 5
Jolywood(taizhou)solar technology		
Jyotitech Solar LLP Jolywood(taizhou)solar technology KOSOL HIRAMRUT ENERGIES PVT.LTD. Kyocera LG electronics LG electronics LARRI Solar Technology Co.Ltd Looop Inc		•
		·
		·
		·
		·
		·
	KE235	235Wp
VOCOL HIDAMPHT ENERGIES DVT LTD	KE240	240Wp
ROSOL MINAIVINUT EINERGIES PVT.LTD.	KE245	245Wp
	KE250	250Wp
	KE260	260Wp
	KE265	265Wp
		270Wp
Kyocera		
		•
	LG305N1C-B3	
	LG300N1C-G4	sc-Si 300W/0 - +3%
	LG280S1C-L4	sc-Si 280 Wp/0 - +3%
	LG285S1C-L4	sc-Si 285 Wp/0 - +3%
	LG290S1C-L4	sc-Si 290 Wp/0 - +3%
LG electronics	LG300N1K-G4	
LG electronics		
	March Marc	
LARRI Solar Technology Co.Ltd		
Looop Inc		
		mc-Si, 320-350 (in step of 5)
Longi green energy technology Co., Ltd		
	LR6-60HV-xxxM	280-300 Wp, in step of 5
	LR6-60PH-xxxM	280-310 Wp, in step of 5
	LR6-72HV-xxxM	320-350 Wp, in step of 5

	PV MODULES	
Manufacturer name	Product ID	Description
	LR6-72PH-xxxM	340-385 Wp, in step of 5
	LR6-72BP-xxxM	mc-Si 375-380 W ; in step of 5
	LR6-60BP-xxxM	mc-Si 310-315W; in step of 5
Longi green energy technology Co., Ltd	LR6-72HBD-xxxM	mc-Si 360-385 W; in step of 5
	LR6-60HBD-xxxM	mc-Si 300-320 W; in step of 5
	LR6-78HBD-xxxM	mc-Si 395-410 W; in step of 5
	LR6-72PE-380M	mc-Si 380 W
	MSxxxM-72	Mono-Crystalline Silicon xxx=285-340,in step of 5
	MSxxxM-60	Mono-Crystalline Silicon xxx=240-285,in step of 5
MAYSUN SOLAR FZCO	MSxxxM-36	Mono-Crystalline Silicon xxx=145-170,in step of 5
IVIATSOIN SOLAR FZCO	MSxxxP-72	Poly-Crystalline Silicon xxx=285-340,in step of 5
	MSxxxP-60	Poly-Crystalline Silicon xxx=235-280,in step of 5
	MSxxxP-36	Poly-Crystalline Silicon xxx=140-165,in step of 5
	BR320	Mono-Si, 320 W
	BR325	Mono-Si, 325 W
	BR330	Mono-Si, 330 W
	BR335	Mono-Si, 335 W
Merlin Solar Technologies, Inc.	BR340	Mono-Si, 335 W
	BR345	Mono-Si, 345 W
	BR350	Mono-Si, 350 W
		Mono-Si, 105 W
		Mono-Si, 110 W
		CIGS- 65-85W, in step of 5
		CIGS-110-130W, in step of 5
	FLEX-02 xxx WS	CIGS-210-250W, in step of 10
	L86-7289-xxxx	CIGS-340-380W, in step of 10
Miasole Hi-tech Corp		CIGS-255 -305W, in step of 5
		Monocrystalline, 305-375 Wp, in step of 5W
		Monocrystalline, 255-315 Wp, in step of 5
		Polycrystalline, 285-350 Wp, in step of 5W
		Polycrystalline, 235-290 Wp, in step of 5W
	<u> </u>	6"Poly - Crystalline (XXX=270-290)
Nanjing Sunport power		6"Poly - Crystalline(XXX=325-345)
		mc-Si 210 -275 W
		mc-Si 185-245 W
		mc-Si 170 - 220 W
		mc-Si 125-165 W
Neo Solar Power Corporation		
isco soldi i owel corporation		
		·
		sc-Si 290-305, in step of 5
		sc-Si 350-365, in step of 5
MICE CLIM DV Co. 1+4		sc-Si 215-285 in increments of 5
NICE SUN PV Co., Ltd		sc-Si 255-345 in increments of 5
		mc-Si 255-340 in increments of 5
		mc-Si 260-270W, in steps of 5
		sc-Si 320-330W, in steps of 5
Ningbo Ulica Solar		mc-Si 310-320W, in steps of 5
-		mc-Si 320-335 W, in steps of 5
		Sc-Si 340-345W, in steps of 5
	UL-XXXM-60	Sc-Si 280-290W, in steps of 5
	UL-XXXM-72	Sc-Si 360-375W, in steps of 5

	PV MODULES		
Manufacturer name	Product ID	Description	
Ningbo Ulica Solar	UL-XXXP-60	Sc-Si 270-285W, in steps of 5	
Wiligbo Olica Solai	NST18-6-xxxP	mc-Si xxx=70 - 80 Wp, in step of 5	
	NST32-6-xxxP	mc-Si xxx=120-145 Wp, in step of 5	
	NST36-6-xxxP	mc-Si xxx=135-160 Wp, in step of 5	
	NST40-6-xxxP	mc-Si xxx=150-180 Wp, in step of 5	
	NST48-6-xxxP	mc-Si xxx=180-220 Wp, in step of 5	
	NST54-6-xxxP	mc-Si xxx=205-245 Wp, in step of 5	
	NST60-6-xxxP	mc-Si xxx=225-275 Wp, in step of 5	
	NST66-6-xxxP		
Noor Solar Technology		mc-Si xxx=250-300 Wp, in step of 5	
	NST72-6-xxxP	mc-Si xxx=270-330 Wp, in step of 5	
	NST18-6-xxxM	sc-Si xxx=85-95 Wp, in step of 5	
	NST32-6-xxxM	sc-Si xxx=145-175 Wp, in step of 5	
	NST36-6-xxxM	sc-Si xxx=165-195 Wp, in step of 5	
	NST40-6-xxxM	sc-Si xxx=180-220 Wp, in step of 5	
	NST48-6-xxxM	sc-Si xxx=220-260 Wp, in step of 5	
	NST54-6-xxxM	sc-Si xxx=245-295 Wp, in step of 5	
	NST60-6-xxxM	sc-Si xxx=270-330 Wp, in step of 5	
	OM60XXX	Mc-Si 210-275 W	
	OM60XXX	Mc-Si 180-200 W	
Omsun Power Private Limited	OM54XXX	Mc-Si 150-170 W	
	OM36XXX	Mc-Si 110-140 W	
	OM36XXX	Mc-Si 100 W	
ONLY COLAR ENERGY C.	434 BA-10000500-20-1	a-Si 16W (+/-10%)	
ONYX SOLAR ENERGY, S.L.	X3X-BN-12451849-00-1	X= 4/5/6, a- Si 136.53 Wp	
	X3X-BN-12451849-10-1	X= 4/5/6, a-Si 99.36 Wp	
	X3X-BN-12451849-20-1	X= 4/5/6, a-Si 78.84 Wp	
	X3X-BN-12451849-30-1	X= 4/5/6, a-Si 60.71 Wp	
	X3X-BN-12452456-00-1	X= 4/5/6, a-Si 182.04 Wp	
	X3X-BN-12452456-10-1	X= 4/5/6, a-Si 132.48 Wp	
	X3X-BN-12452456-20-1	X= 4/5/6, a-Si 105.12 Wp	
	X3X-BN-12452456-30-1	X= 4/5/6, a-Si 80.94 Wp	
	X3X-BN-12450635-00-1	X= 4/5/6, a-Si 45.51 Wp	
	X3X-BN-12450635-10-1	X= 4/5/6, a-Si 33.12 Wp	
	X3X-BN-12450635-20-1	X = 4/5/6, a-Si 26.28 Wp	
	X3X-BN-12450635-20-1 X3X-BN-12450635-30-1	X= 4/5/6, a-Si 20.24 Wp	
ONYX SOLAR ENERGY, S.L.	X3X-BN-12451042-00-1	·	
, '		X= 4/5/6, a-Si 91.02 Wp	
	X3X-BN-12451242-10-1	X= 4/5/6, a-SI 66.24 Wp	
	X3X-BN-12451242-20-1	X= 4/5/6, a-Si 52.56 Wp	
	X3X-BN-12451242-30-1	X= 4/5/6, a-Si 40.47 Wp	
	636-BN-06000600-00-1	a-Si 20.06 Wp	
	636-BN-24620635-10-1	a-Si 63.0 Wp	
		A: M Monocrystalline or P Multicrystalline,	
		XXX= Quantity of Cells (036 to 168),	
	ONYX G/G A <u>XXX</u> XX	X=Frontal Glass Thickness (4mm to 10mm),	
		X=Rear Glass Thickness (4mm to 10mm),	
		Peak Power: 140 - 650 Wp	
	VBMS260AE04	Poly 260 W	
	VBMS255AE04	Poly 255 W	
	VBMS250AE04	Poly 250 W	
	VBHN235SJ25	HIT Cell Technology 235W	
Panasonic	VBHN240SJ25	HIT Cell Technology 240W	
i anasonic	VBHN245SJ25 VBHN245SJ25	HIT Cell Technology 245W	
	VBHN235SE10	HIT Cell Technology 245W	
	VBHN294SJ45	- ,	
		HIT Cell Technology 294W	
	AE6PXXXWB5B	mc-si,265W-275W (in step of 5)	

	PV MODULES	
Manufacturer name	Product ID	Description
	AE7PXXXVB5B	mc-si,320W-325 w (in step of 5)
Panasonic	VBHN325SJ47	HIT Cell Technology 325W
	PLM-XXXP-72	mc-Si 235-320W, in steps of 5
	PLM-XXXP-60	mc-Si 195-265W, in steps of 5
	PLM-XXXP-60	mc-Si 240-260W, in steps of 5
	PLM-XXXP-54	mc-Si 220-235W, in spets of 5
	PLM-XXXP-36	mc-Si 145-155W, in steps of 5
	PLM-XXXP-48	mc-Si 195-210W, in steps of 5
	PLM-XXXM-96	sc-Si 230-280W, in steps of 5
Perlight Solar Co. Ltd	PLM-XXXM-72	sc-Si 290-315W, in steps of 5
	PLM-XXXM-60	sc-Si 240-265 W, in steps of 5
	PLM-XXXM-54	sc-Si 220-235W, in steps of 5
	PLM-XXXM-36	sc-Si 145-155W, in steps of 5
	PLM-XXXM-48	sc-Si 195-210W, in steps of 5
	PLM-XXXM-66	sc-Si 265-290W, in steps of 5
	PLM-XXXMB-72	sc-Si 290-315 W, in steps of 5
	PLM-XXXMB-60	sc-Si 240-265W, in steps of 5
	PLM-XXXMB-54	sc-Si 220-235W, in steps of 5
	PLM-XXXMB-48	sc-Si 195-210W, in steps of 5
Philadelphia Solar	PS-P72 XXX	mc-Si 300-330W, in steps of 5
·	PS-P60 XXX	mc-Si 250-275W, in steps of 5
	PS-M72 XXX	sc-Si 300-345W, in steps of 5
	PS-M60 XXX	sc-Si 250-290W, in steps of 5
	PSXXXM-24/F	C-SI 170-210 W
	PSXXXM-20/U	C-SI 215-280W
Phono Solar Technology Co., Ltd	PSXXXM-24/T	C-SI 280-340W
	PSXXXP-20/U	C-SI 215-275W
	PSXXXP-24/T	C-SI 275-335W
	REC265TP	multicrystalline (mc-Si) , 265 W
	REC270TP	multicrystalline (mc-Si), 270 W
	REC275TP	multicrystalline (mc-Si), 275 W
	REC280TP	multicrystalline (mc-Si) , 280 W
	REC xxx PE 72	multicrystalline (mc-Si), 295 - 315 W, in steps of 5
	REC 260 PE	multicrystalline (mc-Si) , 260 W
	RECxxxPE 72	multicrystalline (mc-Si) , 300 - 320 Wp
	RECxxxPE	multicrystalline (mc-Si), 245 - 270 Wp
	RECxxxPE BLK	multicrystalline (mc-Si) , 245 - 270 Wp
	RECxxxPE2S 72	multicrystalline (mc-Si) , 320 - 330 Wp
REC Solar	RECxxxPE2S 72 XV	multicrystalline (mc-Si) , 320 - 330 Wp
VEC 20191	RECxxxTP 72	multicrystalline (mc-Si) , 330 - 350 Wp
	RECxxxTP 72 XV	multicrystalline (mc-Si), 330 - 350 Wp
	RECxxxTP	multicrystalline (mc-Si), 265 - 285 Wp
	RECXXXTP BLK	multicrystalline (mc-Si), 265 - 285 Wp
	RECxxxTP2	multicrystalline (mc-Si), 280 - 295 Wp
	RECxxxTP2 BLK	multicrystalline (mc-Si), 280 - 295 Wp
	RECxxxTP2S 72	multicrystalline (mc-Si), 330 - 350 Wp
	RECxxxTP2S 72 XV	multicrystalline (mc-Si), 330 - 350 Wp
	RECxxxTP2S72	mc-Si 330-355 Wp, in step of 5 Wp
	RECxxxTP2S72 XV	mc-Si 330-355 Wp, in step of 5 Wp
	RECxxxNP	sc-Si 310-330 Wp, in steps of 5 Wp
	JCxxxS-24/Abs	sc-Si 315-335W, in steps of 5
	JCxxxS-24/Bbs	sc-Si 255-280W, in steps of 5
Renesola Jiangsu Ltd	JCxxxM-24/Abs	mc-Si 310-335W, in steps of 5
	JCxxxM-24/Bbs	mc-Si 255-285W, in steps of 5
	JCxxxM-24/Abpw	mc-Si, xxx- 315 to 335, in step of 5w.

	PV MODULES	
Manufacturer name	Product ID	Description
Denesale lieness ted	JCxxxM-24/Bbpw	mc-Si, xxx-265 to 285, in step of 5w.
Renesola Jiangsu Ltd	JCxxxM-24/Abpw	mc-Si, xxx-340 to 345, in step of 5w.
	RS5MxxxM	sc-Si,235-280, in step of 5
	RS5AxxxM	sc-Si,175-210, in step of 5
	RS5GxxxM	sc-Si,90-105, in step of 5
Resun Solar Energy Co.,Ltd	RS6SxxxM	sc-Si,300-325, in step of 5
	RS6CxxxM	sc-Si,250-270, in step of 5
	RS6DxxxM	sc-Si,205-245, in step of 5
	RS6FxxxM	sc-Si,180-215, in step of 5
	RS6SxxxP	mc-si,295-330, in step of 5
	RS6CxxxP	mc-si,240-275, in step of 5
	RS6DxxxP	mc-si, 205-245, in step of 5
	RS6FxxxP	mc-si,180-220, in step of 5
	RS6ExxxP	mc-si,140-165, in step of 5
	SYP200P	mc-Si 200W ±3%
	SYP 245S	Crystalline 245W
	RSM36-6-150P	mc-Si 150W +3% +ve power tolerance
RISEN Energy Co Ltd.	RSM60-6-XXXP	mc-Si 250-295W, in steps of 5 +3% +ve power tolerance
	RSM72-6-XXXP	mc-Si 315-355 Wp , in steps of 5 +3% +ve power tolerance
	RSM60-6-XXXPDG	mc-Si 255-265W, in steps of 5 +3% +ve power tolerance
	RSM120-6-XXXM	sc-Si, 295 to 320W, in steps of 5 %
	RSM120-6-XXXP	mc-Si,275 to 305W, in steps of 5w
	RSM144-6-XXXM	sc-Si, 350 to 380W, in steps of 5W
	RSM144-6-XXXP	
		mc-Si, 330 to 365W, in steps of 5w
	RSM60-6-XXXM	sc-Si, 275-320W in step of 5
	RSM72-6-XXXM	sc-Si, 330-385 in step of 5
	DESERV 3M6 XXX	mc-si (36 cells) 140 W - 170 W
Danaus Cus India Drivata Limitad	DESERV 3M6 XXX	mc-si (48 cells) 185 W - 230W
RenewSys India Private Limited	DESERV 3M6 XXX	mc-si (54 cells) 210 W - 260 W
	DESERV 3M6 XXX	mc-si (60 cells) 235 W - 285 W
	DESERV 3M6 XXX	mc-si (72 cells) 280 W - 345 W
	SGE325-72P	ms-Si 325 W
Saatvik Green Energy Pvt. Ltd	SGE330-72P	ms-Si 330 W
	SGE260-60P	ms-Si 260 W
	SGE270-60P	ms-Si 270 W
	SM-xxxPC8	Mc-Si 250-260W, in steps of 5
S-Energy	SM-xxxPC8	Mc-Si 295-305W, in steps of 5
	SN-xxxP10	Mc-Si 250-265W, in steps of 5
	SN-xxxP10	Mc-Si 295-315W, in steps of 5
	SV60-xxxE	monocystalline 290-405, in step of 5
Solvis d.o.o.	SV60-xxx	polycrystalline 270-290, in step of 5
	SV72-xxxE	monocystalline 345-365, in step of 5
	SV72-xxx SUNOVATION eFORM Arc GG-260-C	polycrystalline 320-340, in step of 5 sc-Si 215.8 Wp
	SUNOVATION EFORM Arc GG-250-C	sc-Si 213.6 Wp sc-Si 107.9 Wp
	SUNOVATION EFORM Arc GG-160-C	sc-Si 134.9 Wp
	SUNOVATION EFORM Arc GG-130-C	sc-Si 107.9 Wp
	SUNOVATION EFORM Color GG-195-F	sc-Si 161.8 Wp
Sunovation	SUNOVATION eFORM Color GG-95-F	sc-Si 80.9 Wp
	SUNOVATION eFORM Color GG-120-F	sc-Si 100.1 Wp
	SUNOVATION eFORM Color GG-100-F	sc-Si 80.9 Wp
	SUNOVATION eFORM Color GG-160-F	sc-Si 134.9 Wp
	SUNOVATION eFORM Color GG-190-F	sc-Si 161.8 Wp

	PV MODULES	
Manufacturer name	Product ID	Description
	SMF160M-6X6	sc-Si 160 Wp
Sunman (Hong Kong) Limited	SMF270M-6X10	sc-Si 270 Wp
(5 5)	SMF325M-6X12	sc-Si 325 Wp
	SRP-XXX-6PA	mc-Si (XXX=305-320), in steps of 5
	SRP-XXX-6PB	mc-Si (XXX=225-265), in steps of 5
SERAPHIM SOLAR SYSTEM CO.,LTD	SRP-XXX-6MA	sc-Si (XXX=310-325), in steps of 5
	SRP-XXX-6MB	sc-Si (XXX=265-280), in steps of 5
	LN260(30) M-4-xxx	sc-Si, 270 -280 in steps of 5
Shandong Linuo Photovoltaic Hi-tech Co., Ltd	LN260(30) P-4-xxx	Mc-Si, 260 -270 in steps of 5
	HT72-156P-XXX	Poly c-Si (XXX=310-330, in steps of 5)
	HT60-156P-XXX	Poly c-Si (XXX=260-275, in steps of 5)
Shanghai Aerospace Automobile Electromechanical Co., Ltd	HT72-156M-XXX	mono c-Si(XXX=330-345, 355-360 in steps of 5)
	HT60-156M-XXX	mono c-Si(XXX=270-310, in steps of 5)
	NU-RJ XXX	mono c-Si 280 - 285W (in steps of 5W)
	ND-RJ XXX	Poly c-Si 255 - 275W (in steps of 5W)
	ND-RCXXX	
		poly crystalline 215-310 in steps of 5
	NU-RDXXX	mono crystalline 215-310 in steps of 5
	NU-RCXXX	Poly crystalline215-310 in steps of 5
Sharp Electronics	ND-RBxxx	Poly crystalline 245-290 (in steps of 5W)
	NU-SCxxx	Mono crystalline 335-375 (in steps of 5W)
	NQ-RxxxA	256- 260W (in steps of 2W)
	ND-Ahxxx	mono crystalline 285-340 W, in steps of 5
	ND-RKxxx	poly crystalline 235-285W , in steps of 5
	NU-AHxxx	poly crystalline, 285-345W , in steps of 5
	ND-AKxxx	poly crystalline, 235-285W , in steps of 5
	Sunmodule Plus SW XXX poly	Mc-Si, 260 W
	Sunmodule Plus SW XXX mono	sc-Si, 270, 290, 295W
	Sunmodule SW XXX XL mono	sc-Si, 340, 345W
	Sunmodule Protect SW 280 mono black	Mono-Crystalline 280 Watt peak 0 / + 5 Wp
	Sunmodule Plus SW 260 poly	Poly-Crystalline Si 260 Watt peak 0/+ 5 Wp
	Sunmodule Plus SW 265 poly	Poly-Crystalline Si 265 Watt peak 0/+ 5 Wp
	Sunmodule Plus SW 285 mono	Mono-Crystalline Si 285 Watt peak 0 / + 5 Wp
	Sunmodule Plus SW 285 mono black	Mono-Crystalline Si 285 Watt peak 0 / + 5 Wp
SolarWorld AG	Sunmodule Plus SW 290 mono black	Mono-Crystalline Si 290 Watt peak 0 / + 5 Wp
	Sunmodule Plus SW 300 mono	Mono-Crystalline Si 300 Watt peak 0 / + 5 Wp
	Sunmodule SW 325 XL mono	Mono-Crystalline Si 325 Watt peak 0 / + 5 Wp
	Sunmodule SW 335 XL mono	Mono-Crystalline Si 335 Watt peak 0 / + 5 Wp
	Sunmodule SW 340 XL mono	Mono-Crystalline Si 340 Watt peak 0 / + 5 Wp
	Sunmodule SW 345 XL mono	Mono-Crystalline Si 345 Watt peak 0 / + 5 Wp
	Sunmodule SW 350 XL mono	Mono-Crystalline Si 350 Watt peak 0 / + 5 Wp
	Sunmodule Bisun SW 280 duo	Mono-Crystalline Si 280 Watt peak 0 / + 5 Wp
	Sunmodule Bisun SW 325 duo	Mono-Crystalline Si 325 Watt peak 0 / + 5 Wp
	Vision 60P	Poly-Crystalline Si (275-285 Wp, in step of 5)
	Vision 60P style	Poly-Crystalline Si (265 Wp , 270 Wp)
SOLARWATT GmbH	Vision 60M style	Mono-Crystalline Si (280-295 Wp), in step of 5
	Vision 60M high power	Mono-Crystalline Si (280-255 Wp), in step of 5
Solar Frontier	SFXXX-S	CIGS 130-170W
Joidi Hondel	JKMXXXP-60	mc-si 245-265W, in steps of 5
	JKMXXXP-70 JKMXXXP-72	mc-Si 295-320W, in steps of 5
Solar Leading Group Limited	JKMXXXM-60	
		sc-Si 255-280W, in steps of 5
	JKMXXXM-72	sc-Si 300-320W, in steps of 5
	AS-P368 - xxx	c-Si, 140-170 Wp, in steps of 5 Wp
Solar Solution (AEG)	AS-P548 - xxx	c-Si, 210-250 Wp, in steps of 5 Wp
	AS-P608 - xxx	c-Si, 235-280 Wp, in steps of 5 Wp
	AS-P728 - xxx	c-Si, 285-335 Wp, in steps of 5 Wp

	PV MODULES	
Manufacturer name	Product ID	Description
	Solon Blue/Black 220/16	sc-Si, mc-Si 225 - 275 WP
	Solon Blue/black 230/07	sc-Si, mc-Si 225-275 WP
	Solon Black 230/02	sc-Si, mc-Si 225-275 WP
	Solon Blue 270/11	sc-Si, mc-Si 300-330 WP
Solon International LL FZE	Solon Blue 270/11 Solon Blue 270/12	sc-si, mc-si 300-330 WP sc-Si, mc-Si 300-330 WP
SOION INTERNATIONAL LE FZE	·	
	Solon Blue 270/17	sc-Si, mc-Si 300-330 WP
	Solon Black 280/11	sc-Si, mc-Si 300-330 WP
	Solon Black 280/12	sc-Si, mc-Si 300-330 WP
	Solon Black 280/17	sc-Si, mc-Si 300-330 WP
Stion	STO-XXXA	CIGS 120-160W, in steps of 5 - +2%
	STL-XXXA	CIGS 120-160W, in steps of 5 - +2%
	SPR-X20-327-COM	Back Contact Cell Mono Crystalline Maxeon) 327- 450W
	SPR-X21-345-COM	Back Contact Cell Mono Crystalline Maxeon) 327- 450W
	SPR-E20-435 COM	Back Contact Cell Mono Crystalline Maxeon) 327- 450W
	SPR-E20-435	Back Contact Cell Mono Crystalline Maxeon) 327- 450W
	SPR-E20-327 COM	Back Contact Cell Mono Crystalline Maxeon) 327- 450W
	SPR-P17-3xx COM	mc-si (xxx=315-85 in steps of 1, 498 cells)
	SPR-E20-327	Back Contact Cell Mono Crystalline Maxeon) 327- 450W
SunPower	SPR-P19-xxx-COM	Monocystalline, 380-405, in step of 1
	PVC385 MP	Sc-SI, 385 W
	PVC390 MP	Sc-SI,390W
	PVC395 MP	Sc-SI,395W
	PVC400 MP	Sc-SI, 400W
	PVC405 MP	Sc-SI, 405W
	E20-xxx	Mono crystalline (410-440, in step of 1W)
	SL2	CIGS 125-150
Solibro GmbH PV module	SL2-F	CIGS 125-150 CIGS 125-150
	ASxxx/72	
	·	250-345W in steps of 5
	ASxxx/60	210-290W in steps of 5
	ASxxx/50	180-235W in steps of 5
Sunset Energitechnik GmbH	ASxxx/36	130-170W in steps of 5
· ·	PXxxx/72	240-340W in steps of 5
	PXxxx/60	205-285W in steps of 5
	PXxxx/50	175-235W in steps of 5
	PXxxx/36	130-170W in steps of 5
	SK6612M-xxx	Mono-crystalline Silicon, 340W-375W in steps of 5
Suzhou Akcome Optronics Science & Technology Co., Ltd	SK6610M-xxx	Mono-crystalline Silicon, 280W-315W in steps of 5
Saznoa / ikcome optionics science & reciliology co., Liu	SK6612P-xxx	Poly-crystalline Silicon,320W-350W in steps of 5
	SK6610P-xxx	Poly-crystalline Silicon,265W-290W in steps of 5
	TS XXX SBZ	130-160 W in steps of 5, 36 cells
	TPXXX SBZ	130-160 W in steps of 5, 36 cells
	TS XXX XBZ	175-215 W in steps of 5, 48 cells
	TP XXX XBZ	175-215 W in steps of 5, 48 cells
	TS XXX XBZ	200-245 W in steps of 5, 54 cells
	TP XXX XBZ	200-245 W in steps of 5, 54 cells
	TS XXX MBZ	220-270 W in steps of 5, 60 cells
	TP XXX MBZ	220-270 W in steps of 5, 60 cells
Tata Power Solar Modules	TP XXX LBZ	265-325 W in steps of 5, 72 cells
	TS XXX SGZ	155-170 W in steps of 5, 36 cells
	TP XXX SGZ	155-170 W in steps of 5, 36 cells
	TS XXX XGZ	
		185-225 W in steps of 5, 48 cells
	TP XXX XGZ	185-225 W in steps of 5, 48 cells
	TS XXX XGZ	210-255 W in steps of 5, 54 cells
	TP XXX XGZ	210-255 W in steps of 5, 54 cells
	TS XXX MGZ	230-285 W in steps of 5, 60 cells

	PV MODULES		
Manufacturer name	Product ID	Description	
	TP XXX MGZ	230-285 W in steps of 5, 60 cells	
Tata Power Solar Modules	TP XXX LGZ	280-340 W in steps of 5, 72 cells	
	TC XXX	295-320 W in steps of 5, 72 cells	
	TSM-xxxPDG5	Poly c-Si 230-290 W,in steps of 5	
	TSM-xxxPDG5.50	Poly c-Si 230-290W, in steps of 5	
	TSM-xxx PEG5	Poly c-Si 230-290W, in steps of 5	
	TSM-xxx PEG5.50	Poly c-Si 230-290W, in steps of 5	
	TSM-xxxPEG14(II)	mc-Si, 315-340 W, in step of 5	
	TSM-xxxPD05	mc-Si, 265-275W, in steps of 5	
	TSM-xxxDD05A(II)	mono c-Si, 270-315W, in step of 5	
	TSM-DD014A(II)	mono c-Si, 325-375W, in step of 5	
	TSM-DEG5(II)	mc-Si, 260-315W, in step of 5	
	TSM-xxxPD14	mc-Si 325-345, in step of 5	
T: 01 0 111	TSM-DEG14(II)	mc-Si, 325-375W, in step of 5	
Trina Solar Co., Ltd.	TSM-xxxDEG14C.07 (II)	mc-Si 345-365 Wp, in step of 5	
	TSM-xxxDEG5C.07 (II)	mc-Si 290-310 Wp, in step of 5	
	TSM-xxxDE05H(II)	mc-Si 285-315, in step of 5	
	TSM-xxxPD14	mc-Si, 320 watt	
	TSM-xxxPEG14H	mc-Si, 330-345 W, in step of 5 W	
	TSM-xxxDEG14H(II)	mc-Si, 350-385 W, in step of 5	
	TSM-xxxDEG5H(II)	mc-Si, 295-320 W, in step of 5	
	TSM-xxxPEG5H(II)	mc-Si, 270-290 W, in step of 5	
	TSM-xxxDE14H(II)	mc-Si, 345-380 W, in step of 5	
	TSM-xxxPE05H(II)	mc-Si, 275-290 W, in step of 5	
	TSM-xxxPE14A	mc-Si, 320-340 W, in step of 5	
T0140 C 1 - C - C - L II	TS-xxxC2	CIGS 140-150W, in steps of 5	
TSMC Solar Europe GmbH	TS-xxxC1	CIGS 140/150/155/165W	
	Up-MxxxM	sc-Si 260-325W, in step of 5	
Hazalar Clahal CO Ltd	Up-MxxxM	sc-Si 310-390W, in step of 5	
Upsolar Global CO,Ltd	Up-MxxxP	mc-Si 250-305W, instep of 5	
	Up-MxxxP	mc-Si 300-370W, instep of 5	
Viessmann Werke Gmbh &Co	VITOVOLT 300 Pxxx PSEB	mc-Si 250 – 260 W, in steps of 5 W	
	ELDORA VSP.36.AAA.03	sc-Si 137-168 Wp	
	ELDORA VSP.72.AAA.03	sc-Si 275-335 Wp	
VIKRAM SOLAR PRIVATE LIMITED	ELDORA VSPB.60.AAA.03	sc-Si 228wp-279wp	
VINNAIVI SOLAK PRIVATE LIIVITED	ELDORA VSPB.72.AAA.03	sc-Si 275Wp-335wp	
	ELDORA VSPBB.60.AAA.03	sc-Si 228wp-279wp	
	ELDORA VSP.60.AAA.03	sc-si 240-270W	

lanufacturer name	Product ID	Description
		Description
VIKRAM SOLAR PRIVATE LIMITED	ELDORA VSP.72.AAA.03.04	mc-Si AAA=285-350Wp
VIKKAIVI SOLAK PRIVATE LIIVITED	SOMERA VSM.72.AAA.03.04	sc-Si AAA=310-380WP
WAAREE Energies Ltd.	WS-XXX	mc-Si 230-270 W, in steps of 5
- 0	WS-XXX	mc-Si 280-320 W, in steps of 5
	STPxxx-20/Wem STPxxx-24/Vem	mc-si xxx= 210-290 Wp mc-si xxx= 220-350 Wp
	STPxxxS-20/Wem	sc-si xxx=210-310 Wp
	STPxxxS-24/Vem	sc-si xxx= 220-370 Wp
	STPXXX-20/WFW	Poly-crystalline, XXX=255W-285W
WUXI Suntech Power Co, Ltd	STPXXX-24/VFW	Poly-crystalline, XXX=290W-350W
WOXI Junteen Fower Co, Ltd	STPXXXS-20/WFW	Mono-crystalline, XXX=265W-310W
	STPXXXS-24/VFW	Mono-crystalline, XXX=305W-370W
	STPXXX-20/WFH STPXXX-24/VFH	Poly-crystalline, half cell, XXX=250W-305W
	STPXXXS-24/VFH STPXXXS-20/WFH	Poly-crystalline, half cell XXX=300W-365W Mono-crystalline, half cell, XXX= 270W-330W
	STPXXXS-24/VFH	Mono-crystalline, half cell, XXX=325W-400W
	WE-xxx/72P	300-340W in step of 20
WeCo Italy Srl	WE-xxx/60P	230-270-275-280W
	WE-xxx/54P	255W
	AS-6M-xxxW	mono-crystalline 270-330, in increment of 5
	AS-6M30-xxxW	mono-crystalline 225-275, in increment of 5
	AS-6M27-xxxW AS-6M18-xxxW	mono-crystalline 205-245, in increment of 5
	AS-5M-xxxW	mono-crystalline 135-165, in increment of 5 mono-crystalline 175-210, in increment of 5
Worldwide Energy and Manufacturing USA, CO., Ltd, (Amerisolar)	AS-5M18-xxxW	mono-crystalline 90-105, in increment of 5
	AS-6P-xxxW	Poly-crystalline 270-330, in increment of 5
	AS-6P30-xxxW	Poly-crystalline 225-275, in increment of 5
	AS-6P27-xxxW	Poly-crystalline 205-245, in increment of 5
	AS-6P18-xxxW	Poly-crystalline135-165, in increment of 5
Yingli Solar	YLxxxP-29b	multi 240-260kW in steps of 5
	YLxxxP-35b	multi 290-310kW in steps of 5
	YLXXXCG2536F-1 YLXXXCG25360F-1	sc-si 310-375 W, in steps of 5 sc-si 260-310 W, in steps of 5
	YLXXXD-36b	sc-si 340-390 W, in steps of 5
	YLXXXD-30b	sc-si 280-325 W, in steps of 5
Yingli Energy (China) Company Limited	YLXXXP-29b 1500v	sc-si 275-305 W, in steps of 5
	YLXXXP-35b 1500v	sc-si 330-365 W, in steps of 5
	YLXXXP-35b	sc-si 310-350 W, in steps of 5
	YLXXXP-29b	sc-si 260-290 W, in steps of 5
Zhejiang G&P New Energy Technology Co, Ltd	GPPxxx(72)	Crystalline Silicion , 285-340 in Step of 5
Zhejiang Trunsun Solar Co., Ltd	TSPxxx -72 TSPxxx -60	mc-Si 315-345 W, in Steps of 5
	XTM6-36-XXX	mc-Si 255-285 W, in Steps of 5 sc-si 140-160 W, in steps of 5
	XTM6-48-XXX	sc-si 200-220 W, in steps of 5
	XTM6-54-XXX	sc-si 220-250 W, in steps of 5
	XTM6-60-XXX	sc-si 250-265 W, in steps of 5
Zhejiang Xiongtai Photovoltaic Technology Co.	XTM6-72-XXX	sc-si 290-310 W, in steps of 5
Enclosed Alongton Hotovoltale reciniology co.	XTP6-36-XXX	mc-si 240-260 W, in steps of 5
	XTP6-48-XXX	mc-si 240-260 W, in steps of 5
	XTP6-54-XXX	mc-si 240-260 W, in steps of 5
	XTP6-60-XXX XTP6-72-XXX	mc-si 240-260 W, in steps of 5 mc-si 290-305 W, in steps of 5
	TP672M-xxx	sc-Si 275-390 W, in steps of 5
	TP672M(H)-xxx	sc-Si 300-390 W,in steps of 5
	TP6H72M-xxx	sc-Si 335-390 W,in steps of 5
	TP6H72M(H)-xxx	sc-Si 335-390 W,in steps of 5
	TP660M-xxx	sc-Si 230-325 W,in steps of 5
	TP660M(H)-xxx	sc-Si 250-325 W,in steps of 5
	TP6H60M-xxx	sc-Si280-325 W,in steps of 5
Zhongli Talesun Solar Co., Ltd	TP6H60M(H)-xxx	sc-si 280-325 W, in steps of 5
	TP672P-xxx TP672P(H)-xxx	mc-Si 285-360 W,in steps of 5 mc-Si 285-360 W,in steps of 5
	TP672P(H)-xxx TP6H72P-xxx	mc-Si 285-360 W,in steps of 5 mc-Si 300-360 W,in steps of 5
	TP6H72P(H)-xxx	mc-Si 300-360 W,in steps of 5
	TP660P-xxx	mc-Si 230-300 W,in steps of 5
	TP660P(H)-xxx	mc-Si 235-300 W,in steps of 5
	1F000F(11)-XXX	5. 255 555 1.7, 555 55 5. 5

	PV MODULES	
Manufacturer name	Product ID	Description
Worldwide Energy and Manufacturing USA, Co., Ltd. (Amerisolar)	AS-6P30	mc-Si (265,270)
Worldwide Energy and Mandracturing OSA, Co., Etd. (Amerisolar)	AS-6P	mc-Si (320,330)
	ZXM6-72-xxx/M	Mono-crystalline Silicon, xxx=270-320W, in steps of 5
	ZXM6-60-xxx/M	Mono-crystalline Silicon,xxx=230-270W, in steps of 5
'ZNSHINE PV-TECH Co., Ltd	ZXM6-54-xxx/M	Mono-crystalline Silicon,xxx=200-240W, in steps of 5
ZNSHINE PV-TECH CO., Ltd	ZXP6-72-xxx/P	Poly-crystalline Silicon,xxx=265-315W, in steps of 5
	ZXP6-60-xxx/P	Poly-crystalline Silicon,xxx=220-265W, in steps of 5
	ZXP6-54-xxx/P	Poly-crystalline Silicon,xxx=200-235W, in steps of 5

	PV INVERTERS		
nufacturer name	Product ID	Description	Usage Category
	PVI-3.0-TL-OUTD(-S)	3kW	Residential, Commercial and Light Industrial Environment
	PVI-3.6-TL-OUTD(-S)	3.6kW	Residential, Commercial and Light Industrial Environment
	PVI-4.2-TL-OUTD(-S)	4.2kW	Residential, Commercial and Light Industrial Environment
	PVI-5000-TL-OUTD(-S)	5kW	Residential, Commercial and Light Industrial Environment
	PVI-6000-TL-OUTD(-S)	6kW	Residential, Commercial and Light Industrial Environment
	PVI-10.0-TL-OUTD(-S)(-FS)	10 kW	Residential, Commercial and Light Industrial Environment
	PVI-12.5-TL-OUTD(-S)(-FS)	12.5 kW	Residential, Commercial and Light Industrial Environment
	TRIO - 5.8 - TL - OUTD	5.8 kW	Residential, Commercial and Light Industrial Environment
	TRIO - 7.5 - TL - OUTD	7.5 kW	Residential, Commercial and Light Industrial Environment
	TRIO - 8.5 - TL - OUTD	8.5 kW	Residential, Commercial and Light Industrial Environment
	TRIO - 20.0 - TL - OUTD	20 kW	Residential, Commercial and Light Industrial Environment
ABB	TRIO - 27.6 - TL - OUTD	27.6 kW	Residential, Commercial and Light Industrial Environment
ADD	TRIO-50.0-TL-OUTD	50 kW	All - Residential, Commercial and Industrial Environment
	ULTRA -700.0 TL -OUTD	700 kW	Industrial Environment
	ULTRA -1050.0 TL -OUTD	1050 kW	Industrial Environment
	TRIO-TM-50.0-400	50kW	All - Residential, Commercial and Industrial Environment
	TRIO-TM-60.0-480	60kW	All - Residential, Commercial and Industrial Environment
	ULTRA -1400.0 TL -OUTD	1400 kW	Industrial Environment
	PVS-100/120-TL	100kW/120kW	Industrial Environment
	PVS-100-TL	100 kW	All - Residential, Commercial and Industrial Environment
	PVS-120-TL	120 kW	All - Residential, Commercial and Industrial Environment
	UNO-DM-xxx-TL-PLUS	1.2/2.0/3.3/4.0/4.6/5.0 KW	All - Residential, Commercial and Industrial Environment
	PVS800-57B-1645kW-C	1645 kW	Industrial Environment
	PVS800-57B-1732kW-C	1732 kW	Industrial Environment
	Primo 3.0 -1	3.0kW	All - Residential, Commercial and Industrial Environment
	Primo 3.5 -1	3.5kW	All - Residential, Commercial and Industrial Environment
	Primo 3.6 -1	3.6kW	All - Residential, Commercial and Industrial Environment
	Primo 4.0 -1	4kW	All - Residential, Commercial and Industrial Environment
	Primo 4.6 -1	4.6kW	All - Residential, Commercial and Industrial Environment
	Primo 5.0-1	5kW	All - Residential, Commercial and Industrial Environment
	Primo 6.0-1	6kW	All - Residential, Commercial and Industrial Environment
	Primo 8.2-1	8.2kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 3.0-3-M	3 kW	All - Residential, Commercial and Industrial Environment
Fronius International GmbH	Fronius Symo 3.7-3-M	3.7 kW	All - Residential, Commercial and Industrial Environment
	•		,
	Fronius Symo 4.5-3-M	4.5 kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 5.0-3-M	5 kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 6.0-3-M	6 kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 7.0-3-M	7 kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 8.2-3-M	8.2 kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 10.0-3-M	10kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 12.5-3-M	12.5kW	All - Residential, Commercial and Industrial Environment
	Fronius Symo 15.0-3-M	15kW	All - Residential, Commercial and Industrial Environment

	PV INVERTERS		
cturer name	Product ID	Description	Usage Category
	Fronius Symo 17.5-3-M	17.5kW	All - Residential, Commercial and Industrial Environment
Fronius International GmbH	Fronius Symo 20.0-3-M	20kW	All - Residential, Commercial and Industrial Environment
Tromus international diffibit	Fronius Eco 25.0-3-S	25kW	All - Residential, Commercial and Industrial Environment
	Fronius Eco 27.0-3-S	27kW	All - Residential, Commercial and Industrial Environment
	GMV-Y224WM/C-X	20kW	All - Residential, Commercial and Industrial Environment
Gree Electric Appliances, Inc. of Zhuhai	GMV-Y280WM/C-X	20kW	All - Residential, Commercial and Industrial Environment
	GMV-Y335WM/C-X	20kW	All - Residential, Commercial and Industrial Environment
	GW50K-MT	50 kW	Industrial Environment
Jiangsu GoodWe Power Supply Technology Co., Ltd.	GW60K-MT	60 kW	Industrial Environment
	SUN2000-8KTL	8 kW	All - Residential, Commercial and Industrial Environment
	SUN2000-12KTL	12 kW	All - Residential, Commercial and Industrial Environment
	SUN2000-12KTL SUN2000-17KTL	17 kW	·
			All - Residential, Commercial and Industrial Environment
	SUN2000-20KTL	20 kW	All - Residential, Commercial and Industrial Environment
Huawei	SUN2000-36KTL	36 kW	All - Residential, Commercial and Industrial Environment
	SUN2000-42KTL	42 kW	All - Residential, Commercial and Industrial Environment
	SUN 2000 – 55KTL	55 KW	All - Residential, Commercial and Industrial Environment
	SUN2000-50KTL-M0	50 kW	All - Residential, Commercial and Industrial Environment
	SUN 2000 -60KTL- M0	60 kW	All - Residential, Commercial and Industrial Environment
	SUN2000-65KTL-M0	65 kW	Industrial Environment
	INGECON SUN 2.5 TL M	2.5 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 2.7 TL M	2.7 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 TL M	3 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3.3 TL M	3.3 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3.68 TL M	3.68 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 4.6 TL M	4.68 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 5 TL M	5 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 5.5 TL M	5.5 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 6 TL M	6 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 10 TL M	10 kW	, and the state of
	INGECON SUN 12.5 TL M	12.5 kW	
	INGECON SUN 15 TL M	15 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 20 TL M	20 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 10 TL	10 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 12.5 TL	12.5 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 15 TL	15 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 20 TL	20 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 10 TL	10 kW	All - Residential, Commercial and Industrial Environment
Leader	INGECON SUN 3 PLAY 12.5 TL	12.5 kW	All - Residential, Commercial and Industrial Environment
Ingeteam	INGECON SUN 3 PLAY 15 TL	15 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 20 TL	20 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 28 TL	28 kW	,
	INGECON SUN 3 PLAY 33 TL	33 kW	
	INGECON SUN 3 PLAY 10 TLM	10 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 12.5 TLM	12.5 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 15 TLM	15 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 20 TLM	20 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 24 TLM	24 kW	,
	INGECON SUN 3 PLAY 28 TLM	28 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 33 TLM	33 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 3 PLAY 40 TLM	40 kW	All - Residential, Commercial and Industrial Environment
	INGECON SUN 275TL M220	304.8 kW	
	INGECON SUN 275TL X220	304.8 kW	
	INGECON SUN 350TL M275	381.1 kW	
	INGECON SUN 350TL X275	381.1 kW	
	INGECON SUN 380TL M300	415.7 kW	
	INGECON SUN 380TL X300	415.7 kW	
	HAGECOIA JOH JOUTE AJOU	71J./ NVV	

	PV INVERTERS		
Manufacturer name	Product ID	Description	Usage Category
	INGECON SUN 400TL X320	443.4 kW	
	INGECON SUN 440TL M345	478 kW	
	INGECON SUN 440TL X345	478 kW	
	INGECON SUN 460TL M360	498.8 kW	
	INGECON SUN 460TL X360	498.8 kW	
	INGECON SUN 500TL M400	554.3 kW	
	INGECON SUN 500TL X400	554.3kW	
	INGECON SUN 535TL M420	582 kW	
	INGECON SUN 535TL X420	582 kW	
	INGECON SUN 410TL M220	457.3 kW	
	INGECON SUN 410TL X220	457.3 kW	
	INGECON SUN 520TL M275	571.6 kW	
	INGECON SUN 520TL X275	571.6 kW	
	INGECON SUN 570TL M300	623.5 kW	
	INGECON SUN 570TL X300	623.5 kW	
	INGECON SUN 605TL M320	665.1 kW	
	INGECON SUN 605TL X320	665.1 kW	
	INGECON SUN 660TL M345	717.1 kW	
	INGECON SUN 660TL X345	717.1 kW	
	INGECON SUN 690TL M360	748.2 kW	
	INGECON SUN 690TL X360	748.2 kW	
	INGECON SUN 750TL M400	831.4 kW	
	INGECON SUN 750TL X400	831.4 kW	
	INGECON SUN 805TL M420	873 kW	
	INGECON SUN 805TL X420	873 kW	
	INGECON SUN 550TL M220	609.7 kW	
Ingotoam	INGECON SUN 550TL X220	609.7 kW	
Ingeteam	INGECON SUN 695TL M275	762.1 kW	
	INGECON SUN 695TL X275	762.1 kW	
	INGECON SUN 760TL M300	831.4 kW	
	INGECON SUN 760TL X300	831.4 kW	
	INGECON SUN 800TL M320	886.8 kW	
	INGECON SUN 800TL X320	886.8 kW	
	INGECON SUN 880TL M345	956.1 kW	
	INGECON SUN 880TL X345	956.1 kW	
	INGECON SUN 920TL M360	997.7 kW	
	INGECON SUN 920TL X360	997.7 kW	
	INGECON SUN 1000TL M400	1108.5 kW	
	INGECON SUN 1000TL X400	1108.5 kW	
	INGECON SUN 1070TL M420	1163.9 kW	
	INGECON SUN 1070TL X420	1163.9 kW	
	INGECON SUN 830TL B300	830 kW	Industrial Environment
	INGECON SUN 860TL B310	860 kW	Industrial Environment
	INGECON SUN 890TL B320	890 kW	Industrial Environment
	INGECON SUN 915TL B330	915 kW	Industrial Environment
	INGECON SUN 940TL B340	940 kW	Industrial Environment
	INGECON SUN 4222TL B350	970 kw	Industrial Environment
	INGECON SUN 1000TL B360	1000 kW	Industrial Environment
	INGECON SUN 1025TL B370	1025 kW	Industrial Environment
	INGECON SUN 1050TL B380	1050 kW	Industrial Environment
	INGECON SUN 1070TL B385	1070 kW	Industrial Environment
	INGECON SUN 1080TL B390	1080 kW	Industrial Environment
	INGECON SUN 1110TL B400	1110 kW	Industrial Environment

	PV INVERTERS		
Manufacturer name	Product ID	Description	Usage Category
	INGECON SUN 1140TL B410	1140 kW	Industrial Environment
	INGECON SUN1165TL B420	1165 kW	Industrial Environment
	INGECON SUN 1170TL B450	1170W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1195TL B460	1195W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1220TL B470	1220W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1247TL B480	1247W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1273TL B490	1273W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1300TL B500	1300W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1325TL B510	1325W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1350TL B520	1350W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1376TL B530	1376W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1400TL B540	1400W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1430TL B550	1430W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1455TL B560	1455W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1480TL B570	1480W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1500TL B578	1500W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1532TL B590	1532W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1560TL B600	1560W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1600TL B615	1600W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 1640TL B630	1640W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 830TL B300	830W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 860TL B310	860W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 890TL B320	890W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 915TL B330	915W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 940TL B340	940W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 970TL B350	970W	All - Residential, Commercial and Industrial Environment
Ingeteam	INGECON SUN STORAGE 1000TL B360	1000W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1025TL B370	1025W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1050TL B380	1050W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1070TL B385	1070W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1080TL B390	1080W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1110TL B400	1110W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1140TL B410	1140W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1165TL B420	1165W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1170TL B450	1170W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1195TL B460	1195W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1220TL B470	1220W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1247TL B480	1247W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1273TL B490	1273W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1300TL B500	1300W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1325TL B510	1325W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1350TL B520	1350W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1376TL B530	1376W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1400TL B540	1400W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1430TL B550	1430W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1455TL B560	1455W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1480TL B570	1480W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1500TL B578	1500W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1532TL B590	1532W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1560TL B600	1560W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1600TL B615	1600W	All - Residential, Commercial and Industrial Environment
	INGECON SUN STORAGE 1640TL B630	1640W	All - Residential, Commercial and Industrial Environment
	INGECON SUN 720TL B260	720W	Industrial Environment

	PV INVERTERS		
nufacturer name	Product ID	Description	Usage Category
	INGECON SUN 748TL B270	748W	Industrial Environment
	INGECON SUN 1190TL B430	1190W	Industrial Environment
	INGECON SUN 1220TL B440	1220W	Industrial Environment
	INGECON SUN 1250TL B450	1250W	Industrial Environment
	INGECON SUN 1275TL B460	1275W	Industrial Environment
	INGECON SUN 1580TL B630	1580W	Industrial Environment
	INGECON SUN 1665TL B640	1665W	Industrial Environment
	INGECON SUN 1690TL B650	1690W	Industrial Environment
	INGECON SUN 1715TL B660	1715W	Industrial Environment
	INGECON SUN 1740TL B670	1740W	Industrial Environment
	INGECON SUN 1767TL B680	1767W	Industrial Environment
	INGECON SUN 1800TL B690	1800W	Industrial Environment
	INGECON SUN 1820TL B700	1820W	Industrial Environment
	INGECON SUN STORAGE 720TL B260	720W	
Ingeteam			Industrial Environment
iligetealii	INGECON SUN STORAGE 748TL B270	748W	Industrial Environment
	INGECON SUN STORAGE 1190TL B430	1190W	Industrial Environment
	INGECON SUN STORAGE 1220TL B440	1220W	Industrial Environment
	INGECON SUN STORAGE 1250TL B450	1250W	Industrial Environment
	INGECON SUN STORAGE 1275TL B460	1275W	Industrial Environment
	INGECON SUN STORAGE 1303TL B470	1303W	Industrial Environment
	INGECON SUN STORAGE 1665TL B640	1665W	Industrial Environment
	INGECON SUN STORAGE 1690TL B650	1690W	Industrial Environment
	INGECON SUN STORAGE 1715TL B660	1715W	Industrial Environment
	INGECON SUN STORAGE 1740TL B670	1740W	Industrial Environment
	INGECON SUN STORAGE 1767TL B680	1767W	Industrial Environment
	INGECON SUN STORAGE 1800TL B690	1800W	Industrial Environment
	INGECON SUN STORAGE 1820TL B700	1820W	Industrial Environment
	INCECON CLIN 20lov 100 TI	90kW@360V/95kW@380V/100kW@400V/105kW@420V/	All Desidential Commenced and Industrial Facingment
	INGECON SUN 3Play 100 TL	110kW@440V	All - Residential, Commercial and Industrial Environment
	Blueplanet 50.0 TL3 M1 WM OD IIGM	50 KW	All-Residential, Commercial and industrial Environement
	Blueplanet 50.0 TL3 M1 WM OD IIGX	50 KW	All-Residential, Commercial and industrial Environement
	Blueplanet 50.0 TL3 M1 WM OD IIGB	50 KW	All-Residential, Commercial and industrial Environement
KACO New Energy GmbH	Blueplanet 50.0 TL3 M1 WM OD IIGS	50 KW	All-Residential, Commercial and industrial Environement
	Blueplanet 50.0 TL3 M1 WM OD FRGS	50 KW	All-Residential, Commercial and industrial Environement
	bluplanet 20.0 TL3 M2 WM OD IIG0	20 kW	All-Residential, Commercial and industrial Environement
	bluplanet 15.0 TL3 M2 WM OD IIG0	15 kW	All-Residential, Commercial and industrial Environement
	PVM3.57.300.EM	300 kW	Industrial Enveronment
	PVMS.40K	40 kW	All - Residential, Commercial and Industrial Environment
	PVMS.46K	46 kW	Industrial Environment
Lti REEnergy GmbH	PVMS.20K	30 kW	All - Residential, Commercial and Industrial Environment
- 67	PVMS.23K	34.5 kW	All - Residential, Commercial and Industrial Environment
	PVMS.20K	20 KW	All - Residential, Commercial and Industrial Environment
	PVMS.23K	23 KW	All - Residential, Commercial and Industrial Environment
		20 kW	
Charaidan Flactuia	Conext CL20000E		All - Residential, Commercial and Industrial Environment
Shneider Electric	Conext CL350005	Conext CL60E – 60 kW	Residential, commercial and light Industrial Environment
	Conext CL25000E	25 kW	All - Residential, Commercial and Industrial Environment
	STP 15000TL-30	15 kW	All - Residential, Commercial and Industrial Environment
	STP 20000TL-30	20 kW	All - Residential, Commercial and Industrial Environment
	STP 25000TL-30	25 kW	All - Residential, Commercial and Industrial Environment
SMA	STP50-40	50 kW	All - Residential, Commercial and Industrial Environment
SINU	MLX / STP 60	60 kW	All - Residential, Commercial and Industrial Environment
	SB3.0-1AV-40	3 kW	All - Residential, Commercial and Industrial Environment
	SB3.6-1AV-40	3.68 kW	All - Residential, Commercial and Industrial Environment
	SB4.0-1AV-40	4 kW	All - Residential, Commercial and Industrial Environment

	PV INVERTERS		
anufacturer name	Product ID	Description	Usage Category
SMA	SB5.0-1AV-40	5 kW	All - Residential, Commercial and Industrial Environment
	SHP75-10	75 kW	Industrial Environment
Sungrow Power Supply Co., Ltd	SG36KTL-M	36 kW	All - Resential, Commercial and Industrial Environment
	SG60KTL	60 kW	All - Residential, Commercial and Industrial Environment
Shanghai Trannergy Power Electronics Co.,Ltd	SGN1300 TL	1000W	All -Residential, commercial and light environment
	SGN1800 TL	1500W	All -Residential, commercial and light environment
	SGN2300 TL	2000W	All -Residential, commercial and light environment
	SGN2700 TL	2500W	All -Residential, commercial and light environment
	SGN3000 TL	3000W	All -Residential, commercial and light environment
	SGN3400 TL	3000W	All -Residential, commercial and light environment
Shanghai Trannergy Power Electronics Co.,Ltd	SGN4000 TL	4000W	All -Residential, commercial and light environment
	SGN4600 TL	4600W	All -Residential, commercial and light environment
	SGN5400 TL	5000W	All -Residential, commercial and light environment
	SGN6600TL	6000W	All -Residential, commercial and light environment
SIEL S.p.a	SOLEIL DSPX 80 TRH 400	80 kW	All -Residential, commercial and light environment
REFU Elektronik GmbH	REFUsol 08K	8.25KW	All -Residential, commercial and light environment
	REFUsol 10K	10KW	All -Residential, commercial and light environment
	REFUsol 13K	13KW	All -Residential, commercial and light environment
	REFUsol 17K	17KW	All -Residential, commercial and light environment
REFU Elektronik GmbH	REFUsol 20K	20KW	All -Residential, commercial and light environment
	REFUsol 40k (840P040)	40KW	Industrial Enveronment
	REFUsol 46k (840P046)	46KW	Industrial Enveronment
	REFUsol 40k (842P040)	40KW	All-Residential, Commercial and industrial Environement
	REFUsol 46k (842P046)	46KW	Industrial Enveronment
Shenzhen Growatt New Energy Technology Co., Ltd	Growatt 30000TL3-S	30000	All -Residential, commercial and light environment
	Growatt 33000TL3-S	33000	All -Residential, commercial and light environment
	Growatt 40000TL3-NS	40000	All -Residential, commercial and light environment
Petra Solar Inc.	SWM 2.1	0.24	All -Residential, commercial and light environment
WeCo Srl Italia	SDX-3-xxxTL	5 kW, 6kW, 8kW, 10kW, 12kW, 15kW, 17kW, 20kW, 33kW	Industrial Environment
WECO SITILATIA	SDX-3-xxxTL	5 kW, 6kW, 8kW, 10kW, 12kW, 15kW, 17kW, 20kW, 33kW	Industrial Environment

INTERFACE PROTECTIONS				
Product ID	Description			
UFDM34M (to be installed with communication	UFDM34M (to be installed with communication unit "RTU560")			
SPI1021				
PMVF60				
	Product ID UFDM34M (to be installed with communication SPI1021	Product ID UFDM34M (to be installed with communication unit "RTU560") SPI1021		

^{*} Approved under temporary derogation, and for power plant < 200Kw