

Demo E-Procurement App

Build this MERN app locally, restore the MongoDB backup, run the API and UI, and confirm everything in your browser.

What you should have

- **client/** — React (Vite) frontend source
- **server/** — Express API source
- **db-backup/** — MongoDB dump folder (`db-backup\eprocurement` contains `.bson` files)

1. Install prerequisites

Software	Notes
Node.js LTS	Includes npm . After install, open a new Command Prompt or PowerShell and check: <code>node -v</code> and <code>npm -v</code> .
MongoDB Community Server	Install as a Windows service so <code>mongod</code> runs locally on port 27017 . Default URL used by the app: <code>mongodb://127.0.0.1:27017/eprocurement</code> .
MongoDB Database Tools	Check: <code>mongorestore --version</code> .

2. Restore the database

1. Make sure the MongoDB service is **running** (e.g. Services app → “MongoDB”).
2. Open **Command Prompt** or **PowerShell**.
3. Point `mongorestore` at the folder **inside** `db-backup` that is named **eprocurement** (the folder that contains the `.bson` files).

Command Prompt — replace `C:\path\to\project` with the folder where you unzipped this package:

```
cd C:\path\to\project
mongorestore --uri="mongodb://127.0.0.1:27017/eprocurement" --drop "db-backup\eprocurement"
```

Or,

PowerShell (same idea):

```
cd C:\path\to\project
mongorestore --uri="mongodb://127.0.0.1:27017/eprocurement" --drop ".\db-backup\eprocurement"
```

`--drop` replaces existing collections in the `eprocurement` database with the backup. If you skip `--drop`, you may get duplicate key errors if data already exists.

3. Install dependencies

From the **project root** (folder that contains `client` and `server`):

Command Prompt:

```
cd server
npm install

cd ..\client
npm install
```

4. Run the application

Use **two** terminals, both starting from the project root.

Terminal 1 — API (port 5000):

```
cd server
npm run dev
```

Terminal 2 — UI (Vite, port 5173):

```
cd client
npm run dev
```

Open <http://localhost:5173> in your browser.

Sign in using the superadmin email - `admin@localhost` and password - `ChangeMeDemo123`.

Troubleshooting

Problem	What to try
<code>mongorestore</code> not found	Install MongoDB Database Tools and restart the terminal, or add the <code>bin</code> folder to your PATH.
Cannot connect to MongoDB	Confirm the MongoDB Windows service is running and port 27017 is not blocked.
Port already in use	Change PORT in <code>server\.env</code> for the API, or stop the other program using the port.
<code>npm</code> is not recognized	Reinstall Node.js and open a new terminal.