MSDS LAB

Mini Project Report

On

Library Management System



Submitted By

T.Sathvik RegdNo:20B91A05T8
T.Ganesh RegdNo:20B91A05U2
T.Vinodh RegdNo:20B91A05T9
S.Yeshwanth RegdNo:20B91A05T5

DEPARTMENT OF COMPUTER SCIENCE ENGINEERING S.R.K.R ENGINEERING COLLEGE(A) (Affiliated to JNTU, KAKINADA) BHIMAVARAM-534204

(2020-2021)

DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING S.R.K.R. ENGINEERING COLLEGE BHIMAVARAM



CERTIFICATE

This is to certify that this is a bonafide work on "**Library Management System**" and has been submitted by T.Sathvik(20B91A05T8), T.Ganesh(20B91A05U2), T.Vinod(20B91A05T9), S.Yeshwanth(20B91A05T5) in partial fulfillment of the requirements for the award of the Degree of Bachelor of Technology in Computer Science and Engineering, during the academic year 2021-2022. The candidate worked right under my Supervision and guidance.

Lecturers In-Charge

Sri.B.L.V.S.Rama Krishna

Assistant professor,
Department of CSE,
S.R.K.R. Engineering College,
Bhimavaram.

Head of the Department

Dr.V.Chandra Sekhar

Head of the Department, Department of CSE, S.R.K.R.Engineering College, Bhimavaram. **ACKNOWLEDGEMENT**

I take immense pleasure in thanking **Dr. M.Jagapathi Raju**, beloved principal of S.R.K.R

Engineering College, Bhimavaram and Dr.V.Chandra Shekar, esteemed Head of the

Department (C.S.E), for having permitted me to carry out this software engineering mini project

work.

I wish to express my deep sense of gratitude especially to my project Guide, Sri.B L V

SIVA RAMA KRISHNA, Assistant Professor, for his able guidance and useful suggestions,

which helped me in completing the project work, in time.

Needless to mention that **Dr. N K KAMESWARA RAO, Associate Professor**, for his timely

guidance in the conduct of my project work. Besides, this project made me realize the value of working

together as a team and as a new experience in the working environment, which challenges me every

minute.

Finally, yet importantly, I would like to express my heart full thanks to my beloved parents

for their blessings, my friends/classmates for their help and wishes for the successful completion

of this project.

T.Sathvik(20B91A05T8)

T.Ganesh(20B91A05U2)

T.Vinod(20B91A05T9)

S.Yeshwanth(20B91A05T5)

TABLE OF CONTENTS

S.No	CONTENTS	PageNo	
1.	ABSTRACT	1	
2.	MODULES	2	
3.	SOFTWARE REQUIREMENTS	3	
4.	CODE	4	
5.	SCREENSHOTS	37	

1. ABSTRACT

Library management system is a project which aims in developing a computerized system to maintain all the daily work of library. This project has many features which are generally not available in normal library management systems. It also has a facility of admin login through which the admin can monitor the whole system. It has also a facility where student after logging in their accounts can see list of books issued and its issue date and return date. The librarian after logging into his account i.e. admin account can generate various reports such as student report, teacher report and book report. Overall, this project of ours is being developed to help the students of library to maintain the library in the best way possible and also reduce the human efforts.

It is a computer program that helps librarians manage library resources more efficiently. It provides an easy-to-use interface for librarians to catalog books, track borrowing, and manage library users. The system is designed to simplify library operations and improve user experience by making library resources more accessible to patrons.

The library management system can also automate many routine tasks such as sending reminders to users with overdue books, generating reports, and managing inventory. This system also helps librarians to keep track of popular books and manage book orders effectively.

Overall, the library management system is a useful tool that helps librarians improve their services and enhance the user experience for library patrons. By using this system, librarians can save time, reduce errors, and provide better service to their users.

2.MODULES

1)Home Page: This module will include a brief overview of the library and its history.

2)Admin Login: This module includes the following actions

- My Profile
- Issue Book
- Update Book
- Add Book
- Dashboard

3)Contact Us: This module includes a contact form to get in touch with the librarian and any queries.

4)Student Registration: This module includes a registration form where the student can register to avail library benefits.

5)Student Login: This module includes the following actions

- Home
- Books History
- My profile
- Logout

3.SOFTWARE REQUIREMENTS

- Visual Studio Code
- Wamp Server
- PHP
- MySQL
- Html,CSS

4. CODE

HomePage.php

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Library</title>
  link rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/4.7.0/css/font-awesome.min.css">
  <link rel="stylesheet" href="style.css">
</head>
<body>
  <div id="herosection">
    <div id="navigation">
       <div id="logo"></div>
       <div id="navbar">
         <div>
           <l>
             <a href="contactus.html">ContactUs</a>
             <a href="Librarian login.php">Login</a>
             <!-- <li><a href="#" onclick="window.open('lgn.php', 'Login',
'width=100,height=100');">Login</a>-->
           </div>
      </div>
    </div>
    <div id="content1">
       <div id="content11"></div>
       <div id="content12">
         <h1>Welcome To SRKREC Library</h1>
         <div id="content121"><a href="register1.php">Student Registration</a>
         </div>
         <!--<div id="content121"><a href="#" onclick="window.open('1.php', 'Registration',
'width=100,height=100');">Student Registration</a></div>-->
         <div id="content122"><a href="login.php">Student Login</a></div>
       </div>
    </div>
    <!--<div id="content21"></div>
    <div id="content22"></div>
    <div id="content23"></div>
    <div id="content24"></div>-->
    <?php
    $servername = "localhost";
    $username = "root";
```

```
$password = "";
  $dbname = "books";
  $conn = mysqli_connect($servername, $username, $password, $dbname);
?>
</div>
<div class="container">
           <div class="box">
    <i class="fa fa-book fa-5x"></i>
                  <h2> Art</h2>
    <?php
         $category=" Art and Humanities";
           $conn = mysqli_connect($servername, $username, $password, $dbname);
           $query="select count(*) as count from addbook where category='$category'";
           $result = mysqli_query($conn, $query);
           $count = mysqli fetch assoc($result)['count'];
    <?php echo $count?>
           </div>
           <div class="box">
  <i class="fa fa-book fa-5x"></i>
                  <h2>Academic</h2>
    <?php
         $category="Career Development";
           $conn = mysqli_connect($servername, $username, $password, $dbname);
           $query="select count(*) as count from addbook where category='$category'";
           $result = mysqli_query($conn, $query);
           $count = mysqli_fetch_assoc($result)['count'];
           <?php echo $count?>
              <?php
         ?>
           </div>
           <div class="box">
  <i class="fa fa-book fa-5x"></i>
  <h2>Education</h2>
    <?php
         $category="Leisure";
           $conn = mysqli_connect($servername, $username, $password, $dbname);
           $query="select count(*) as count from addbook where category='$category'";
           $result = mysqli_query($conn, $query);
           $count = mysqli_fetch_assoc($result)['count'];
           <?php echo $count?>
              <?php
         ?>
           </div>
           <div class="box">
```

```
<i class="fa fa-book fa-5x"></i>
                     <h2>History</h2>
       <?php
            $category="History";
              $conn = mysqli_connect($servername, $username, $password, $dbname);
              $query="select count(*) as count from addbook where category='$category'";
              $result = mysqli_query($conn, $query);
              $count = mysqli_fetch_assoc($result)['count'];
              <?php echo $count?>
                <?php
            ?>
              </div>
    <div class="box">
    <i class="fa fa-book fa-5x"></i>
    <h2>Total books</h2>
         <?php
              $conn = mysqli_connect($servername, $username, $password, $dbname);
              $query="select count(*) as count from addbook";
              $result = mysqli_query($conn, $query);
              $count = mysqli_fetch_assoc($result)['count'];
              <?php echo $count?>
                <?php
            ?>
</div>
</div>
  <h1 id="quoto">Quotations</h1>
  <div id="content3">
    <div id="content31">
       <h1 id="first">"The library is the temple of learning, and learning has</h1>
       <h1 id="second">liberated more people than all the wars in history."</h1>
       <h1 id="third">-Carl T. Rowan</h1>
    </div>
    <div id="content32">
       <h1 id="first">"The library is open to all, from the most learned</h1>
      <h1 id="second"> scholar to the poorest laborer."</h1>
       <h1 id="third">- Andrew Carnegie</h1>
    </div>
    <div id="content33">
       <h1 id="first">"The library is not a luxury, but one of the necessities</h1>
       <h1 id="second"> of life."</h1>
       <h1 id="third">-Henry Ward Beecher</h1>
    </div>
  </div>
  <div id="hr"></div>
  <div class="row">
```

```
<div class="column">
<h1 id="one">About Library</h1><br>
```

A college library management is a project that manages and stores books information electronically according to students needs. The system helps both students and library manager to keep a constant track of all the books are available in the

library. It allows both the admin and the student to search for the desired book. It becomes necessary for colleges to keep a continuous check on the books issued and returned $<\!/p>$

```
</div>
    <div class="column">
      <h1 id="one">Important Links</h1><br>
      <a id="hyper" href="showhome.php">Home</a>
      <br>
      <a id="hyper" href="login.php">Login</a>
      <br>
      <a id="hyper" href="register1.php">Registration</a>
      <br>
      <a id="hyper" href="contactus.html">Contact Us</a>
      <hr>
    </div>
    <div class="column">
      <h1 id="one">Contact Us</h1><br>
       Chinna Amiram,Bhimavaram
      Andhra Pradesh,India-534204
      Telphone:+91(8816)323332
      Mobile:+91 9133861932
      Email:ganesh063@gmail.com
    </div>
  </div>
  <div class="end">
    <h2 id="two">WEB DEVELOPMENT TEAM</h2>
    <h3 id="three">Library Management Team</h3>
  </div>
</body>
</html>
#css
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;600&displa
y=swap');
* {
  box-sizing: border-box;
body {
  margin: 0;
  padding: 0;
  font-family: 'Poppins', sans-serif;
  font-size: 20px;
```

```
}
#herosection {
  display: flex;
  flex-wrap: wrap;
  flex-basis: 100%;
  flex-shrink: 10%;
  flex-grow: 10%;
  flex-direction: row;
  width: 100%;
  height: 700px;
}
#navigation {
  width: 100%;
  height: 100px;
#logo {
  width: 30%;
  height: 100px;
  background-image: url(SRKR.png);
  background-position: center;
  background-repeat: no-repeat;
  float: left;
}
#navbar {
  width: 70%;
  height: 100px;
  float: right;
  font-size: 25px;
}
ul {
  list-style-type: none;
li {
  float: right;
  width: 190px;
  height: 60px;
  color: black;
}
li a {
  text-decoration: none;
  color: black;
```

```
text-align: center;
}
li a:hover,
a:active {
  background-color: rgb(76, 3, 144);
  color: white;
  border-radius: 4px;
}
li a:link,
a:visited {
  color: rgb(60, 18, 92);
  padding: 14px 25px;
  display: inline-block;
#content1 {
  position: relative;
  background-image: url(content11.jpg);
  background-repeat: no-repeat;
  background-size: cover;
  width: 100%;
  height: 600px;
}
#content11 {
  position: absolute;
  background-color: black;
  width: 100%;
  height: 600px;
  opacity: 0.6;
}
#content12 {
  position: absolute;
  margin-top: 100px;
  margin-bottom: 100px;
  margin-left: 200px;
  margin-right: 200px;
  width: 1150px;
  height: 400px;
}
#content12 h1 {
  font-size: 80px;
  text-align: center;
  color: white;
```

```
}
#content121 {
  display: block;
  text-align: center;
  margin-left: 100px;
  width: 300px;
  height: 50px;
  border: 3px solid white;
  padding-top: 10px;
  float: left;
}
#content122 {
  display: block;
  margin-right: 200px;
  text-align: center;
  width: 200px;
  height: 50px;
  border: 3px solid white;
  padding: 10px;
  float: right;
}
#content121 a,
#content122 a {
  text-decoration: none;
  color: white;
}
#content121:hover,
#content122:hover {
  background-color: rgb(3, 4, 4);
}
#content21 {
  background-color: rgb(117, 102, 102);
  width: 25%;
  height: 400px;
  display: inline-block;
}
#content22 {
  background-color: rgb(90, 83, 83);
  width: 25%;
  height: 400px;
  display: inline-block;
```

```
#content23 {
  background-color: green;
  width: 25%;
  height: 400px;
  display: inline-block;
}
#content24 {
  background-color: blue;
  width: 25%;
  height: 400px;
  display: block;
h1#quoto {
  display: block;
  font-size: 40px;
  margin: 10px 0px 10px 10%;
  border-bottom: 10px solid rgba(128, 128, 128, 0.733);
  width: 100px;
}
#content3 {
  background-color: rgba(128, 128, 128, 0.733);
  display: block;
  width: 80%;
  margin-left: 10%;
  margin-right: 10%;
  height: 560px;
  margin-top: 20px;
  margin-right: 20px;
}
#content31,
#content32,
#content33 {
  display: block;
  width: 80%;
  margin-left: 10%;
  margin-right: 10%;
  height: 180px;
}
h1#first {
  font-size: 30px;
  margin-top: 10px;
  margin-left: 0px;
  margin-right: 0px;
```

```
margin-bottom: 10px;
  padding: 0px;
}
h1#second {
  font-size: 30px;
  margin-top: 10px;
  margin-left: 15%;
  margin-right: 0px;
  margin-bottom: 10px;
  padding: 0px;
}
h1#third {
  font-size: 40px;
  margin-top: 10px;
  margin-left: 50%;
  margin-right: 0px;
  margin-bottom: 10px;
  padding: 0px;
}
#hr {
  display: block;
  margin-top: 5px;
  width: 100%;
  height: 10px;
  border-bottom: 8px solid grey;
}
.column {
  float: left;
  width: 33.33%;
  height: 500px;
}
.row {
  margin-top: 10px;
  background-color: rgb(76, 3, 144);
  opacity: 0.8;
}
.row:after {
  content: "";
  display: table;
  clear: both;
}
```

```
.end {
  content: "";
  display: table;
  height: 70px;
  width: 100%;
  background-color: rgb(5, 240, 5);
}
h1#one {
  text-align: center;
  color: black;
  margin: 0;
  padding: 0;
  font-size: 30px;
}
h2#two {
  text-align: center;
  color: rgb(76, 3, 144);
  margin: 0;
  padding: 0;
  font-size: 25px;
}
h3#three {
  text-align: center;
  color: black;
  margin: 0;
padding: 0;
  font-size: 20px;
a#hyper:link {
  text-decoration: none;
  color: white;
  font-size: 30px;
  padding-left: 140px;
}
a#hyper:visited {
  color: white;
a#hyper:hover {
  color: black;
}
p#paragraph {
```

```
color: white;
  font-size: 25px;
  margin: 0;
  padding: 0;
}
p#paragraph1 {
  color: white;
  font-size: 25px;
  margin: 0;
  padding: 0px 0px 0px 50px;
.container {
       display: flex;
       flex-wrap: wrap;
       justify-content: center;
       align-items: center;
       margin: 20px;
  background-color:violet;
}
.box {
  background-color: #f1f1f1;
       color: #333;
       padding: 20px;
       margin: 20px;
       width: 300px;
       text-align: center;
       box-shadow: 10px 9px 5px rgba(0, 0, 0, 0.3);
       border-radius: 5px;
       transition: box-shadow 0.3s ease-in-out;
  border-radius: 2rem 2rem 2rem 2em;
}
.box:hover {
       box-shadow: 0.010px rgba(0, 0, 0, 0.4);
}
Student Registration:
<?php
include 'config.php';
if(isset($_POST['submit']))
 $name = mysqli_real_escape_string($conn, $_POST['name']);
 $email = mysqli_real_escape_string($conn, $_POST['email']);
 $phno = mysqli_real_escape_string($conn,$_POST['phno']);
```

```
$caste= mysqli real escape string($conn,$ POST['caste']);
 $pass = mysqli_real_escape_string($conn, $_POST['password']);
 $cpass = mysqli_real_escape_string($conn, $_POST['cpassword']);
 $filename = $_FILES['uploadfile']['name'];
 $filename_temp=$_FILES['uploadfile']['tmp_name'];
 ///$tempname = $_FILES["uploadfile"]["tmp_name"];
 $folder = "images/";
 //$db = mysqli_connect("localhost", "root", "", "db");
 /* $image = $_FILES['image']['name'];
 $image_size = $_FILES['image']['size'];
 $image_tmp_name = $_FILES['image']['tmp_name'];
 $image_folder = 'uploaded_img/'.$image;*/
 $select = mysqli_query($conn, "SELECT * FROM `user_form` WHERE email = '$email'
AND password = '$pass' ") or die('query failed');
 if(mysqli num rows(\$select) > 0){
   $message[] = 'user already exist';
  }else{
   if($pass != $cpass){
     $message[] = 'confirm password not matched!';
   } else{
     if($pass != $cpass){
       $message[] = 'confirm password not matched!';
     }/*elseif(simage size > 2000000){}
       $message[] = 'image size is too large!';
     }*/else{
       $insert = mysqli_query($conn, "INSERT INTO `user_form`(name, email,
password,phno,caste,image) VALUES('$name', '$email', '$pass', '$phno', '$caste', '$filename')")
or die('query failed');
      if($insert){
         //move_uploaded_file($image_tmp_name, $image_folder);
         $message[] = 'registered successfully!';
         header('location:login.php');
       }else{
         $message[] = 'registeration failed!';
     }
   }
 }
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>Student Registration</title>
 k rel="stylesheet" href="css/Student Registration.css">
 <script defer src="js/Student Registration.js"></script>
 <style>
   img{
     height:830px;
     width:1160px;
     position:relative;
     padding:10px 20px 10px 10px;
   </style>
</head>
<body>
<div>
<div class="form-container">
 <form action="" method="post" onclick="return validate()" enctype="multipart/form-data">
   <h3>Register Now</h3>
   <input type="text" name="name" placeholder="Enter Username" class="box"</pre>
id="username" >
   <div id="error"></div>
   <input type="email" name="email" placeholder="Enter Email" class="box" id="email">
   <div id="error1"></div>
   <input type="text" name="phno" placeholder="Enter Phonenumer" class="box" id="phno">
   <div id="error2"></div>
   <input type="text" name="address" placeholder="Enter Address" class="box" id="address">
   <div id="error3"></div>
   <input type="text" name="caste" placeholder="Enter Caste" class="box" id="caste">
   <div id="error4"></div>
   <input type="password" name="password" placeholder="Enter Password" class="box"</pre>
id="password">
   <div id="error5"></div>
   <input type="password" name="cpassword" placeholder="Enter Confirm Password"</pre>
class="box" id="cpassword">
   <div id="error6"></div>
   <input type="file" name="uploadfile" class="box" accept="image/jpg, image/jpeg,</pre>
image/png">
   <input type="submit" name="submit" value="Register Now" class="btn">
 </form>
 Already have an account? <a href="login.php">Login Now</a>
</div>
<div id="form-image">
```

```
<img src="Student.jpg">
</div>
</div>
</body>
</html>
Student Login:
<?php
include 'config.php';
session_start();
if(isset($_POST['submit'])){
 $email = mysqli_real_escape_string($conn, $_POST['email']);
 $pass = mysqli_real_escape_string($conn, ($_POST['password']));
 $select = mysqli_query($conn, "SELECT * FROM `user_form` WHERE email = '$email'
AND password = '$pass'") or die('query failed');
 if(mysqli num rows(\$select) > 0){
   $row = mysqli_fetch_assoc($select);
   SESSION['user_id'] = row['id'];
   header('location:retrive.php');
  }else{
   $message[] = 'incorrect email or password!';
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>login</title>
 <link rel="stylesheet" href="css/Student Registration.css">
 <style>
   img{
     height:830px;
     width:1160px;
     position:relative;
     padding:10px 20px 10px 10px;
 </style>
</head>
<body>
<div class="form-container">
 <form action="" method="post" enctype="multipart/form-data">
   <h3>Login Now</h3>
   <?php
   if(isset($message)){
     foreach($message as $message){
```

```
echo '<div class="message">'.$message.'</div>';
     }
   }
   ?>
   <input type="email" name="email" placeholder="Enter email" class="box" required>
   <input type="password" name="password" placeholder="Enter password" class="box"</pre>
required>
   <input type="submit" name="submit" value="Login Now" class="btn">
   Don't have an account?<a href="register1.php">Regiser Now</a>
</div>
<div id="form-image">
 <img src="Student.jpg">
</div>
</body>
</html>
StudentHome:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  link href="https://cdnjs.cloudflare.com/ajax/libs/font-awesome/5.13.0/css/all.min.css"
rel="stylesheet">
  <link rel="stylesheet" href="homestyle.css">
  <style>
   @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;600&displa
y=swap');
  * {
       font-family: 'Poppins', sans-serif;
       box-sizing: border-box;
    body {
       margin: 0;
       padding: 0;
      font-family: 'Poppins', sans-serif;
       font-size: 20px;
    #navi {
       display: block;
       width: 100%;
      height: 80px;
       background-color:white;
```

```
#icon {
  width: 30%;
  height: 100px;
  background-image: url(SRKR.png);
  background-position:center;
  background-repeat: no-repeat;
  background-size:auto;
  float: left;
    ul {
       list-style-type: none;
    li {
       float: right;
       width: 180px;
       height: 60px;
       color: black;
       margin-top: 20px;
       margin-bottom: 20px;
       font-size: 30px;
       padding: 0;
       text-align: center;
    li a {
       text-decoration: none;
       color: black;
       text-align: center;
    li a:hover,
    a:active {
       color: purple;
  .row {
    display: flex;
    padding:30px;
    flex-wrap:wrap;
    width:100%;
    height:450px;
.column {
  display:flex;
  flex-wrap:wrap;
  width:400px;
  height:550px;
  margin:50px 50px 50px 65px;
  box-shadow:0 0 10px 5px whitesmoke;
```

```
color:white;
}
.card {
  display:flex;
  box-shadow: 0 4px 8px 0 rgba(0,0,0,0.2);
  transition: 0.3s;
  width:400px;
  flex-direction:row;
  height:320px;
  background-repeat:no-repeat;
  background-size:cover;
}
.card:hover {
 box-shadow: 0 8px 16px 0 rgba(0,0,0,0.2);
.container {
  display:flex;
  flex-direction:column;
  width:400px;
  height:130px;
}
.container b
 margin:0;
padding:0;
.slideshow {
 position: relative;
 height: 500px;
 width:100%;
 overflow: hidden;
.slideshow img {
 position: absolute;
 top: 0;
 left: 0;
 height: 100%;
 width: 100%;
 opacity: 0;
 transition: opacity 2s ease-in-out;
.slideshow img:first-child {
 opacity: 1;
}
@keyframes slideshow {
```

```
0% {
  opacity: 0;
 20% {
  opacity: 1;
 33.33% {
  opacity: 1;
 53.33% {
  opacity: 0;
 100% {
  opacity: 0;
 }
}
.slideshow img:nth-child(2) {
 animation: slideshow 5s infinite;
}
.slideshow img:nth-child(3) {
 animation: slideshow 5s infinite;
 animation-delay: 2.5s;
.search-container {
 display: flex;
 justify-content: center;
 align-items: center;
 background-color: transparent;
.search-container form {
 display: flex;
 align-items: center;
 background-color: rgba(255, 255, 255, 0.2);
 border-radius: 25px;
 padding: 5px;
.search-container input[type="text"] {
 background-color: transparent;
 border: none;
 outline: none;
 font-size: 16px;
 color: #fff;
 padding: 10px;
 width: 500px;
.search-container button {
```

```
background-color: transparent;
 border: none;
 outline: none;
 color: #fff;
 font-size: 16px;
 padding: 10px;
 cursor: pointer;
 transition: all 0.3s ease;
.search-container button:hover {
 color: #000;
 background-color: #fff;
}
.button{
  text-align:center;
  background-color:green;
  border:none;
  width:150px;
  height:50px;
  color:white;
  font-size:20px;
}
</style>
</head>
<body>
<div id="navi">
    <div id="icon">
    </div>
    <div id="navbar">
       \langle ul \rangle
         <a href="login.php?logout=">Logout</a>
         <a href="update_profile.php">MyProfile</a>
         <a href="History.php">History</a>
         <a href="retrive.php">Home</a>
       </div>
</div>
  <div class="slideshow">
       <img src="back.jpg">
       <img src="back2.jpg">
       <img src="back2.jpg">
  </div>
  <div class="search-container">
 <form action="searchbar.php" method="post">
  <input type="text" name="bookname" placeholder="Search Books......">
```

```
<button type="submit"><i class="fa fa-search"></i></button>
 </form>
</div>
  <?php
    $servername = "localhost";
    $username = "root";
    $password = "";
    $dbname = "books";
    $conn = mysqli_connect($servername, $username, $password, $dbname);
    $query="select * from addbook";
    $query_run=mysqli_query($conn,$query);
  if(mysqli_num_rows($query_run)>0)
    ?>
  <div class="row">
    <?php
       while($row=mysqli_fetch_assoc($query_run))
       {
         ?>
           <div class="column">
             <?php
             $img='images/'.$row['filename'].";
             <div class="card" style="background-image:url(<?=$img?>);">
             </div>
             <div class="container">
                <b>Book Name:<?php echo $row['bookname']?></b></h4>
                <b>Author:<?php echo $row['bookauthor']?></b>
                <b>No Of Copies:<?php echo $row['copies']?></b>
                <b><center><button class="button">Available</button></center></b>
             </div>
           </div>
         <?php
     }
    ?>
  </div>
    <?php
  }
  else{
    echo "No record found";
  }?>
</body>
</html>
BooksHistory:
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
```

```
<meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Document</title>
  <style>
  @import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;600&displa
y=swap');
* {
  font-family: 'Poppins', sans-serif;
  margin: 0;
  padding: 0;
  box-sizing: border-box;
  text-decoration: none;
}
th{
 padding:10px 30px 20px 10px
table{
 width:80%;
 height:auto;
 text-align:center;
 background-color:white;
tr:nth-child(odd) {background-color: #f2f2f2;}
td{
 text-align:center;
 color:blue;
 padding:10px 20px 20px;
th,td{
border-bottom: 1px solid #ddd;
h1{
 text-align:center;
body{
 background: linear-gradient(to right, #0f2027, #203a43, #2c5364);
    </style>
</head>
<body>
  <h1>Books History</h1>
  <br/>br>
  <br>
</body>
</html>
<?php
```

```
$servername = "localhost";
$username = "root";
 $password = "";
 $dbname = "books";
 $conn = mysqli_connect($servername, $username, $password, $dbname);
 <center>
Book ID
    Book_Name
    Book Author
    Taken Date
    Return Date
<?php
 $query="select * from history";
 $query_run=mysqli_query($conn,$query);
 if(mysqli_num_rows($query_run)>0)
 ?>
 <?php
    while($row=mysqli_fetch_assoc($query_run))
    ?>
    <?php echo $row['book_id']?>
     <?php echo $row['book_name']?>
      <?php echo $row['book_author']?>
      <?php echo $row['issue_date']?>
     <?php echo $row['status']?>
    <?php
 ?>
 </center>
</div>
 <?php
}
else{
 echo "No record found";
}?>
updateProfile:
<?php
include 'config.php';
session_start();
$user_id = $_SESSION['user_id'];
if(isset($_POST['update_profile'])){
```

```
$update_name = mysqli_real_escape_string($conn, $_POST['update_name']);
 $update_email = mysqli_real_escape_string($conn, $_POST['update_email']);
 mysqli_query($conn, "UPDATE `user_form` SET name = '$update_name', email =
'$update_email' WHERE id = '$user_id''') or die('query failed');
 $old_pass = $_POST['old_pass'];
 $update_pass = mysqli_real_escape_string($conn,$_POST['update_pass']);
 $new_pass = mysqli_real_escape_string($conn,$_POST['new_pass']);
 $confirm_pass = mysqli_real_escape_string($conn,$_POST['confirm_pass']);
 if(!empty($update pass) || !empty($new pass) || !empty($confirm pass)){
   if($update_pass != $old_pass){
     $message[] = 'old password not matched!';
   }elseif($new_pass != $confirm_pass){
     $message[] = 'confirm password not matched!';
   }else{
     mysqli_query($conn, "UPDATE `user_form` SET password = '$confirm_pass' WHERE id
= '$user id''') or die('query failed');
     $message[] = 'password updated successfully!';
   }
 $update_image = $_FILES['update_image']['name'];
 $update image size = $ FILES['update image']['size'];
 $update_image_tmp_name = $_FILES['update_image']['tmp_name'];
 $update_image_folder = 'uploaded_img/'.$update_image;
 if(!empty($update image)){
   if(\sup_{i=1}^{n} \frac{1}{2000000})
     $message[] = 'image is too large';
   }else{
     $\simage update query = mysqli query(\$conn, "UPDATE \user form\ SET image =
'$update_image' WHERE id = '$user_id''') or die('query failed');
     if($image update query){
       move_uploaded_file($update_image_tmp_name, $update_image_folder);
     $message[] = 'image updated succssfully!';
}
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-scale=1.0">
 <title>update profile</title>
 <!-- custom css file link -->
 <link rel="stylesheet" href="css/style.css">
</head>
<body>
```

```
<div class="update-profile">
 <?php
   $select = mysqli_query($conn, "SELECT * FROM `user_form` WHERE id = '$user_id''') or
die('query failed');
   if(mysqli\_num\_rows(\$select) > 0)
     $fetch = mysqli_fetch_assoc($select);
 ?>
 <form action="" method="post" enctype="multipart/form-data">
   <?php
     if($fetch['image'] == "){
       echo '<img src="images/default-avatar.png">';
     }else{
       echo '<img src="images/'.$fetch['image'].'">';
     if(isset($message)){
       foreach($message as $message){
        echo '<div class="message">'.$message.'</div>';
     }
   ?>
   <div class="flex">
     <div class="inputBox">
       <span>username :</span>
       <input type="text" name="update name" value="<?php echo $fetch['name']; ?>"
class="box">
       <span>your email :</span>
       <input type="email" name="update_email" value="<?php echo $fetch['email']; ?>"
class="box">
       <span>update your pic :</span>
       <input type="file" name="update_image" accept="image/jpg, image/jpeg, image/png"</pre>
class="box">
     </div>
     <div class="inputBox">
       <input type="hidden" name="old pass" value="<?php echo $fetch['password']; ?>">
       <span>old password :</span>
       <input type="password" name="update_pass" placeholder="enter previous password"</pre>
class="box">
       <span>new password :</span>
       <input type="password" name="new_pass" placeholder="enter new password"</pre>
class="box">
       <span>confirm password :</span>
       <input type="password" name="confirm pass" placeholder="confirm new password"</pre>
class="box">
     </div>
     <div class="inputBox">
       <span>Number of Books :</span>
```

```
<input type="text" name="noofbooks" placeholder="" value="" class="box" disabled>
       <span>Barrowed:</span>
       <input type="text" name="Barrow" placeholder=" " class="box" disabled>
       <span>Returned:</span>
       <input type="text" name="returned" placeholder="" class="box" disabled>
     </div>
   </div>
   <input type="submit" value="update profile" name="update_profile" class="btn">
   <a href="home.php" class="delete-btn">go back</a>
 </form>
</div>
</body>
</html>
#css:
@import
url('https://fonts.googleapis.com/css2?family=Poppins:wght@100;200;300;400;500;600&displa
y=swap');
  box-sizing: border-box;
body {
  margin: 0;
  padding: 0;
  font-family: 'Poppins', sans-serif;
  font-size: 20px;
#herosection {
  display: flex;
  flex-wrap: wrap;
  flex-basis: 100%;
  flex-shrink: 10%;
  flex-grow: 10%;
  flex-direction: row;
  width: 100%;
  height: 700px;
}
#navigation {
  width: 100%;
  height: 100px;
}
#logo {
  width: 30%;
  height: 100px;
  background-image: url(SRKR.png);
  background-position: center;
  background-repeat: no-repeat;
```

```
float: left;
}
#navbar {
  width: 70%;
  height: 100px;
  float: right;
  font-size: 25px;
ul {
  list-style-type: none;
li {
  float: right;
  width: 190px;
  height: 60px;
  color: black;
}
li a {
  text-decoration: none;
  color: black;
  text-align: center;
}
li a:hover,
a:active {
  background-color: rgb(76, 3, 144);
  color: white;
  border-radius: 4px;
}
li a:link,
a:visited {
  color: rgb(60, 18, 92);
  padding: 14px 25px;
  display: inline-block;
#content1 {
  position: relative;
  background-image: url(content11.jpg);
  background-repeat: no-repeat;
  background-size: cover;
  width: 100%;
```

```
height: 600px;
}
#content11 {
  position: absolute;
  background-color: black;
  width: 100%;
  height: 600px;
  opacity: 0.6;
}
#content12 {
  position: absolute;
  margin-top: 100px;
  margin-bottom: 100px;
  margin-left: 200px;
  margin-right: 200px;
  width: 1150px;
  height: 400px;
}
#content12 h1 {
  font-size: 80px;
  text-align: center;
  color: white;
}
#content121 {
  display: block;
  text-align: center;
  margin-left: 100px;
  width: 300px;
  height: 50px;
  border: 3px solid white;
  padding-top: 10px;
  float: left;
}
#content122 {
  display: block;
  margin-right: 200px;
  text-align: center;
  width: 200px;
  height: 50px;
  border: 3px solid white;
  padding: 10px;
  float: right;
```


```
#content121 a,
#content122 a {
  text-decoration: none;
  color: white;
}
#content121:hover,
#content122:hover {
  background-color: rgb(3, 4, 4);
}
#content21 {
  background-color: rgb(117, 102, 102);
  width: 25%;
  height: 400px;
  display: inline-block;
#content22 {
  background-color: rgb(90, 83, 83);
  width: 25%;
  height: 400px;
  display: inline-block;
}
#content23 {
  background-color: green;
  width: 25%;
  height: 400px;
  display: inline-block;
}
#content24 {
  background-color: blue;
  width: 25%;
  height: 400px;
  display: block;
}
h1#quoto {
  display: block;
  font-size: 40px;
  margin: 10px 0px 10px 10%;
  border-bottom: 10px solid rgba(128, 128, 128, 0.733);
  width: 100px;
}
#content3 {
```


```
background-color: rgba(128, 128, 128, 0.733);
  display: block;
  width: 80%;
  margin-left: 10%;
  margin-right: 10%;
  height: 560px;
  margin-top: 20px;
  margin-right: 20px;
#content31,
#content32,
#content33 {
  display: block;
  width: 80%;
  margin-left: 10%;
  margin-right: 10%;
  height: 180px;
}
h1#first {
  font-size: 30px;
  margin-top: 10px;
  margin-left: 0px;
  margin-right: 0px;
  margin-bottom: 10px;
  padding: 0px;
h1#second {
  font-size: 30px;
  margin-top: 10px;
  margin-left: 15%;
  margin-right: 0px;
  margin-bottom: 10px;
  padding: 0px;
}
h1#third {
  font-size: 40px;
  margin-top: 10px;
  margin-left: 50%;
  margin-right: 0px;
  margin-bottom: 10px;
  padding: 0px;
}
#hr {
  display: block;
  margin-top: 5px;
```

```
width: 100%;
  height: 10px;
  border-bottom: 8px solid grey;
.column {
  float: left;
  width: 33.33%;
  height: 500px;
}
.row {
  margin-top: 10px;
  background-color: rgb(76, 3, 144);
  opacity: 0.8;
}
.row:after {
  content: "";
  display: table;
  clear: both;
}
.end {
  content: "";
  display: table;
  height: 70px;
  width: 100%;
  background-color: rgb(5, 240, 5);
}
h1#one {
  text-align: center;
  color: black;
  margin: 0;
  padding: 0;
  font-size: 30px;
}
h2#two {
  text-align: center;
  color: rgb(76, 3, 144);
  margin: 0;
  padding: 0;
  font-size: 25px;
}
h3#three {
  text-align: center;
  color: black;
  margin: 0;
```

```
padding: 0;
  font-size: 20px;}
a#hyper:link {
  text-decoration: none;
  color: white;
  font-size: 30px;
  padding-left: 140px;
}
a#hyper:visited {
  color: white;
}
a#hyper:hover {
  color: black;
p#paragraph {
  color: white;
  font-size: 25px;
  margin: 0;
  padding: 0;
p#paragraph1 {
  color: white;
  font-size: 25px;
  margin: 0;
  padding: 0px 0px 0px 50px;
.container {
       display: flex;
       flex-wrap: wrap;
       justify-content: center;
       align-items: center;
       margin: 20px;
  background-color:violet;
}
.box {
  background-color: #f1f1f1;
       color: #333;
       padding: 20px;
       margin: 20px;
       width: 300px;
       text-align: center;
       box-shadow: 10px 9px 5px rgba(0, 0, 0, 0.3);
       border-radius: 5px;
  transition: box-shadow 0.3s ease-in-out;
  border-radius: 2rem 2rem 2rem 2em;
.box:hover {
       box-shadow: 0 0 10px rgba(0, 0, 0, 0.4);
}
```

DataBase:






bookname	category	bookid	bookauthor	copies	filename
The Art Of War	Art and Humanities	1	Thomas	20	Art.jpeg
Bow Procleain	Art and Humanities	2	David RedStone	30	Art1.jpg
French History	Art and Humanities	3	Oxford University	22	Art2.jfif
Practices Of Humanities	Art and Humanities	4	Jennifier	22	Art3.jpg
mathematics in Humanities	Art and Humanities	5	Marcel Dansei	20	Art4.jpeg
Abstract Machine	Art and Humanities	6	Charles B.Trees	20	Art6.jpeg
The Art Of Freedom	Art and Humanities	7	Earl Shorris	10	Art7.jpg
Art History	Art and Humanities	8	Brown	16	Art9.jpg
Partrnoage, art in society	Art and Humanities	9	Patrica Semons	15	Art10.jpg
Unflattening	Art and Humanities	10	Nick Sousains	16	Art11.png
Humanities and Social Sciences	Art and Humanities	11	Jarcanda	15	Art12.jpeg
Super Coach	Career Development	12	Michael Neill	30	career.png
Awaken The Giant Wiithin	Career Development	13	Tony Robbins	30	career1.jpg
Best Self Be You	Career Development	14	Phil Mc Graw	30	career2.jpg
What Anyone Can Do	Career Development	15	Leo Bottary	30	career3.jpg
Personal Development	Career Development	16	Tony Roberts	30	career4.jpg
Magic Of Thinking Big	Career Development	17	David.Schwartz	30	career5.jpg
What Color is Your Parachute	Career Development	18	Richard N.Bolles	30	career6.jpeg
The Squiggly Carerer	Career Development	19	Helen Tupper	30	career7.jpg
Build Life	Career Development	20	Charley	30	career8.jpg
Career Development	Career Development	21	Charley Darcve	30	career9.jpg
2-Min Pep Talks	Career Development	22	Niklas Goke	30	career10.jpg
Career Mastery	Career Development	23	Shubam Shukla	25	career11.jpg
Pedagogy of Science	History	24	Aaheli publishers	25	History.jpg
Methodology Of History	History	25	Jomon Mathew	25	History1.jpg
Empires and Conquests	History	26	Romila Ramdeen	25	History2.jpg
Forging Political Identity	History	27	Keith mann	25	History3.jpg
Economics For Life	History	28	Donald T.Wargo	25	History4.jpg
Journal Of Chemical Reactor	History	29	Gruyter	25	History5.jpeg
Mind Wars	History	30	LArry Flaxman	25	History6.jpg
Writing The History Of Mind	History	31	Cristina Chimisso	25	History7.jpg
Learning on the Shop floor	History	32	L.Kaplan	25	History8.jpeg
Social Psychology	History	33	Gustav Jahoda	25	History9.jpg
Religious Tolerance	History	34	Arvind Sharma	25	History10.jpeg
Machines And Mechanisms	History	35	Springer	25	History11.jpeg
History of Social Psychology	History	36	Wolfgang Stroebe	25	History12.jpg
Intro to Recreation	Leisure	37	Human Kinetics	25	Leisure.jpg
The Leisure Hour	Leisure	38	William Miller	25	Leisure1.jpg
Recreation and Leisure	Leisure	39	Nash Jb	25	Leisure2.jpg
The Discipline of Leisure	Leisure	40	Tamara Kohn	25	Leisure3.jpg
Concepts in Recreation	Leisure	41	L.J.Smith	25	Leisure4.jpg
Job Search process	Leisure	42	Craig M.Ross	25	Leisure5.jpg
Water-Based Tourism	Leisure	43	Gayle Jennings	25	Leisure6.jpeg
Tourism	Leisure	44	Goddard John	25	Leisure6.jpeg
Leisure, Recreation	Leisure	45	Goddard John.B	10	Leisure7.jpg

5.SCREENSHOTS


Home page:




Admin Login:




Admin DashBoard:




IssueBook:



UpdateBook:



AddBook:



About Us:




ABOUT US

A library management system is software that is designed to manage all the functions of a library. It helps librarian to maintain the database of new books and the books that are borrowed by members along with their due dates. The best way to maintain, organize, and handle countless books systematically is to implement a library management system software.


Contact Us




Student Registration:




Student Login:



StudentHomePage:



BooksHistory:



Update Profile:

