#### **ASSIGNMENT-4**

MARRI SATHVIKA Al21BTECH11020

24th May,2022

# **QUESTION**

#### **EXAMPLE 2-13(papoulis chapter):**

A box contains white and black balls. When two balls are drawn without replacement, suppose the probability that both are white is 1/3. (a) Find the smallest number of balls in the box.

(b) How small can the total number of balls be if black balls are even in number?

## **SOLUTION**

(a) Let a and b denote the number of white and black balls in the box, and Wk the event.

Wk = "a white ball is drawn at the kth draw."

We are given that P(WI n W2) = 1/3. But,

$$P((W_1)(W_2)) = P((W_2)(W_1)) = P(W_2|W_1)P(W_1)$$
 (1)

$$= (\frac{a-1}{a+b-1}).(\frac{a}{a+b}) = \frac{1}{3}$$
 (2)

Because,  $\left(\frac{a}{a+b}\right) > \left(\frac{a-1}{a+b-1}\right)$ ; b > 0

## **SOLUTION**

we can rewrite (2) as;  $(\frac{a-1}{a+b-1})^2 < (\frac{1}{3}) < (\frac{a}{a+b})^2$ This gives the inequalities

$$[(\sqrt{3}+1)b/2] < [a] < [1+(\sqrt{3}+1)b/2]$$
(3)

For b=1, this gives 1.36 < a < 2.36, or a=2, and we get

$$P((W_1)(W_2)) = \frac{2}{3} \cdot \frac{1}{2} = \frac{1}{3}$$

Thus the smallest number of balls required is 3.

## **SOLUTION**

b	a from(2)	$P(W_1W_2)$
2	3	$\frac{3}{4} \cdot \frac{2}{4} = \frac{3}{10} \neq \frac{1}{3}$
4	6	$\frac{6}{10} \cdot \frac{5}{9} = \frac{1}{3}$

Table-1

(b) For even value of b, we can use (2) with  $b=2,\,4,\,...$  as shown in Table-1. From the table, when b is even, 10 is the smallest number of balls (a = 6, b = 4) that gives the desired probability.