## The SAS System

### The FREQ Procedure

| POVLL | POVLL_2CAT | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|---|---|---|---|---|
| 1 | 1 | 1905 | 18.36 | 1905 | 18.36 |
| 2 | 1 | 1847 | 17.80 | 3752 | 36.17 |
| 3 | 2 | 1476 | 14.23 | 5228 | 50.40 |
| 4 | 2 | 5146 | 49.60 | 10374 | 100.00 |

| RACEDF_P1 | RACEDF_4cat | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|---|---|---|---|---|
| 1 | 3 | 4670 | 45.02 | 4670 | 45.02 |
| 2 | 4 | 39 | 0.38 | 4709 | 45.39 |
| 3 | 4 | 53 | 0.51 | 4762 | 45.90 |
| 4 | 4 | 1931 | 18.61 | 6693 | 64.52 |
| 5 | 2 | 316 | 3.05 | 7009 | 67.56 |
| 6 | 1 | 2819 | 27.17 | 9828 | 94.74 |
| 8 | 4 | 546 | 5.26 | 10374 | 100.00 |

| AHEDC_P1 | AHEDC_3cat | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|---|---|---|---|---|
| 1 | 1 | 77 | 0.74 | 77 | 0.74 |
| 2 | 1 | 178 | 1.72 | 255 | 2.46 |
| 3 | 1 | 1962 | 18.91 | 2217 | 21.37 |
| 4 | 2 | 2231 | 21.51 | 4448 | 42.88 |
| 5 | 2 | 307 | 2.96 | 4755 | 45.84 |
| 6 | 2 | 680 | 6.55 | 5435 | 52.39 |
| 7 | 3 | 3606 | 34.76 | 9041 | 87.15 |
| 8 | 3 | 1046 | 10.08 | 10087 | 97.23 |
| 9 | 3 | 287 | 2.77 | 10374 | 100.00 |

| ACE_A | ACE_3cat | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|---|---|---|---|---|
| 1 | 1 | 2674 | 25.78 | 2674 | 25.78 |
| 2 | 2 | 2015 | 19.42 | 4689 | 45.20 |
| 3 | 2 | 1613 | 15.55 | 6302 | 60.75 |
| 4 | 2 | 1277 | 12.31 | 7579 | 73.06 |
| 5 | 3 | 2795 | 26.94 | 10374 | 100.00 |

| DSTRS30 | spd | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|---|---|---|---|---|
| 1 | 1 | 1760 | 16.97 | 1760 | 16.97 |
| 2 | 2 | 8614 | 83.03 | 10374 | 100.00 |

| OCCMAIN2 | occ_5cat | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|---|---|---|---|---|
| -9 | . | 6 | 0.06 | 6 | 0.06 |

| | | | | | |
|---|---|---|---|---|---|
| -8 | . | 2 | 0.02 | 8 | 0.08 |
| -7 | . | 6 | 0.06 | 14 | 0.13 |
| -1 | 5 | 3225 | 31.09 | 3239 | 31.22 |
| 1 | 1 | 761 | 7.34 | 4000 | 38.56 |
| 2 | 1 | 1139 | 10.98 | 5139 | 49.54 |
| 3 | 1 | 1015 | 9.78 | 6154 | 59.32 |
| 4 | 1 | 423 | 4.08 | 6577 | 63.40 |
| 5 | 2 | 1243 | 11.98 | 7820 | 75.38 |
| 6 | 3 | 565 | 5.45 | 8385 | 80.83 |
| 7 | 3 | 854 | 8.23 | 9239 | 89.06 |
| 8 | 4 | 58 | 0.56 | 9297 | 89.62 |
| 9 | 4 | 126 | 1.21 | 9423 | 90.83 |
| 10 | 4 | 91 | 0.88 | 9514 | 91.71 |
| 11 | 4 | 205 | 1.98 | 9719 | 93.69 |
| 12 | 4 | 310 | 2.99 | 10029 | 96.67 |
| 13 | 4 | 69 | 0.67 | 10098 | 97.34 |
| 14 | 5 | 80 | 0.77 | 10178 | 98.11 |
| 99 | . | 196 | 1.89 | 10374 | 100.00 |

| AC135_P1 | AC137_P1 | AC139_P1 | AC141_P1 | ESMKCUR | Noncigpro_recode | Frequency | Percent | Cumulative Frequency | Cumulative Percent |
|---|---|---|---|---|---|---|---|---|---|
| 1 | 1 | 1 | 1 | 1 | 1 | 967 | 9.32 | 967 | 9.32 |
| 1 | 1 | 1 | 1 | 2 | 2 | 9041 | 87.15 | 10008 | 96.47 |
| 1 | 1 | 1 | 2 | 1 | 1 | 39 | 0.38 | 10047 | 96.85 |
| 1 | 1 | 1 | 2 | 2 | 1 | 45 | 0.43 | 10092 | 97.28 |
| 1 | 1 | 1 | 3 | 1 | 1 | 2 | 0.02 | 10094 | 97.30 |
| 1 | 1 | 1 | 3 | 2 | 1 | 4 | 0.04 | 10098 | 97.34 |
| 1 | 1 | 2 | 1 | 1 | 1 | 18 | 0.17 | 10116 | 97.51 |
| 1 | 1 | 2 | 1 | 2 | 1 | 51 | 0.49 | 10167 | 98.00 |
| 1 | 1 | 2 | 2 | 2 | 1 | 3 | 0.03 | 10170 | 98.03 |
| 1 | 1 | 3 | 1 | 2 | 1 | 1 | 0.01 | 10171 | 98.04 |
| 1 | 1 | 3 | 2 | 1 | 1 | 1 | 0.01 | 10172 | 98.05 |
| 1 | 2 | 1 | 1 | 1 | 1 | 38 | 0.37 | 10210 | 98.42 |
| 1 | 2 | 1 | 1 | 2 | 1 | 34 | 0.33 | 10244 | 98.75 |
| 1 | 2 | 1 | 2 | 1 | 1 | 6 | 0.06 | 10250 | 98.80 |
| 1 | 2 | 1 | 2 | 2 | 1 | 3 | 0.03 | 10253 | 98.83 |
| 1 | 2 | 2 | 1 | 1 | 1 | 13 | 0.13 | 10266 | 98.96 |
| 1 | 2 | 2 | 1 | 2 | 1 | 17 | 0.16 | 10283 | 99.12 |
| 1 | 2 | 2 | 2 | 1 | 1 | 4 | 0.04 | 10287 | 99.16 |
| 1 | 2 | 2 | 2 | 2 | 1 | 2 | 0.02 | 10289 | 99.18 |
| 1 | 2 | 2 | 3 | 2 | 1 | 1 | 0.01 | 10290 | 99.19 |
| 1 | 3 | 1 | 1 | 1 | 1 | 2 | 0.02 | 10292 | 99.21 |
| 1 | 3 | 1 | 1 | 2 | 1 | 2 | 0.02 | 10294 | 99.23 |
| 1 | 3 | 2 | 1 | 2 | 1 | 2 | 0.02 | 10296 | 99.25 |

| | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|
| 2 | 1 | 1 | 1 | 1 | 1 | 19 | 0.18 | 10315 | 99.43 |
| 2 | 1 | 1 | 1 | 2 | 1 | 26 | 0.25 | 10341 | 99.68 |
| 2 | 1 | 1 | 2 | 2 | 1 | 1 | 0.01 | 10342 | 99.69 |
| 2 | 1 | 2 | 1 | 2 | 1 | 2 | 0.02 | 10344 | 99.71 |
| 2 | 2 | 1 | 1 | 1 | 1 | 5 | 0.05 | 10349 | 99.76 |
| 2 | 2 | 1 | 1 | 2 | 1 | 1 | 0.01 | 10350 | 99.77 |
| 2 | 2 | 2 | 1 | 1 | 1 | 3 | 0.03 | 10353 | 99.80 |
| 2 | 2 | 2 | 2 | 1 | 1 | 1 | 0.01 | 10354 | 99.81 |
| 2 | 2 | 2 | 2 | 2 | 1 | 1 | 0.01 | 10355 | 99.82 |
| 2 | 2 | 2 | 3 | 1 | 1 | 1 | 0.01 | 10356 | 99.83 |
| 3 | 1 | 1 | 1 | 1 | 1 | 3 | 0.03 | 10359 | 99.86 |
| 3 | 1 | 1 | 1 | 2 | 1 | 13 | 0.13 | 10372 | 99.98 |
| 3 | 1 | 3 | 1 | 2 | 1 | 1 | 0.01 | 10373 | 99.99 |
| 3 | 2 | 2 | 1 | 1 | 1 | 1 | 0.01 | 10374 | 100.00 |

Frequency | Table of year by Noncigpro_recode

| year(Survey year) | Noncigpro_recode(Non-cigarette nicotine product use incl. e-vape (1=Yes, 2=No)) 1 | 2 | Total |
|---|---|---|---|
| 2021 | 280 | 2160 | 2440 |
| 2022 | 235 | 1647 | 1882 |
| 2023 | 247 | 1616 | 1863 |
| 2024 | 326 | 1939 | 2265 |
| 2025 | 245 | 1679 | 1924 |
| Total | 1333 | 9041 | 10374 |

Frequency | Table of year by ACE_3cat

| year(Survey year) | ACE_3cat(Adverse childhood experiences) 1 | 2 | 3 | Total |
|---|---|---|---|---|
| 2021 | 660 | 1161 | 619 | 2440 |
| 2022 | 489 | 879 | 514 | 1882 |
| 2023 | 443 | 889 | 531 | 1863 |
| 2024 | 570 | 1060 | 635 | 2265 |
| 2025 | 512 | 916 | 496 | 1924 |
| Total | 2674 | 4905 | 2795 | 10374 |

Frequency | Table of year by spd

| year(Survey year) | spd(Serious psychological distress) 1 | 2 | Total |
|---|---|---|---|
| 2021 | 504 | 1936 | 2440 |
| 2022 | 381 | 1501 | 1882 |
| 2023 | 280 | 1583 | 1863 |
| 2024 | 319 | 1946 | 2265 |
| 2025 | 276 | 1648 | 1924 |

| | | | |
|---|---|---|---|
| **Total** | 1760 | 8614 | 10374 |

**Frequency**

**Table of year by POVLL_2CAT**

| year(Survey year) | POVLL_2CAT(Low-income status (1=<200%% FPL, 2=200%%+ FPL)) 1 | 2 | Total |
|---|---|---|---|
| **2021** | 847 | 1593 | 2440 |
| **2022** | 727 | 1155 | 1882 |
| **2023** | 656 | 1207 | 1863 |
| **2024** | 843 | 1422 | 2265 |
| **2025** | 679 | 1245 | 1924 |
| **Total** | 3752 | 6622 | 10374 |

## The SAS System

### The SURVEYFREQ Procedure

| Data Summary | |
|---|---|
| Number of Observations | 10374 |
| Sum of Weights | 6265603.6 |

| Variance Estimation | |
|---|---|
| Method | Jackknife |
| Replicate Weights | YA_RECODE |
| Number of Replicates | 400 |

| Non-cigarette nicotine product use incl. e-vape (1=Yes, 2=No) | | | |
|---|---|---|---|
| Noncigpro_recode | Frequency | Percent | Std Err of Percent |
| Yes | 1333 | 13.5887 | 0.3985 |
| No | 9041 | 86.4113 | 0.3985 |
| Total | 10374 | 100.0000 | |

| SELF-REPORTED AGE (PUF 1 YR RECODE) | | | |
|---|---|---|---|
| SRAGE_P1 | Frequency | Percent | Std Err of Percent |
| 18-25 | 6042 | 68.5049 | 0.2422 |
| 26-29 | 4332 | 31.4951 | 0.2422 |
| Total | 10374 | 100.0000 | |

| SELF-REPORTED GENDER | | | |
|---|---|---|---|
| SRSEX | Frequency | Percent | Std Err of Percent |
| Male | 4313 | 50.6031 | 0.1359 |
| Female | 6061 | 49.3969 | 0.1359 |
| Total | 10374 | 100.0000 | |

| Race/ethnicity | | | |
|---|---|---|---|
| RACEDF_4cat | Frequency | Percent | Std Err of Percent |
| NH White | 2819 | 25.0535 | 0.4020 |
| NH Black | 316 | 4.4730 | 0.2285 |
| Latino | 4670 | 48.8642 | 0.4516 |
| NH Other | 2569 | 21.6094 | 0.3698 |
| Total | 10374 | 100.0000 | |

| Education | | | |
|---|---|---|---|
| AHEDC_3cat | Frequency | Percent | Std Err of Percent |
| HS/GED or less | 2217 | 38.1042 | 0.4941 |
| Some college | 3218 | 26.2101 | 0.4607 |

| | | | |
|---|---|---|---|
| College or higher | 4939 | 35.6857 | 0.4415 |
| Total | 10374 | 100.0000 | |

| Adverse childhood experiences | | | |
|---|---|---|---|
| ACE_3cat | Frequency | Percent | Std Err of Percent |
| 0 ACEs | 2674 | 27.7695 | 0.4642 |
| 1-3 ACEs | 4905 | 47.5480 | 0.5274 |
| 4+ ACEs | 2795 | 24.6825 | 0.4604 |
| Total | 10374 | 100.0000 | |

| RURAL AND URBAN - CLARITAS (BY ZIPCODE) (2 LVLS) | | | |
|---|---|---|---|
| UR_CLRT2 | Frequency | Percent | Std Err of Percent |
| Urban | 9176 | 91.6194 | 0.2625 |
| Rural | 1198 | 8.3806 | 0.2625 |
| Total | 10374 | 100.0000 | |

| Occupation | | | |
|---|---|---|---|
| occ_5cat | Frequency | Percent | Std Err of Percent |
| Management/professional | 3338 | 25.6025 | 0.4256 |
| Service | 1243 | 13.1628 | 0.3589 |
| Sales/office | 1419 | 13.8804 | 0.3917 |
| Construction/production/transport | 859 | 10.4746 | 0.3311 |
| Not working | 3305 | 36.8797 | 0.5238 |
| Total | 10164 | 100.0000 | |
| Frequency Missing = 210 | | | |

| Serious psychological distress | | | |
|---|---|---|---|
| spd | Frequency | Percent | Std Err of Percent |
| Yes | 1760 | 16.5583 | 0.4042 |
| No | 8614 | 83.4417 | 0.4042 |
| Total | 10374 | 100.0000 | |

| Survey year | | | |
|---|---|---|---|
| year | Frequency | Percent | Std Err of Percent |
| 2021 | 2440 | 20.7429 | 0.0000 |
| 2022 | 1882 | 20.3398 | 0.0000 |
| 2023 | 1863 | 20.5525 | 0.0000 |
| 2024 | 2265 | 18.9740 | 0.0000 |
| 2025 | 1924 | 19.3909 | 0.0000 |
| Total | 10374 | 100.0000 | |

## The SAS System

### The SURVEYFREQ Procedure

| Data Summary | |
|---|---|
| Number of Observations | 10374 |
| Sum of Weights | 6265603.6 |

| Variance Estimation | |
|---|---|
| Method | Jackknife |
| Replicate Weights | YA_RECODE |
| Number of Replicates | 400 |

**Table of POVLL_2CAT by Noncigpro_recode**

| POVLL_2CAT | Noncigpro_recode | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | Yes | 497 | 5.1394 | 0.2489 | 13.1523 | 0.6123 |
| | No | 3255 | 33.9367 | 0.5159 | 86.8477 | 0.6123 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | Yes | 836 | 8.4493 | 0.3130 | 13.8685 | 0.4962 |
| | No | 5786 | 52.4747 | 0.5375 | 86.1315 | 0.4962 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | Yes | 1333 | 13.5887 | 0.3985 | | |
| | No | 9041 | 86.4113 | 0.3985 | | |
| | Total | 10374 | 100.0000 | | | |

**Table of POVLL_2CAT by SRAGE_P1**

| POVLL_2CAT | SRAGE_P1 | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | 18-25 | 2642 | 30.0395 | 0.4786 | 76.8745 | 0.6026 |
| | 26-29 | 1110 | 9.0366 | 0.2592 | 23.1255 | 0.6026 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | 18-25 | 3400 | 38.4654 | 0.5110 | 63.1368 | 0.4916 |
| | 26-29 | 3222 | 22.4585 | 0.3027 | 36.8632 | 0.4916 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | 18-25 | 6042 | 68.5049 | 0.2422 | | |
| | 26-29 | 4332 | 31.4951 | 0.2422 | | |
| | Total | 10374 | 100.0000 | | | |

**Table of POVLL_2CAT by SRSEX**

| POVLL_2CAT | SRSEX | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | Male | 1414 | 18.5103 | 0.4020 | 47.3699 | 0.6891 |
| | Female | 2338 | 20.5658 | 0.3452 | 52.6301 | 0.6891 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | Male | 2899 | 32.0928 | 0.4050 | 52.6768 | 0.4404 |
| | Female | 3723 | 28.8311 | 0.3467 | 47.3232 | 0.4404 |

| | | | | | | |
|---|---|---|---|---|---|---|
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | Male | 4313 | 50.6031 | 0.1359 | | |
| | Female | 6061 | 49.3969 | 0.1359 | | |
| | Total | 10374 | 100.0000 | | | |

**Table of POVLL_2CAT by RACEDF_4cat**

| POVLL_2CAT | RACEDF_4cat | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | NH White | 632 | 6.2221 | 0.2466 | 15.9231 | 0.5994 |
| | NH Black | 141 | 1.9156 | 0.1583 | 4.9023 | 0.4016 |
| | Latino | 2258 | 24.5188 | 0.4439 | 62.7463 | 0.7834 |
| | NH Other | 721 | 6.4195 | 0.2397 | 16.4283 | 0.5535 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | NH White | 2187 | 18.8314 | 0.3748 | 30.9097 | 0.5725 |
| | NH Black | 175 | 2.5574 | 0.1831 | 4.1976 | 0.2970 |
| | Latino | 2412 | 24.3454 | 0.4563 | 39.9603 | 0.6297 |
| | NH Other | 1848 | 15.1898 | 0.3440 | 24.9324 | 0.5379 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | NH White | 2819 | 25.0535 | 0.4020 | | |
| | NH Black | 316 | 4.4730 | 0.2285 | | |
| | Latino | 4670 | 48.8642 | 0.4516 | | |
| | NH Other | 2569 | 21.6094 | 0.3698 | | |
| | Total | 10374 | 100.0000 | | | |

**Table of POVLL_2CAT by AHEDC_3cat**

| POVLL_2CAT | AHEDC_3cat | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | HS/GED or less | 1273 | 20.3526 | 0.4527 | 52.0844 | 0.8568 |
| | Some college | 1473 | 11.3369 | 0.3276 | 29.0124 | 0.7723 |
| | College or higher | 1006 | 7.3866 | 0.2565 | 18.9032 | 0.6156 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | HS/GED or less | 944 | 17.7516 | 0.4806 | 29.1374 | 0.6768 |
| | Some college | 1745 | 14.8732 | 0.3562 | 24.4128 | 0.5621 |
| | College or higher | 3933 | 28.2991 | 0.4099 | 46.4499 | 0.6466 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | HS/GED or less | 2217 | 38.1042 | 0.4941 | | |
| | Some college | 3218 | 26.2101 | 0.4607 | | |
| | College or higher | 4939 | 35.6857 | 0.4415 | | |
| | Total | 10374 | 100.0000 | | | |

**Table of POVLL_2CAT by ACE_3cat**

| POVLL_2CAT | ACE_3cat | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | 0 ACEs | 931 | 10.4677 | 0.3360 | 26.7881 | 0.7642 |
| | 1-3 ACEs | 1645 | 17.3776 | 0.4211 | 44.4711 | 0.8466 |
| | 4+ ACEs | 1176 | 11.2308 | 0.3203 | 28.7409 | 0.7785 |

| | | | | | | |
|---|---|---|---|---|---|---|
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | 0 ACEs | 1743 | 17.3018 | 0.3866 | 28.3989 | 0.5958 |
| | 1-3 ACEs | 3260 | 30.1704 | 0.4898 | 49.5215 | 0.6693 |
| | 4+ ACEs | 1619 | 13.4517 | 0.3529 | 22.0796 | 0.5445 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | 0 ACEs | 2674 | 27.7695 | 0.4642 | | |
| | 1-3 ACEs | 4905 | 47.5480 | 0.5274 | | |
| | 4+ ACEs | 2795 | 24.6825 | 0.4604 | | |
| | Total | 10374 | 100.0000 | | | |

**Table of POVLL_2CAT by UR_CLRT2**

| POVLL_2CAT | UR_CLRT2 | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | Urban | 3228 | 35.2729 | 0.5254 | 90.2673 | 0.4673 |
| | Rural | 524 | 3.8032 | 0.1846 | 9.7327 | 0.4673 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | Urban | 5948 | 56.3465 | 0.5192 | 92.4866 | 0.3293 |
| | Rural | 674 | 4.5775 | 0.2059 | 7.5134 | 0.3293 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | Urban | 9176 | 91.6194 | 0.2625 | | |
| | Rural | 1198 | 8.3806 | 0.2625 | | |
| | Total | 10374 | 100.0000 | | | |

**Table of POVLL_2CAT by occ_5cat**

| POVLL_2CAT | occ_5cat | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
|---|---|---|---|---|---|---|
| 0-199% FPL | Management/professional | 596 | 5.0996 | 0.2112 | 13.0361 | 0.5245 |
| | Service | 555 | 6.0749 | 0.2622 | 15.5293 | 0.6256 |
| | Sales/office | 520 | 5.0555 | 0.2387 | 12.9232 | 0.5885 |
| | Construction/production/transport | 340 | 4.4568 | 0.2307 | 11.3929 | 0.5818 |
| | Not working | 1669 | 18.4324 | 0.4406 | 47.1185 | 0.8931 |
| | Total | 3680 | 39.1192 | 0.5232 | 100.0000 | |
| 200% OR ABOVE FPL | Management/professional | 2742 | 20.5029 | 0.3894 | 33.6771 | 0.6192 |
| | Service | 688 | 7.0878 | 0.2812 | 11.6422 | 0.4456 |
| | Sales/office | 899 | 8.8249 | 0.3098 | 14.4954 | 0.4896 |
| | Construction/production/transport | 519 | 6.0178 | 0.2649 | 9.8846 | 0.4251 |
| | Not working | 1636 | 18.4473 | 0.4339 | 30.3007 | 0.6426 |
| | Total | 6484 | 60.8808 | 0.5232 | 100.0000 | |
| Total | Management/professional | 3338 | 25.6025 | 0.4256 | | |
| | Service | 1243 | 13.1628 | 0.3589 | | |
| | Sales/office | 1419 | 13.8804 | 0.3917 | | |
| | Construction/production/transport | 859 | 10.4746 | 0.3311 | | |
| | Not working | 3305 | 36.8797 | 0.5238 | | |
| | Total | 10164 | 100.0000 | | | |

Frequency Missing = 210

| Table of POVLL_2CAT by spd | | | | | | |
|---|---|---|---|---|---|---|
| POVLL_2CAT | spd | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
| 0-199% FPL | Yes | 771 | 7.8170 | 0.2818 | 20.0045 | 0.6966 |
| | No | 2981 | 31.2591 | 0.5235 | 79.9955 | 0.6966 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | Yes | 989 | 8.7414 | 0.2973 | 14.3480 | 0.4874 |
| | No | 5633 | 52.1826 | 0.5693 | 85.6520 | 0.4874 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | Yes | 1760 | 16.5583 | 0.4042 | | |
| | No | 8614 | 83.4417 | 0.4042 | | |
| | Total | 10374 | 100.0000 | | | |

| Table of POVLL_2CAT by year | | | | | | |
|---|---|---|---|---|---|---|
| POVLL_2CAT | year | Frequency | Percent | Std Err of Percent | Row Percent | Std Err of Row Percent |
| 0-199% FPL | 2021 | 847 | 8.2613 | 0.1954 | 21.1417 | 0.4747 |
| | 2022 | 727 | 8.0694 | 0.2453 | 20.6504 | 0.5555 |
| | 2023 | 656 | 7.5752 | 0.2594 | 19.3857 | 0.5813 |
| | 2024 | 843 | 7.4388 | 0.2488 | 19.0366 | 0.5630 |
| | 2025 | 679 | 7.7315 | 0.2217 | 19.7856 | 0.5152 |
| | Total | 3752 | 39.0761 | 0.5260 | 100.0000 | |
| 200% OR ABOVE FPL | 2021 | 1593 | 12.4816 | 0.1954 | 20.4871 | 0.3032 |
| | 2022 | 1155 | 12.2704 | 0.2453 | 20.1406 | 0.3564 |
| | 2023 | 1207 | 12.9773 | 0.2594 | 21.3008 | 0.3712 |
| | 2024 | 1422 | 11.5352 | 0.2488 | 18.9338 | 0.3610 |
| | 2025 | 1245 | 11.6594 | 0.2217 | 19.1376 | 0.3302 |
| | Total | 6622 | 60.9239 | 0.5260 | 100.0000 | |
| Total | 2021 | 2440 | 20.7429 | 0.0000 | | |
| | 2022 | 1882 | 20.3398 | 0.0000 | | |
| | 2023 | 1863 | 20.5525 | 0.0000 | | |
| | 2024 | 2265 | 18.9740 | 0.0000 | | |
| | 2025 | 1924 | 19.3909 | 0.0000 | | |
| | Total | 10374 | 100.0000 | | | |

## The SAS System

### The SURVEYLOGISTIC Procedure

| Model Information | | |
|---|---|---|
| Data Set | WORK.YA_RECODE | |
| Response Variable | Noncigpro_recode | Non-cigarette nicotine product use incl. e-vape (1=Yes, 2=No) |
| Number of Response Levels | 2 | |
| Weight Variable | fnwgt0 | |
| Model | Binary Logit | |
| Optimization Technique | Fisher's Scoring | |

| | |
|---|---|
| Number of Observations Read | 10374 |
| Number of Observations Used | 10374 |
| Sum of Weights Read | 6265604 |
| Sum of Weights Used | 6265604 |

| Response Profile | | | |
|---|---|---|---|
| Ordered Value | Noncigpro_recode | Total Frequency | Total Weight |
| 1 | 1 | 1333 | 851411.6 |
| 2 | 2 | 9041 | 5414192.0 |

Probability modeled is Noncigpro_recode=1.

| Class Level Information | | |
|---|---|---|
| Class | Value | Design Variables |
| POVLL_2CAT | 1 | 1 |
| | 2 | 0 |

| Variance Estimation | |
|---|---|
| Method | Jackknife |
| Replicate Weights | YA_RECODE |
| Number of Replicates | 400 |

| Model Convergence Status |
|---|
| Convergence criterion (GCONV=1E-8) satisfied. |

| Model Fit Statistics | | |
|---|---|---|
| Criterion | Intercept Only | Intercept and Covariates |
| AIC | 4980224.9 | 4979573.0 |
| SC | 4980238.5 | 4979600.3 |
| -2 Log L | 4980222.9 | 4979569.0 |

| Testing Global Null Hypothesis: BETA=0 | | | | |
|---|---|---|---|---|
| Test | F Value | Num DF | Den DF | Pr > F |

| | | | | |
|---|---|---|---|---|
| Likelihood Ratio | 1.84 | 1 | 400 | 0.1759 |
| Score | 0.89 | 1 | 400 | 0.3468 |
| Wald | 0.88 | 1 | 400 | 0.3498 |
| NOTE: First-order Rao-Scott design correction 0.5889 applied to the likelihood ratio test. | | | | |

**Type 3 Analysis of Effects**

| Effect | F Value | Num DF | Den DF | Pr > F |
|---|---|---|---|---|
| POVLL_2CAT | 0.88 | 1 | 400 | 0.3498 |

**Analysis of Maximum Likelihood Estimates**

| Parameter | | Estimate | Standard Error | t Value | Pr > \|t\| |
|---|---|---|---|---|---|
| Intercept | | -1.8263 | 0.0415 | -43.96 | <.0001 |
| POVLL_2CAT | 1 | -0.0613 | 0.0655 | -0.94 | 0.3498 |
| NOTE: The degrees of freedom for the t tests is 400. | | | | | |

**Odds Ratio Estimates**

| Effect | Point Estimate | 95% Confidence Limits | |
|---|---|---|---|
| POVLL_2CAT 1 vs 2 | 0.941 | 0.827 | 1.070 |
| NOTE: The degrees of freedom in computing the confidence limits is 400. | | | |

**Association of Predicted Probabilities and Observed Responses**

| | | | |
|---|---|---|---|
| Percent Concordant | 22.6 | Somers' D | -.013 |
| Percent Discordant | 23.9 | Gamma | -.028 |
| Percent Tied | 53.6 | Tau-a | -.003 |
| Pairs | 12051653 | c | 0.494 |

## The SAS System

### The SURVEYLOGISTIC Procedure

| Model Information | | |
|---|---|---|
| Data Set | WORK.YA_RECODE | |
| Response Variable | Noncigpro_recode | Non-cigarette nicotine product use incl. e-vape (1=Yes, 2=No) |
| Number of Response Levels | 2 | |
| Weight Variable | fnwgt0 | |
| Model | Binary Logit | |
| Optimization Technique | Fisher's Scoring | |

| | |
|---|---|
| Number of Observations Read | 10374 |
| Number of Observations Used | 10374 |
| Sum of Weights Read | 6265604 |
| Sum of Weights Used | 6265604 |

| Response Profile | | | |
|---|---|---|---|
| Ordered Value | Noncigpro_recode | Total Frequency | Total Weight |
| 1 | 1 | 1333 | 851411.6 |
| 2 | 2 | 9041 | 5414192.0 |

Probability modeled is Noncigpro_recode=1.

| Class Level Information | | | | | |
|---|---|---|---|---|---|
| Class | Value | Design Variables | | | |
| POVLL_2CAT | 1 | 1 | | | |
| | 2 | 0 | | | |
| SRAGE_P1 | 18 | 0 | | | |
| | 26 | 1 | | | |
| SRSEX | 1 | 0 | | | |
| | 2 | 1 | | | |
| RACEDF_4cat | 1 | 0 | 0 | 0 | |
| | 2 | 1 | 0 | 0 | |
| | 3 | 0 | 1 | 0 | |
| | 4 | 0 | 0 | 1 | |
| AHEDC_3cat | 1 | 1 | 0 | | |
| | 2 | 0 | 1 | | |
| | 3 | 0 | 0 | | |
| ACE_3cat | 1 | 0 | 0 | | |
| | 2 | 1 | 0 | | |
| | 3 | 0 | 1 | | |
| UR_CLRT2 | 1 | 0 | | | |
| | 2 | 1 | | | |
| | | | | | |

| | | | | | |
|---|---|---|---|---|---|
| year | 2021 | 0 | 0 | 0 | 0 |
| | 2022 | 1 | 0 | 0 | 0 |
| | 2023 | 0 | 1 | 0 | 0 |
| | 2024 | 0 | 0 | 1 | 0 |
| | 2025 | 0 | 0 | 0 | 1 |

| Variance Estimation | |
|---|---|
| Method | Jackknife |
| Replicate Weights | YA_RECODE |
| Number of Replicates | 400 |

| Model Convergence Status |
|---|
| Convergence criterion (GCONV=1E-8) satisfied. |

| Model Fit Statistics | | |
|---|---|---|
| Criterion | Intercept Only | Intercept and Covariates |
| AIC | 4980224.9 | 4717946.4 |
| SC | 4980238.5 | 4718164.9 |
| -2 Log L | 4980222.9 | 4717914.4 |

| Testing Global Null Hypothesis: BETA=0 | | | | |
|---|---|---|---|---|
| Test | F Value | Num DF | Den DF | Pr > F |
| Likelihood Ratio | 42.22 | 13.9879 | 5595.15 | <.0001 |
| Score | 18.18 | 15 | 400 | <.0001 |
| Wald | 18.42 | 15 | 400 | <.0001 |
| NOTE: Second-order Rao-Scott design correction 0.0724 applied to the Likelihood Ratio test. | | | | |

| Type 3 Analysis of Effects | | | | |
|---|---|---|---|---|
| Effect | F Value | Num DF | Den DF | Pr > F |
| POVLL_2CAT | 1.78 | 1 | 400 | 0.1825 |
| SRAGE_P1 | 12.51 | 1 | 400 | 0.0005 |
| SRSEX | 51.20 | 1 | 400 | <.0001 |
| RACEDF_4cat | 17.47 | 3 | 400 | <.0001 |
| AHEDC_3cat | 12.58 | 2 | 400 | <.0001 |
| ACE_3cat | 81.95 | 2 | 400 | <.0001 |
| UR_CLRT2 | 0.09 | 1 | 400 | 0.7600 |
| year | 4.43 | 4 | 400 | 0.0016 |

| Analysis of Maximum Likelihood Estimates | | | | | |
|---|---|---|---|---|---|
| Parameter | | Estimate | Standard Error | t Value | Pr > \|t\| |
| Intercept | | -2.3994 | 0.1351 | -17.76 | <.0001 |
| POVLL_2CAT | 1 | -0.0941 | 0.0705 | -1.34 | 0.1825 |
| SRAGE_P1 | 26 | 0.2680 | 0.0758 | 3.54 | 0.0005 |
| SRSEX | 2 | -0.4917 | 0.0687 | -7.16 | <.0001 |
| RACEDF_4cat | 2 | 0.1392 | 0.1644 | 0.85 | 0.3978 |

| | | | | | |
|---|---|---|---|---|---|
| RACEDF_4cat | 3 | -0.4822 | 0.0846 | -5.70 | <.0001 |
| RACEDF_4cat | 4 | -0.5476 | 0.0999 | -5.48 | <.0001 |
| AHEDC_3cat | 1 | 0.4616 | 0.0924 | 4.99 | <.0001 |
| AHEDC_3cat | 2 | 0.2416 | 0.0946 | 2.55 | 0.0110 |
| ACE_3cat | 2 | 0.6914 | 0.0886 | 7.80 | <.0001 |
| ACE_3cat | 3 | 1.1995 | 0.0937 | 12.80 | <.0001 |
| UR_CLRT2 | 2 | 0.0395 | 0.1291 | 0.31 | 0.7600 |
| year | 2022 | 0.1800 | 0.1109 | 1.62 | 0.1053 |
| year | 2023 | 0.0479 | 0.1156 | 0.41 | 0.6790 |
| year | 2024 | 0.3156 | 0.1077 | 2.93 | 0.0036 |
| year | 2025 | -0.0882 | 0.1134 | -0.78 | 0.4370 |
| NOTE: The degrees of freedom for the t tests is 400. | | | | | |

| Odds Ratio Estimates | | | |
|---|---|---|---|
| Effect | Point Estimate | 95% Confidence Limits | |
| POVLL_2CAT 1 vs 2 | 0.910 | 0.792 | 1.045 |
| SRAGE_P1 26 vs 18 | 1.307 | 1.126 | 1.517 |
| SRSEX 2 vs 1 | 0.612 | 0.534 | 0.700 |
| RACEDF_4cat 2 vs 1 | 1.149 | 0.832 | 1.588 |
| RACEDF_4cat 3 vs 1 | 0.617 | 0.523 | 0.729 |
| RACEDF_4cat 4 vs 1 | 0.578 | 0.475 | 0.704 |
| AHEDC_3cat 1 vs 3 | 1.587 | 1.323 | 1.903 |
| AHEDC_3cat 2 vs 3 | 1.273 | 1.057 | 1.533 |
| ACE_3cat 2 vs 1 | 1.997 | 1.677 | 2.377 |
| ACE_3cat 3 vs 1 | 3.319 | 2.760 | 3.990 |
| UR_CLRT2 2 vs 1 | 1.040 | 0.807 | 1.341 |
| year 2022 vs 2021 | 1.197 | 0.963 | 1.489 |
| year 2023 vs 2021 | 1.049 | 0.836 | 1.317 |
| year 2024 vs 2021 | 1.371 | 1.109 | 1.694 |
| year 2025 vs 2021 | 0.916 | 0.733 | 1.144 |
| NOTE: The degrees of freedom in computing the confidence limits is 400. | | | |

| Association of Predicted Probabilities and Observed Responses | | | |
|---|---|---|---|
| Percent Concordant | 64.1 | Somers' D | 0.290 |
| Percent Discordant | 35.1 | Gamma | 0.293 |
| Percent Tied | 0.9 | Tau-a | 0.065 |
| Pairs | 12051653 | c | 0.645 |