

```
1 import java.util.HashMap;
2 import java.util.Map;
3
4 public class Main
5 {
6     public static void main(String[] args)
7     {
8         HashMap<String, Integer> marks = new HashMap<>();
9
10        System.out.println("Student Marks:");
11
12        for (Map.Entry<String, Integer> entry : marks.entrySet())
13        {
14            System.out.println(
15                "Name: " + entry.getKey()
16                + " | Marks: " + entry.getValue()
17            );
18        }
19    }
20 }
```

```
1 import java.util.HashMap;
2 import java.util.Map;
3
4 public class Main
5 {
6     public static void main(String[] args)
7     {
8         HashMap<String, Integer> marks = new HashMap<>();
9
10        marks.put("Sathwik", 90);
11
12        System.out.println("Student Marks:");
13
14        for (Map.Entry<String, Integer> entry : marks.entrySet())
15        {
16            System.out.println(
17                "Name: " + entry.getKey()
18                + " | Marks: " + entry.getValue()
19            );
20        }
21    }
22 }
```

Student Marks:
Name: Sathwik | Marks: 90

```

1 import java.util.HashMap;
2 import java.util.Map;
3
4 public class Main
5 {
6     public static void main(String[] args)
7     {
8         HashMap<String, Integer> marks = new HashMap<>();
9
10        marks.put("Sathwik", 90);
11        marks.put("Ravi", 85);
12        marks.put("Kiran", 78);
13        marks.put("Arun", 92);
14
15        System.out.println("Student Marks:");
16
17        for (Map.Entry<String, Integer> entry : marks.entrySet())
18        {
19            System.out.println(
20                "Name: " + entry.getKey()
21                + " | Marks: " + entry.getValue()
22            );
23        }
24    }
25 }

```


input

```

Name: Kiran | Marks: 78
Name: Ravi | Marks: 85
Name: Arun | Marks: 92
Name: Sathwik | Marks: 90

```