

100 Array Questions Tracker

Your Complete Practice Roadmap — Beginner → Intermediate → Advanced

How to Use This Tracker

1. Work through the questions **in order** within each phase — they are arranged Easy → Hard.
2. Check the box [] → [x] only after you solve it **without looking at the solution**.
3. Use the “**Why Solve It**” column to understand the purpose of each question — not just to grind blindly.
4. Revisit questions after 3 days and 7 days (spaced repetition) for real retention.
5. Update your own **Status** column notes (Shaky / Comfortable / Mastered) as you go — copy this file and track it locally.

Legend: ● Beginner | ● Intermediate | ● Advanced | ★ = High Interview Frequency at FAANG+

PHASE 1: BEGINNER (30 Questions)

Goal: Build comfort with basic syntax and recognize the most common patterns in their simplest form.

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
[]	1	1	Two Sum	Easy	Frequency/HashMap	Basic Lookup	The most classic interview opener; teaches HashMap lookups ★	High
[]	2	121	Best Time to Buy and Sell Stock	Easy	Kadane's Algorithm	Single Pass	Introduces the “track running min/max” mental model ★	High
[]	3	217	Contains Duplicate	Easy	Frequency Counting	Set Lookup	Builds Set/HashMap intuition for	Medium

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
							presence checks	
[]	4	53	Maximum Subarray	Medium	Kadane's Algorithm	Standard	THE definitive Kadane's problem ★	High
[]	5	283	Move Zeroes	Easy	Two Pointer	Same Direction	Practice in-place array modification	Medium
[]	6	88	Merge Sorted Array	Easy	Two Pointer	Same Direction (Reverse)	Practice merging from the back to avoid overwrites	Medium
[]	7	26	Remove Duplicates from Sorted Array	Easy	Two Pointer	Slow-Fast	Foundational in-place pointer pattern ★	High
[]	8	27	Remove Element	Easy	Two Pointer	Same Direction	Simple in-place removal logic	Low
[]	9	1480	Running Sum of 1d Array	Easy	Prefix Sum	1D Prefix Sum	Literal introduction to prefix sums	Medium
[]	10	724	Find Pivot Index	Easy	Prefix Sum	Prefix + Suffix	Combine prefix and suffix sum thinking	Medium
[]	11	169	Majority Element	Easy	Boyer-Moore Voting	Single Candidate	The foundational voting algorithm problem ★	High
[]	12	268	Missing Number	Easy	Cyclic Sort	Range 0 to N	Introduces the cyclic sort mental model ★	High
[]	13	448	Find All Number	Easy	Cyclic Sort	Range 1 to N	Extends missing	Medium

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
			s Disappeared in an Array				number to multiple values	
[]	14	977	Squares of a Sorted Array	Easy	Two Pointer	Opposite Direction	Practice comparing values from both ends	Medium
[]	15	242	Valid Anagram	Easy	Frequency Counting	Comparison	Practice frequency map comparison	Medium
[]	16	387	First Unique Character in a String	Easy	Frequency Counting	Basic Count	Simple, direct frequency counting practice	Low
[]	17	167	Two Sum II - Input Array Is Sorted	Easy	Two Pointer	Opposite Direction	THE textbook two-pointer problem ★	High
[]	18	118	Pascal's Triangle	Easy	Foundational	Array Building	Builds comfort constructing 2D arrays	Low
[]	19	189	Rotate Array	Medium	Reversal Algorithm	In-Place Rotation	Learn all 3 approaches, master the reversal trick ★	High
[]	20	136	Single Number	Easy	Frequency/Bit Manipulation	XOR Trick	Introduces bit manipulation as an array optimization	Medium
[]	21	350	Intersection of Two Arrays II	Easy	Frequency Counting	Map Matching	Practice matching counts across two arrays	Medium
[]	2	414	Third	Easy	Foundational	Single	Practice	Low

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
	2		Maximum Number			Pass Tracking	tracking top-3 values in one pass	
[]	23	485	Max Consecutive Ones	Easy	Sliding Window	Fixed/Running Count	Simplest possible sliding window intro ★	Medium
[]	24	303	Range Sum Query - Immutable	Easy	Prefix Sum	1D Prefix Sum	Classic multiple-query prefix sum problem	Medium
[]	25	1346	Check If N and Its Double Exist	Easy	Frequency Counting	HashMap Lookup	Reinforces the "seen before" HashMap pattern	Low
[]	26	905	Sort Array By Parity	Easy	Two Pointer	Same Direction	Practice partitioning with two pointers	Low
[]	27	896	Monotonic Array	Easy	Foundational	Single Pass	Simple single-pass condition checking	Low
[]	28	697	Degree of an Array	Easy	Frequency Counting	Index Tracking	Combine frequency count with first/last index tracking	Low
[]	29	66	Plus One	Easy	Foundational	Array Manipulation	Practice carrying/borrowing logic in arrays	Low
[]	30	1	Two Sum (Revisit — Unsorted, HashMa	Easy	Frequency/HashMap	Revision	Revisit to lock in the HashMap pattern before moving on	High

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
			p only)					

PHASE 2: INTERMEDIATE (40 Questions)

Goal: Combine patterns, handle tricky edge cases, and get comfortable with medium-difficulty FAANG questions.

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
[]	31	15	3Sum	Medium	Two Pointer	Fix + Two Pointer	Extremely common FAANG question, combines sorting + pointers ★	High
[]	32	16	3Sum Closest	Medium	Two Pointer	Fix + Two Pointer	Variation focusing on closest sum instead of exact	Medium
[]	33	11	Container With Most Water	Medium	Two Pointer	Opposite Direction	Teaches greedy pointer-shrinking logic ★	High
[]	34	238	Product of Array Except Self	Medium	Prefix Sum	Prefix + Suffix Product	Very common no-division constraint problem ★	High
[]	35	560	Subarray Sum Equals K	Medium	Prefix Sum + HashMap	Count	THE definitive prefix+hash map problem ★	High
[]	36	3	Longest Substring Without	Medium	Sliding Window	Variable Window	THE most classic variable	High

✓	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
			Repeating Characters				sliding window problem ★	
[]	37	209	Minimum Size Subarray Sum	Medium	Sliding Window	Variable Window (Shrink)	Practice shrink-based variable window	Medium
[]	38	340	Longest Substring with At Most K Distinct Characters	Medium	Sliding Window	Window + HashMap	Combine window with frequency map	Medium
[]	39	438	Find All Anagrams in a String	Medium	Sliding Window	Fixed Window + HashMap	Practice frequency matching inside a window	Medium
[]	40	567	Permutation in String	Medium	Sliding Window	Fixed Window + HashMap	Similar to anagram matching, reinforces pattern	Medium
[]	41	904	Fruit Into Baskets	Medium	Sliding Window	Variable Window (At Most 2)	Disguised "at most K distinct" problem	Medium
[]	42	75	Sort Colors	Medium	Two Pointer	Three Pointer (Dutch Flag)	Classic 3-way partitioning problem ★	High
[]	43	73	Set Matrix Zeroes	Medium	2D Array	In-Place Marking	Practice in-place matrix manipulation	Medium
[]	44	54	Spiral Matrix	Medium	2D Array	Boundary Traversal	Very common matrix traversal	High

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
							question ★	
[]	45	48	Rotate Image	Medium	Rotate Array	Transpose + Reverse	Extend rotation thinking to 2D	Medium
[]	46	49	Group Anagrams	Medium	Frequency Counting	Group by Key	Practice using signatures as HashMap keys ★	High
[]	47	347	Top K Frequent Elements	Medium	Frequency Counting	Top-K + Heap/Bucket	Combine frequency counting with sorting/heap ★	High
[]	48	523	Continuous Subarray Sum	Medium	Prefix Sum + HashMap	Modulo	Adds a "multiple of K" twist to prefix sum	Medium
[]	49	974	Subarray Sums Divisible by K	Medium	Prefix Sum + HashMap	Modulo	Reinforces modulo-based prefix sum thinking	Medium
[]	50	525	Contiguous Array	Medium	Prefix Sum + HashMap	Sum = 0 Trick	Clever "treat 0 as -1" trick	Medium
[]	51	31	Next Permutation	Medium	Next Permutation	Standard	THE definitive next-permutation problem ★	High
[]	52	33	Search in Rotated Sorted Array	Medium	Two Pointer/Binary Search	Modified Binary Search	Very common FAANG rotated-array question ★	High
[]	53	153	Find Minimum	Medium	Binary Search	Modified Binary	Companion problem to	Medium

✓	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
			in Rotated Sorted Array			Search	#52	
[]	54	229	Majority Element II	Medium	Boyer-Moore Voting	Extended (n/3)	Extend voting to two candidates + verification	Medium
[]	55	287	Find the Duplicate Number	Medium	Cyclic Sort	Range 1 to N	Classic FAANG favorite with multiple approaches ★	High
[]	56	442	Find All Duplicates in an Array	Medium	Cyclic Sort	Sign Marking	Practice marking visited indices	Medium
[]	57	134	Gas Station	Medium	Greedy/Prefix Sum	Running Total	Teaches greedy + running deficit tracking	Medium
[]	58	55	Jump Game	Medium	Greedy	Reachability Tracking	Common greedy array question ★	High
[]	59	45	Jump Game II	Medium	Greedy	Level-by-Level Reach	Extension of Jump Game, minimum jumps	Medium
[]	60	304	Range Sum Query 2D - Immutable	Medium	2D Prefix Sum	Standard	Foundational 2D prefix sum problem	Medium
[]	61	1314	Matrix Block Sum	Medium	2D Prefix Sum	Sliding Boundaries	Practice applying 2D prefix sum formula	Low

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
[]	62	370	Range Addition	Medium	Difference Array	Standard	THE textbook difference array problem ★	Medium
[]	63	1094	Car Pooling	Medium	Difference Array	Capacity Check	Real-world styled range-update problem	Medium
[]	64	253	Meeting Rooms II	Medium	Difference Array/Heap	Interval Counting	Common interval-overlap counting question ★	High
[]	65	1352	Product of the Last K Numbers	Medium	Prefix Sum	Prefix Product	Stream-based prefix product variation	Low
[]	66	152	Maximum Product Subarray	Medium	Kadane's Algorithm	Max/Min Tracking	Adds the sign-flip twist to Kadane's ★	High
[]	67	918	Maximum Sum Circular Subarray	Medium	Kadane's Algorithm	Circular Variant	Adds circular wraparound logic to Kadane's	Medium
[]	68	18	4Sum	Medium	Two Pointer	Fix Fix + Two Pointer	Extend two-pointer thinking to 4 elements	Medium
[]	69	78	Subsets	Medium	Backtracking	Array Combinations	Common combinatorics-on-array question	Medium
[]	70	39	Combination Sum	Medium	Backtracking	Array Combinations	Reinforces recursive array exploration	Medium

PHASE 3: ADVANCED (30 Questions)

Goal: Handle multi-pattern, high-difficulty FAANG-level questions with full confidence.

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
[]	71	41	First Missing Positive	Hard	Cyclic Sort	Standard	One of the most famous hard array questions ★	High
[]	72	42	Trapping Rain Water	Hard	Two Pointer	Opposite Direction	Legendary FAANG interview question ★	High
[]	73	239	Sliding Window Maximum	Hard	Sliding Window	Monotonic Deque	Teaches deque-based window maximum tracking ★	High
[]	74	76	Minimum Window Substring	Hard	Sliding Window	Variable Window + HashMap	The hardest classic variable window problem ★	High
[]	75	4	Median of Two Sorted Arrays	Hard	Binary Search	Partition-Based	Extremely famous, tests binary search depth ★	High
[]	76	363	Number of Submatrices That Sum to Target	Hard	2D Prefix Sum	+ HashMap	Combines 2D prefix sum with 1D HashMap	Medium

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
[]	77	128	Longest Consecutive Sequence	Hard	Frequency Counting	Set-Based	technique Classic $O(n)$ sequence detection using a Set ★	High
[]	78	56	Merge Intervals	Medium-Hard	Sorting/Greedy	Interval Merging	Extremely common interval question ★	High
[]	79	57	Insert Interval	Medium-Hard	Sorting/Greedy	Interval Merging	Companion to Merge Intervals	Medium
[]	80	435	Non-overlapping Intervals	Medium-Hard	Greedy	Interval Scheduling	Practice greedy interval elimination	Medium
[]	81	315	Count of Smaller Numbers After Self	Hard	Merge Sort/BIT	Order Statistics	Advanced counting with modified merge sort	Medium
[]	82	164	Maximum Gap	Hard	Bucket Sort	Non-Comparison Sort	Teaches bucket sort thinking on arrays	Low
[]	83	123	Best Time to Buy and Sell Stock III	Hard	Kadane's Algorithm	Two-Transaction DP	Extends Kadane's to multiple transactions ★	High
[]	84	188	Best Time to Buy and	Hard	Kadane's Algorithm	K-Transaction	Generalizes stock	Medium

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
			Sell Stock IV			DP	problems to K transactions	
[]	85	480	Sliding Window Median	Hard	Sliding Window	Two-Heap	Combines sliding window with heap-based median	Medium
[]	86	862	Shortest Subarray with Sum at Least K	Hard	Sliding Window	Monotonic Deque + Prefix Sum	Advanced combination of prefix sum + deque	Medium
[]	87	410	Split Array Largest Sum	Hard	Binary Search	Binary Search on Answer	Teaches "binary search the answer" meta-pattern ★	High
[]	88	1191	K-Concatenation Maximum Sum	Medium-Hard	Kadane's Algorithm	Circular + Repetition	Advanced Kadane's variation with array repetition	Low
[]	89	528	Random Pick with Weight	Medium	Prefix Sum	Prefix + Binary Search	Combines prefix sum with binary search lookup	Low
[]	90	300	Longest Increasing Subsequence	Medium-Hard	Dynamic Programming	Patience Sorting	Common DP-on-array question, tests	High

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
							subsequence thinking ★	
[]	91	135	Candy	Hard	Greedy	Two-Pass Greedy	Practice combining two directional greedy passes	Medium
[]	92	407	Trapping Rain Water II	Hard	Heap/2D Array	Priority Queue on Grid	2D extension of the classic Trapping Rain Water	Low
[]	93	149	Max Points on a Line	Hard	HashMap	Slope Counting	Tests geometric HashMap-based counting	Low
[]	94	354	Russian Doll Envelopes	Hard	Sorting + LIS	2D LIS	Combines sorting trick with Longest Increasing Subsequence	Medium
[]	95	32	Longest Valid Parentheses	Hard	Stack/Prefix Sum	Index Tracking	Common hard-level pattern-combination question	Medium
[]	96	60	Permutation Sequence	Hard	Next Permutation	Factorial Number System	Related but distinct from Next Permutation	Low

	#	LC Number	Question Name	Difficulty	Pattern	Subpattern	Why Solve It	Frequency
[]	97	556	Next Greater Element III	Medium	Next Permutation	Digit Rearrangement	on Applies next-permutation logic to digits	Medium
[]	98	327	Count of Range Sum	Hard	Prefix Sum + Merge Sort	Order Statistics	Advanced prefix sum combined with merge sort counting	Low
[]	99	715	Range Module	Hard	Difference Array/Interval	Advanced Range Tracking	Advanced real-world interval management	Low
[]	100	239	Sliding Window Maximum (Revisit — Full Mastery Pass)	Hard	Sliding Window	Monotonic Deque	Final revision — solve from scratch with no hints ★	High

Progress Summary

Phase	Total Questions	Completed
 Beginner	30	___ / 30
 Intermediate	40	___ / 40
 Advanced	30	___ / 30
Total	100	___ / 100

📊 Mastery Tracking Template (Copy for Each Question)

Question	Attempt 1 Result	Pattern I Guessed	Correct Pattern?	Revisit After 3 Days	Revisit After 7 Days	Confidence
e.g. Two Sum	Solved in 10 min	HashMap	✅ Yes	✅ Done	✅ Done	Mastered

💡 **Remember** The checkbox is not the goal. The goal is being able to say, “*I recognized this pattern because of [trigger words], and I could code the optimal solution without hints.*” Track your honest confidence, not just completion.

Companion to “The Complete Array Interview Handbook” and “Array Cheatsheet” — update this file daily as you progress through your preparation.