
Punta Bocanegra Reef Station, Universidad Autonoma de Punta Bocanegra. To: Alfredo Montero, head of reef monitoring. From: Fabiola Mireles, survey coordinator. 8 November 2027.

Nine sites for the November post-bleaching survey

The November survey goes to nine sites: PB06 Arrecife Los Pargos, PB07 Cayo Medusa, PB09 Arrecife Los Ronquillos, PB10 Punta Cascabel, PB11 Bajo Coralillo, PB12 Arrecife El Tiburon, PB13 Cabezo Morena, PB14 Bajo Rompiente and PB15 Punta Gorgonia. Each will reach Alert Level 2 for the 2027 season on the reprocessed record, with a season maximum of 9 (PB06), 11 (PB07), 10 (PB09), 12 (PB10), 13 (PB11), 10 (PB12), 12 (PB13), 9 (PB14) and 11 (PB15) degree Celsius weeks. PB06, PB07, PB09 and PB10 were declared at Alert Level 2 in the bulletins and are confirmed; PB11, PB12, PB13, PB14 and PB15 were declared at Alert Level 1 and are raised.

The southern sites' heat came under almost unbroken cloud from mid-August into September, and on a day without a satellite observation the near-real-time analysis lets the last observed anomaly fade toward the climatology, so the bulletins counted few HotSpots there. The estimate takes the analysis's clear-sky warm difference (0.06 degrees Celsius against the reprocessed record, 2018 to 2026) out of the observed days and fills every other day from the observed days either side, as the reprocessed analysis will with the passes and in situ records that came later. Over 2018 to 2026 that refill reproduces the reprocessed record on the days the analysis did not observe to 0.065 degrees (root mean square), against 0.142 for the record corrected by its mean differences.

Three more sites rise from no alert to Alert Level 1 (PB02 Arrecife Las Garzas, PB05 Bajo del Ancla and PB16 Arrecife Sargazo); no site is lowered. The 2023 survey baseline and the loggers' hours at or above each site's maximum monthly mean are in the workbook.



Source: watch bulletins 2027; SRAO near-real-time and reprocessed SST; methods note v3.

Declared: the highest DHW in the season's weekly bulletins (near-real-time analysis). Expected: the season maximum the reprocessed record will give, from the near-real-time observed days less the clear-sky difference with the other days filled between them. Alert Level 1 at 4 and Alert Level 2 at 8 degree Celsius weeks (methods note v3, sections 3 to 6).